


**USDA FOREST SERVICE
RESOURCE BULLETIN NC-53**



North Central Forest Experiment Station
Forest Service—U.S. Department of Agriculture
1992 Folwell Avenue
St. Paul, Minnesota 55108

Manuscript approved for publication April 15, 1980

1980

FOREWORD

Resources Evaluation (formerly called Forest Survey) is a continuing endeavor as mandated by the Forest and Rangeland Renewable Resources Planning Act of 1974, which was preceded by the McSweeney-McNary Forest Research Act of 1928. Its objective is to periodically inventory the Nation's forest land to determine its extent, condition, and volume of timber, growth, and depletions. This kind of up-to-date information is essential to frame intelligent forest policies and programs. USDA Forest Service regional experiment stations are responsible for conducting these inventories and publishing summary reports for individual States. The North Central Forest Experiment Station is responsible for Resources Evaluation work done in Michigan, Wisconsin, Minnesota, North Dakota, eastern South Dakota, Nebraska, Iowa, Illinois, Indiana, Missouri, and Kansas.

Fieldwork for the 1977 Minnesota Forest Survey was begun in July 1974 and was completed in July 1978. Reports on the three previous surveys of Minnesota's timber resource are dated 1936, 1953, and 1962.

Similar Resource Bulletins reporting statistical highlights and detailed tables on the timber resource of the four Survey Units in Minnesota (see cover) are available.

More accurate survey information was obtained during the 1977 survey than otherwise would have been feasible because of intensified field sampling. This was made possible by extra funding and manpower provided the North Central Station by the State Legislature through the Minnesota Department of Natural Resources. The Department also assisted in a canvass of primary wood-using plants in the State, which was used to help estimate the quantity of timber products harvested in Minnesota.

Aerial photos used in the Minnesota Forest Inventory were furnished by the Boise Cascade Company, Chippewa National Forest, Lake County Land Commissioner's Office, Minnesota Department of Natural Resources, Superior National Forest, USDA Agricultural Stabilization and Conservation Service, and USDI Bureau of Indian Affairs.

The following North Central Forest Experiment Station office personnel helped prepare the State tables and manuscript:

Mary Jean Hanson, Secretary
Patrick Peine, Statistical assistant
Gerhard K. Raile, Associate mensurationalist
Carol Weist, Computer programmer

CONTENTS

	<i>Page</i>
Highlights	1
Principal Tree Species Groups in Minnesota	2
Appendix	3
Accuracy of Survey	3
Survey Procedure	3
Comparing Minnesota's Fourth Survey with the Third Survey	4
Metric Equivalents of Units Used in this Report	5
Definition of Terms	5
Tables	9

MINNESOTA FOREST STATISTICS, 1977

Pamela J. Jakes
Associate Resource Analyst

HIGHLIGHTS

Area

- Commercial forest area declined from 15.4 million acres in 1962 to 13.7 million acres in 1977, an annual rate of change of -0.8 percent.
- Commercial forest area is concentrated in the Northern Pine (5.7 million acres) and Aspen-Birch (5.5 million acres) Forest Survey Units.
- Farmers own the largest portion of Minnesota's commercial forest land base (3.4 million acres), followed by the State of Minnesota (2.7 million acres) and county and municipal agencies (2.3 million acres).
- Aspen is the most common forest type in Minnesota, occurring on 5.3 million acres of commercial forest land.
- The majority of the commercial forest land (6.9 million acres) is in poletimber stands. The remaining commercial forest area is fairly evenly divided among sawtimber, and seedling and sapling stands.
- The area of productive-reserved forest land increased from 470,100 acres in 1962 to 1.2 million acres in 1977, due largely to creation of Voyageur's National Park and expansion of wilderness portions of the Boundary Waters Canoe Area.

- Eleven percent of Minnesota's forest land is unproductive.

Volume

- In 1977 there were 12.9 billion cubic feet of timber in Minnesota—11.4 billion cubic feet in growing-stock trees, 1.4 billion cubic feet in rough and rotten trees, and 0.1 billion cubic feet in salvable dead trees.
- Growing-stock volume per acre on commercial forest land increased from 613 cubic feet in 1962 to 836 cubic feet in 1977, resulting in a 21 percent increase in growing-stock volume, from 9.4 to 11.4 billion cubic feet.
- Sawtimber volume increased 65 percent between surveys, from 14.9 billion board feet in 1962 to 24.6 billion board feet in 1977. This reflects the increasing maturity of Minnesota's forests.
- Growing-stock volume is concentrated in the Northern Pine (5.0 billion cubic feet) and Aspen-Birch (4.5 billion cubic feet) Forest Survey Units.
- Aspen accounts for 30 percent of the growing-stock volume (3.4 billion cubic feet) and 24 percent of the sawtimber volume (6.0 billion board feet).
- Farmers own 2.7 billion cubic feet of growing-stock volume, county and municipal agencies own 2.0 billion cubic feet, and the State owns 1.9 billion cubic feet.

Stand Conditions

- Net annual growth of growing stock for softwoods increased from 106.8 million cubic feet in 1961 to 119.8 million cubic feet in 1976, but net annual growth for hardwoods decreased from 257.4 million cubic feet to 229.1 million cubic feet resulting in an overall decrease in net annual growth between surveys.
- Net annual growth rate of growing stock is 3.0 percent of inventory. The growth rate for softwoods (3.4 percent) is higher than the growth rate for hardwoods (2.9 percent).
- Net annual growth per acre remained fairly constant between surveys—24 cubic feet in 1961 compared to 25 cubic feet in 1976.
- Mortality of growing-stock trees averaged 1.2 percent of inventory.
- Disease is the most common cause of mortality and accounts for 57 percent of 141.5 million cubic feet.
- Sixty-five percent of Minnesota's commercial forest land is capable of growing trees at least 51 feet high at age 50.
- More than two-thirds of Minnesota's sawtimber volume is in butt log grade 3 timber.
- Fifty-seven percent of the commercial forest area is in stands less than 51 years old.

Timber Use

- Timber removals from growing stock totaled 193.6 million cubic feet in 1976—135.0 million cubic feet for timber products, 53.5 million cubic feet for other removals, and 5.1 million cubic feet for logging residue.
- Growing-stock removals in 1976 are 33 percent higher than removals in 1962. The increase is entirely due to greater hardwood removals.
- Fifty-four percent of growing-stock removals came from farmer-owned and miscellaneous private-owned land.
- Timber products output in 1975 totaled 169.9 million cubic feet—63 percent as pulpwood, 17 percent as saw logs, and 14 percent as fuelwood.
- Primary plant residue in 1975 totaled 11.6 million cubic feet—7.1 million cubic feet from

hardwoods and 4.5 million cubic feet from softwoods. An additional 5.6 million cubic feet of residue was bark.

PRINCIPAL TREE SPECIES GROUPS IN MINNESOTA¹

Softwoods:

Eastern white pine	<i>Pinus strobus</i>
Red pine	<i>Pinus resinosa</i>
Jack pine	<i>Pinus banksiana</i>
Black spruce	<i>Picea mariana</i>
White spruce	<i>Picea glauca</i>
Balsam fir	<i>Abies balsamea</i>
Tamarack	<i>Larix laricina</i>
Northern white-cedar	<i>Thuja occidentalis</i>
Other softwoods:	

Eastern redcedar	<i>Juniperus virginiana</i>
Scotch pine	<i>Pinus sylvestris</i>

Hardwoods:

White oaks:

White oak	<i>Quercus alba</i>
Bur oak	<i>Quercus macrocarpa</i>
Swamp white oak	<i>Quercus bicolor</i>

Select red oak:

Northern red oak	<i>Quercus rubra</i>
------------------------	----------------------

Other red oaks:

Black oak	<i>Quercus velutina</i>
Northern pin oak	<i>Quercus ellipsoidalis</i>

Hickories:

Shagbark hickory	<i>Carya ovata</i>
Bitternut hickory	<i>Carya cordiformis</i>
Yellow birch	<i>Betula alleghaniensis</i>

Hard maples:

Sugar maple	<i>Acer saccharum</i>
Black maple	<i>Acer nigrum</i>

Soft maples:

Red maple	<i>Acer rubrum</i>
Silver maple	<i>Acer saccharinum</i>

Ashes:

White ash	<i>Fraxinus americana</i>
Black ash	<i>Fraxinus nigra</i>
Green ash	<i>Fraxinus pennsylvanica</i>
Balsam poplar	<i>Populus balsamifera</i>
Paper birch	<i>Betula papyrifera</i>

¹The common and scientific names are based on "Check List of Native and Naturalized Trees of the United States (including Alaska)," by Elbert L. Little, Jr. 1979. U.S. Department of Agriculture, Agriculture Handbook 541, 375 p.

Aspens:	
Bigtooth aspen	<i>Populus grandidentata</i>
Quaking aspen	<i>Populus tremuloides</i>
Basswood	<i>Tilia americana</i>
Elms:	
American elm	<i>Ulmus americana</i>
Slippery elm	<i>Ulmus rubra</i>
Rock elm	<i>Ulmus thomassii</i>
Select hardwoods:	
Butternut	<i>Juglans cinerea</i>

Black walnut	<i>Juglans nigra</i>
Black cherry	<i>Prunus serotina</i>
Other hardwoods:	
Boxelder	<i>Acer negundo</i>
River birch	<i>Betula nigra</i>
Hackberry	<i>Celtis occidentalis</i>
Eastern cottonwood	<i>Populus deltoides</i>
Black willow	<i>Salix nigra</i>
Kentucky coffeetree	<i>Gymnocladus dioicus</i>

APPENDIX

Accuracy of Survey

Resources Evaluation information is based on a sampling procedure designed to provide reliable statistics at the State and Survey Unit levels. Consequently, the reported figures are estimates only. However, a measure of reliability of these figures is given by sampling errors. These sampling errors mean that the chances are two out of three that if a 100-percent inventory had been taken, using the same methods, the results would have been within the limits indicated.

For example, the estimated area of commercial forest land in Minnesota in 1977, 13,695.1 thousand acres, has a sampling error of \pm 0.39 percent (\pm 53,900 acres). The commercial forest area from a 100-percent inventory, then, would be expected to fall between 13,749.0 and 13,641.2 thousand acres ($13,695.1 \pm 53.9$), there being a one in three chance that this is not the case.

Sampling errors were calculated separately for National Forest land and other land because of the higher sampling intensity on this land. For example, the sampling error for growing-stock volume on land other than National Forest is \pm 0.82 percent but for Chippewa National Forest land it is \pm 7.47 percent.

The following tabulation shows the combined sampling errors for the 1977 Minnesota Forest Inventory:

Item	Minnesota totals	Sampling error (percent)
Growing stock:		
Volume	11,454.0 million cubic feet	1.04
Growth	348.9 million cubic feet	1.42
Removals	193.6 million cubic feet	5.33
Sawtimber:		
Volume	24,607.2 million board feet	1.85
Growth	1,111.5 million board feet	1.72
Removals	460.3 million boardfeet	4.36
Commercial forest land:		
	13,695.1 thousand acres	0.39

As survey data are broken down into sections smaller than State or Survey Unit totals, the sampling error increases. The smaller the breakdown, the larger the sampling error. For example, the sampling error for area of commercial forest land in a particular county is higher than that for total commercial forest area in the Survey Unit (table 70 shows the sampling errors for estimates smaller than State totals).

Survey Procedure

The major steps in the survey of Minnesota were as follows:

1. A total of 276,897 1-acre points were systematically distributed across aerial photos of the entire

State, except the Chippewa and Superior National Forests. These points were classified as forest land (72,700), unproductive forest land (4,483), nonforest land (197,674), or questionable (2,040), in order to make a preliminary estimate of forest area. Next, all of the forest points (72,700), 592 of the unproductive forest points, and all of the questionable points (2,040) were stereoclassified as to forest type, stand-size class, and density. Then 9,796 points classed as forest, 592 points classed as unproductive, 276 points classed as questionable, and 25,498 points classified as nonforest were examined on the ground to correct the preliminary area estimate for errors in classification and for actual changes in land use since the photos were taken. At each of the 8,547 commercial forest locations, variable-radius plots (basal area factor 37.5) were established at 10 points uniformly placed over the sample acre. Tree measurements made at these locations were the basis for estimates of timber volume, growth, mortality, number of trees, and other forest classifications.

2. Growth and mortality on all commercial forest land were estimated using the Forest Resources Evaluation Program (FREP)². This is an individual tree-growth projection system that uses stand and tree characteristics such as tree diameter, crown ratio, and stand density to estimate tree volumes.

3. Data from the National Forests were incorporated in the Survey data. Area statistics for the Chippewa National Forest were prepared by the Forest Timber Management staff from compartment examination records. In 1975, the Forest conducted its own forest inventory using 10-point variable-radius plots established by Forest personnel under the direction of the North Central Forest Experiment Station. Data from these plots were used as input for FREP, which, with modifications in the Program, was used to update volumes to 1977. The updated Chippewa National Forest data were approved by the Forest and combined with Survey data from non-National Forest commercial forest land to estimate volume, growth, and mortality for the State.

Area statistics for the Superior National Forest were also prepared by the Forest Timber Management staff from compartment examination records. Volume data for Superior National Forest land were

²For more information on FREP, see: U.S. Department of Agriculture, Forest Service. 1979. A generalized forest growth projection system for the Lake States Region. U.S. Department of Agriculture Forest Service, General Technical Report NC-49, 96 p.

prepared by staff using permanent sample plots established by Forest personnel. Superior National Forest data, then, were added to data for the rest of the State computed from 10-point variable radius plot information.

4. Statistics on timber utilization during 1975 were obtained from mill surveys. The Minnesota Department of Natural Resources and the North Central Forest Experiment Station canvassed resident sawmills, veneer mills, and other primary wood-using plants. The North Central Forest Experiment Station canvassed resident pulpmills, as well as out-of-State sawmills, pulpmills, and veneer mills to determine their use of timber from Minnesota. Fuelwood and fencepost output was based on a sample of private landowners to determine their production of fuelwood and fenceposts, and on a canvass of industrial and public timber owners. Estimates of primary mill residue used for fuelwood were obtained from the canvass of Minnesota primary wood-using plants. Timber cut for products by ownership class was determined by a canvass of public and industrial timber owners. The portion of timber cut unaccounted for by the latter owners was grouped under "farmer and other owners".

5. A total of 1,028 felled trees were measured throughout the State during 1975-1976 to develop wood utilization factors for converting timber products output to timber removals for saw logs and pulpwood. Factors for veneer logs were obtained during the 1967-1968 Wisconsin utilization study. Factors for all other products were obtained during the 1960-1961 Minnesota utilization study.

6. Field data were sent to St. Paul and compiled.

Comparing Minnesota's Fourth Survey with the Third Survey

Data from new forest surveys are often compared with data from earlier ones to determine trends in forest areas and volumes. Changes in procedures and definitions between surveys make it necessary to adjust earlier survey data so they are comparable to data from the new survey.

The Unit boundaries in Minnesota changed between surveys so published 1962 commercial forest area was adjusted to take these changes into account. Then, a portion of the 1962 commercial forest area was withdrawn and added to unproductive forest (noncommercial) and to nonforest to allow for changes in the method of determining land uses. The

resulting adjusted 1962 commercial area was then used to adjust 1962 inventory, net growth, and mortality volumes.

A test was made to ensure that it was possible to move from the adjusted 1962 volumes to the new 1977 volumes by means of Timber Resource Analysis System (TRAS), which is a Forest Service computer program for updating, backdating and projecting timber volume, growth, mortality, and removals. In order for the program to work, the 2 years to be reconciled must have comparable commercial forest land bases so that changes in volumes between surveys reflect actual changes in forest conditions or land use. To achieve this condition, it was necessary to make further adjustments in 1962 data so that land transferred from commercial forest to productive-reserved between the two surveys would not appear in the 1962 land base. If this adjustment were not made, removals between 1962 and 1977 would appear artificially high to absorb the loss of timber from this change in land status. This adjustment was made for the test only; area and volumes removed for the test were added back into the 1962 reported data.

TRAS recalculated 1962 volumes using 1977 estimates of cubic foot volume per tree and 1977 board foot-cubic foot ratios. This volume adjustment was necessary so that volume differences between surveys represented actual change and not merely change in the volume equations used on each occasion.

When the final adjustments of the 1962 data were completed, the resulting 1962 volumes and area were distributed among the four Survey Units. A check was made to ensure that it was possible to move from the adjusted 1962 volumes to the new 1977 volumes in each Unit. This was done using the average periodic difference between growth and removals for the two surveys and applying this difference to the 1962 volume. The same procedure was repeated for each individual species within each Unit to make sure inventory volumes reported for each species were consistent with reported growth and removals volumes.

Removals estimates for 1962 and 1977 are for total removals, including timber cut in addition to "other" removals, and are trend level removals. "Other" removals from transfer of commercial forest land to productive-reserved are not included. Previously published 1960 estimates are of timber cut only and do not include "other" removals. TRAS generated an estimate of 1962 "other" removals to provide the adjusted 1962 total removals.

Metric Equivalents of Units Used in this Report

1 acre = 4,046.86 square meters or 0.405 hectare.

1,000 acres = 405 hectares.

1,000 board feet (International $\frac{1}{4}$ -inch log rule) = 3.48 cubic meters.

Breast height = 1.4 meters above the ground.

1 cubic foot = 0.0283 cubic meter.

1 foot = 30.48 centimeters or 0.3048 meter.

1 inch = 25.4 millimeters, 2.54 centimeters, or 0.0254 meter.

Definition of Terms

Land-use classes

Gross area.—The entire area of land and water as determined by the Bureau of Census, 1970.

Land area.—The area of dry land and land temporarily or partially covered by water such as marshes, swamps, flood plains, streams, sloughs, and estuaries. Canals less than $\frac{1}{8}$ -mile wide and lakes, reservoirs, and ponds smaller than 40 acres are included as land area. These figures are from the Bureau of Census, 1970.

Forest land.—Land at least 16.7 percent stocked by trees of any size, or formerly having such tree cover, and not currently developed for nonforest use. Includes afforested areas. The minimum forest area classified was 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, and clearings in forest areas were classed as forest if less than 120 feet wide.

Commercial forest land.—Forest land that is producing or is capable of producing crops of industrial wood and that is not withdrawn from timber utilization by statute or administrative regulation. This includes areas capable of producing in excess of 20 cubic feet per acre of annual growth. This includes both inaccessible and inoperable areas.

Noncommercial forest land.—(a) Unproductive—forest land incapable of yielding crops of industrial wood because of adverse site conditions, (b) productive-reserved—forest land withdrawn from commercial timber use through statute or administrative regulation, or exclusively used for Christmas tree production.

Nonforest land.—Land that has never supported forests, and land formerly forested where forest use is precluded by development for nonforest uses, such as cropland, improved pasture, residential areas, and city parks. Also includes improved roads and adjoining rights-of-way, powerline clearings, and certain areas of water classified by the Bureau of Census as land. Unimproved roads, streams, canals, and non-forest strips in forest areas must be more than 120 feet wide and clearings in forested areas must be more than 1 acre in size to qualify as nonforest land.

Ownership classes

National forest.—Federal land that has been designated by executive order or statute as National Forests or purchase units and other land under the administration of the USDA Forest Service.

Other Federal.—Federal land other than National Forest.

State, county, and municipal.—Land owned by States, counties, or local public agencies, or land leased by them for more than 50 years.

Forest industry.—Land owned by companies or individuals operating primary wood-using plants.

Farmer-owned.—Land owned by operators of farms. A farm must include 10 or more acres from which the sale of agricultural products totals \$50 or more annually, or if less than 10 acres, the yield must be at least \$250 annually.

Farmer-owned, leased.—Land owned by operators of farms but leased to other parties.

Miscellaneous private-corporation.—Land owned by a private corporation not in the business of operating primary wood-using plants.

Miscellaneous private-individual.—Land owned by a private individual. **Miscellaneous private-corporation, leased.**—Land owned by private corporations but leased to other parties. **Miscellaneous private-individual, leased.**—Land owned by private individuals but leased to other parties.

Tree classes

All live trees.—Growing-stock, rough, and rotten trees 1 inch d.b.h. and larger.

Growing-stock trees.—All live trees of commercial species except rough and rotten trees.

Desirable trees.—Growing-stock trees having no serious quality defects that would limit present or

prospective use, possessing relatively high vigor, and containing no pathogens that may kill or seriously deteriorate it before rotation age. These are trees that would be favored by forest managers in silvicultural operations.

Acceptable trees.—Trees meeting the standards for growing stock but not qualifying as desirable trees.

Sawtimber trees.—Growing-stock trees of commercial species containing at least a 12-foot saw log or two noncontiguous saw logs, each 8 feet or longer. At least 33 percent of the gross volume of the tree must be sound wood. Softwoods must be at least 9 inches d.b.h. and hardwoods at least 11 inches d.b.h.

Poletimber trees.—Growing-stock trees of commercial species at least 5.0 inches d.b.h. but smaller than sawtimber size, and of good form and vigor.

Saplings.—Live trees of commercial species 1 to 5 inches d.b.h. and of good form and vigor.

Seedlings.—Live trees of commercial species less than 1 inch d.b.h. that are expected to survive according to regional standards (examples of seedlings not expected to survive are those that are diseased or heavily damaged by logging, browsing, or fire). Only softwood seedlings more than 6 inches tall and hardwood seedlings more than 1 foot tall are counted.

Rotten trees.—Live trees (any size) of commercial species that do not contain a merchantable 12-foot saw log or two noncontiguous 8-foot or longer saw logs, now or prospectively, because of rot (that is, when more than 50 percent of the cull volume of the tree is rotten).

Rough trees.—Live trees that do not contain at least one merchantable 12-foot saw log or two noncontiguous 8-foot or longer saw logs, now or prospectively, because of roughness and poor form. Includes all live noncommercial species.

Short-log (rough trees).—Sawtimber-sized trees of commercial species that contain at least one merchantable 8- to 11-foot saw log but not a 12-foot saw log.

Stocking

The degree of land utilization by trees as measured in terms of basal area and/or the number of trees in a stand compared to the basal area and/or number of trees required to fully utilize the growth potential of the land.

A stocking percent of 100 indicates full utilization of the site and is equivalent to 80 square feet of basal

area per acre in trees 5 inches d.b.h. and larger. In a stand of trees less than 5 inches d.b.h., a stocking percent of 100 would indicate that the present number of trees is sufficient to produce 80 square feet of basal area per acre when the trees reach 5 inches d.b.h.

Stocking of all live trees, growing-stock trees, and desirable trees are recorded separately and stands are grouped into the following stocking classes.

Stocking classes

Overstocked stands.—Stands in which stocking of trees is 133 percent or more.

Fully-stocked stands.—Stands in which stocking of trees is from 100 to 133 percent.

Medium-stocked stands.—Stands in which stocking of trees is from 60 to 100 percent.

Poorly-stocked stands.—Stands in which stocking of trees is from 16.7 to 60 percent.

Nonstocked areas.—Commercial forest land on which stocking of trees is less than 16.7 percent.

Stand-size classes

Stand.—A growth of trees on a minimum of 1 acre of forest land that is stocked by trees of any size.

Sawtimber stands.—Stands at least 16.7 percent stocked with growing-stock trees, at least half of which are sawtimber or poletimber and sawtimber stocking at least equal to that of poletimber.

Poletimber stands.—Stands at least 16.7 percent stocked with growing-stock trees, at least half of which are sawtimber and/or poletimber trees and poletimber stocking exceeding that of sawtimber.

Sapling-seedling stands.—Stands at least 16.7 percent stocked with growing-stock trees and with saplings and/or seedlings comprising more than half of this stocking.

Nonstocked areas.—Commercial forest land on which stocking of growing-stock trees is less than 16.7 percent.

Other classifications

Site index.—An expression of forest site quality based on the height of a free-growing dominant or codominant tree of a representative species in the forest type at age 50.

Site class.—A classification of forest land in terms of inherent capacity to grow crops of industrial wood expressed in cubic-foot growth per acre per year.

Stand-age.—Age of the main stand. Main stand refers to trees of the dominant forest type and stand-size class.

Basal area.—The area in square feet of the cross section at breast height of a single tree. When the basal area of all the trees in a stand are summed, the result is usually expressed as square feet of basal area per acre.

Biomass

The above-ground volume of all live trees (including bark and foliage) reported in green tons. Biomass is made up of 5 components:

Growing-stock bole.—Biomass of a growing-stock tree from a 1-foot stump to a variable 4-inch top.

Growing-stock tops and limbs.—Biomass of a growing-stock tree from a 1-foot stump minus the growing-stock bole.

Cull bole.—Biomass of a cull tree from a 1-foot stump to a variable 4-inch top.

Cull tops and limbs.—Biomass of a cull tree from a 1-inch stump minus the cull bole.

1- to 5-inch trees.—Biomass of all live trees 1- to 5-inches in diameter at breast height.

Forest types

A classification of forest land based on the species forming a plurality of live-tree stocking. Major forest types in Minnesota are:

Jack pine.—Forests in which jack pine comprises a plurality of the stocking. (Common associates include eastern white pine, red pine, aspen, birch, and maple.)

Red pine.—Forests in which red pine comprises a plurality of the stocking. (Common associates include eastern white pine, jack pine, aspen, birch, and maple.)

White pine.—Forests in which eastern white pine comprises a plurality of the stocking. (Common associates include red pine, jack pine, aspen, birch, and maple.)

Balsam fir.—Forests in which balsam fir and white spruce comprise a plurality of stocking with balsam fir the most common. (Common associates

include white spruce, aspen, maple, birch, northern white-cedar, and tamarack.)

White spruce.—Forests in which white spruce and balsam fir comprise a plurality of the stocking with white spruce the most common. (Common associates include balsam fir, aspen, maple, birch, northern white-cedar, and tamarack.)

Black spruce.—Forests in which swamp conifers comprise a plurality of the stocking with black spruce the most common. (Common associates include tamarack and northern white-cedar.)

Northern white-cedar.—Forests in which swamp conifers comprise a plurality of the stocking with northern white-cedar the most common. (Common associates include tamarack and black spruce.)

Tamarack.—Forests in which swamp conifers comprise a plurality of the stocking with tamarack the most common. (Common associates include black spruce and northern white-cedar.)

Oak.—Forests in which northern red oak, white oak, or bur oak, singly or in combination, comprise a plurality of the stocking. (Common associates include elm, maple, and aspen.)

Elm-ash-cottonwood.—Forests in which lowland elm, ash, cottonwood, and red maple, singly or in combination, comprises a plurality of the stocking. (Common associates include basswood and balsam poplar.)

Maple-basswood.—Forests in which sugar maple, basswood, yellow birch, upland American elm, and red maple, singly or in combination, comprises a plurality of the stocking. (Common associates include white pine and elm.)

Aspen.—Forests in which quaking aspen or big-tooth aspen, singly or in combination, comprises a plurality of the stocking. (Common associates include balsam poplar, balsam fir, and paper birch.)

Paper birch.—Forests in which paper birch comprises a plurality of the stocking. (Common associates include maple, aspen, and balsam fir.)

Balsam poplar.—Forests in which balsam poplar comprises a plurality of the stocking. (Common associates include aspen, elm, and ash.)

Timber volume

Volume of growing stock.—The volume of sound wood in the bole of growing-stock trees 5 inches d.b.h. and over, from a 1-foot stump to a minimum 4

inch top diameter outside bark, or to the point where the central stem breaks into limbs. Growing-stock volumes are shown in cubic feet. They can be converted to cords by multiplying by 79 (79 cubic feet/solid wood cord).

Volume of sawtimber.—Net volume of the saw log portion of live sawtimber trees in board feet, International $\frac{1}{4}$ -inch rule, from stump to a minimum 7 inches top diameter outside bark (d.o.b.) for softwoods and a minimum 9 inches top d.o.b. for hardwoods.

Upper stem portion.—That part of the bole of sawtimber trees above the merchantable sawtimber top to a minimum top diameter of 4 inches outside bark or to the point where the central stem breaks into limbs. *Growth and mortality*

Net annual growth of growing stock.—The annual change in volume of sound wood in live growing-stock and sawtimber trees and total volume of trees entering these classes through ingrowth, less volume losses resulting from natural causes.

Net annual growth of sawtimber.—The annual change in volume of live sawtimber trees and the total volume of trees reaching sawtimber size, less volume losses resulting from natural causes.

Mortality of growing stock.—The volume of sound wood in growing-stock trees dying annually.

Mortality of sawtimber.—The net board-foot volume of sawtimber trees dying annually.

Timber removals

Timber removals from growing stock.—The volume of sound wood in growing-stock trees removed annually for forest products (including roundwood products and logging residues) and for other removals. Roundwood products are logs, bolts, or other round sections cut and used from trees. Logging residues are the unused portions of cut trees plus unused trees killed by logging. Other removals are growing-stock trees removed but not utilized for products or trees left standing but "removed" from the commercial forest land classification by land use change—examples are removals from cultural operations such as timber stand improvement work, land clearing, and changes in land use.

Timber removals from sawtimber.—The net board-foot volume of live sawtimber trees removed for

forest products annually (including roundwood products and logging residues) and for other removals.

Timber products output.—All timber products cut from roundwood, and byproducts of wood manufacturing plants. Roundwood products include logs, bolts, or other round sections cut from growing-stock trees, cull trees, salvable dead trees, trees on non-forest land, noncommercial species, sapling-size trees, and limbwood. Byproducts from primary

manufacturing plants include slabs, edgings, trimmings, miscuts, sawdust, shavings, veneer cores and clippings, and screenings of pulp mills that are used as pulpwood chips or other products.

Plant byproducts.—Wood products, such as pulpwood chips, obtained incidental to production of other manufactured products.

Plant residues.—Wood materials from manufacturing plants not utilized for some product.

Table 1.--Area of land by land class, Minnesota,
1962^{1/} and 1977

(In thousand acres)

Land class	1962 ^{1/}	1977
FOREST:		
Commercial forest land:		
Jack pine	872.0	504.4
Red pine	280.6	246.9
White pine	132.0	65.6
Balsam fir	907.9	859.1
White spruce	57.3	79.2
Black spruce	1,152.3	1,041.8
Northern white-cedar	333.7	498.6
Tamarack	470.5	465.4
Oak-hickory	1,022.7	893.9
Elm-ash-cottonwood	1,286.4	738.1
Maple-basswood	1,004.3	1,283.9
Aspen	5,399.8	5,302.3
Paper birch	795.1	997.6
Balsam poplar	447.5	548.9
Nonstocked	1,249.7	169.4
Subtotal	<u>15,411.8</u>	<u>13,695.1</u>
Noncommercial forest land:		
Unproductive	2,563.1	1,835.5
Productive-reserved	470.1	1,178.6
Subtotal	<u>3,033.2</u>	<u>3,014.1</u>
Total	18,445.0	16,709.2
NONFOREST LAND:		
Total	32,760.8	34,035.6
Total	51,205.8	50,744.8

^{1/} Figures have been adjusted from those published after the 1962 survey to conform to 1977 areas because of changes in survey procedures and definitions.

Table 2.--Area by land class and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Land class	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
FOREST LAND:					
Commercial	13,695.1	5,451.4	5,758.4	1,951.1	534.2
Productive-reserved ^{1/}	1,178.6	1,050.6	46.9	72.4	8.7
Unproductive	1,835.5	969.8	706.9	120.2	38.6
Total	16,709.2	7,471.8	6,512.2	2,143.7	581.5
NONFOREST LAND:					
Nonforest with trees:					
Cropland	65.7	--	20.8	35.4	9.5
Improved pasture	90.1	4.8	29.4	50.0	5.9
Wooded strips	158.9	10.6	24.6	99.4	24.3
Idle farmland	7.9	1.6	1.4	3.9	1.0
Windbreaks	151.0	13.5	12.3	103.1	22.1
Wooded pasture	135.0	23.3	22.1	80.5	9.1
Subtotal	608.6	53.8	110.6	372.3	71.9
Nonforest without trees:					
Cropland	26,421.3	357.1	2,007.2	7,218.5	16,838.5
Improved pasture	897.7	67.6	527.3	159.5	143.3
Idle farmland	47.1	15.4	22.3	5.8	3.6
Marsh	2,961.6	350.6	1,449.9	662.5	498.6
Other farm-farmstead	570.5	33.6	43.3	219.0	274.6
Urban and other	2,406.7	283.5	350.2	1,085.7	687.3
Nonsensus water	122.1	--	32.1	52.2	37.8
Subtotal	33,427.0	1,107.8	4,432.3	9,403.2	18,483.7
Total	34,035.6	1,161.6	4,542.9	9,775.5	18,555.6
Total land area ^{2/}	50,744.8	8,633.4	11,055.1	11,919.2	19,137.1
Census water	3,058.7	715.1	1,437.7	581.9	324.0
Total gross area	53,803.5	9,348.5	12,492.8	12,501.1	19,461.1

^{1/}Includes 3,000 acres of productive-deferred forest land, commercial forest land being withheld from harvest while a decision is made whether to place it in productive-reserved status.

^{2/}U.S. Department of Commerce, Bureau of Census. 1970. Area measurement reports, GE-20, No. 1, 22 p.

Table 3.--Area of land and forest land by county, Minnesota, 1977

County	Land ^{1/} area ^{1/}	Forest Land			Percent commercial forest
		All forest	Non- commercial	Commercial	
- - - - - Thousand acres - - - - -					
Carlton	551.8	336.1	23.3	312.8	57
Cook	861.4	852.9	314.1	538.8	63
Koochiching	2,001.3	1,794.3	515.4	1,278.9	64
Lake	1,319.8	1,257.1	401.8	855.3	65
St. Louis	3,899.1	3,231.4	765.8	2,465.6	63
All Counties	8,633.4	7,471.8	2,020.4	5,451.4	63
NORTHERN PINE					
Aitkin	1,169.7	762.6	90.1	672.5	58
Becker	830.0	322.8	8.9	313.9	38
Beltrami	1,604.2	1,044.0	249.4	794.6	50
Cass	1,278.8	883.4	24.8	858.6	67
Clearwater	639.9	333.7	32.0	301.7	47
Crow Wing	636.5	380.7	8.8	371.9	58
Hubbard	596.2	403.2	5.2	398.0	67
Itasca	1,685.3	1,331.6	50.6	1,281.0	76
Lake of the Woods	838.8	596.1	235.5	360.6	43
Mahnomen	360.2	107.8	1.4	106.4	30
Roseau	1,072.8	232.6	40.7	191.9	18
Wadena	342.7	113.7	6.4	107.3	31
All Counties	11,055.1	6,512.2	753.8	5,758.4	52
CENTRAL HARDWOODS					
Anoka	271.0	42.9	6.3	36.6	14
Benton	257.4	28.3	2.2	26.1	10
Carver	229.9	12.3	1.9	10.4	5
Chisago	268.1	55.7	5.5	50.2	19
Dakota	368.4	19.5	3.0	16.5	5
Douglas	413.9	20.4	1.9	18.5	5
Fillmore	549.8	72.9	7.6	65.3	12
Goodhue	482.1	60.7	4.3	56.4	12
Hennepin	363.1	11.4	3.6	7.8	2
Houston	361.4	119.6	8.1	111.5	31
Isanti	280.6	54.1	7.2	46.9	17
Kanabec	335.1	134.5	5.5	129.0	39
LeSueur	281.6	11.4	1.4	10.0	4
Mille Lacs	365.6	136.2	13.4	122.8	34
Morrison	721.4	161.3	12.6	148.7	21
Olmsted	419.6	35.3	3.3	32.0	8
Otter Tail	1,256.2	200.5	14.2	186.3	15
Fine	904.7	477.6	52.0	425.6	47
Ramsey	99.0	0.1	0.1	--	0
Rice	317.6	14.1	2.0	12.1	4
Scott	225.7	16.3	2.7	13.6	6
Sherburne	275.8	62.3	5.4	56.9	21
Stearns	858.9	60.3	4.3	56.0	7
Todd	602.6	111.1	6.6	104.5	17
Wabasha	334.1	62.1	4.7	57.4	17
Washington	246.9	12.1	1.9	10.2	4
Winona	397.1	114.9	8.6	106.3	27
Wright	431.6	35.8	2.3	33.5	8
All Counties	11,919.2	2,143.7	192.6	1,951.1	16

(Table 3 continued on next page)

(Table 3 continued)

PRAIRIE

County	Land area ^{1/}	Forest Land			Percent commercial forest
		All forest	Non-commercial	Commercial	
- - - - Thousand acres - - - -					
Big Stone	313.8	2.7	0.3	2.4	1
Blue Earth	471.3	23.6	2.2	21.4	5
Brown	390.3	10.7	1.6	9.1	2
Chippewa	372.2	4.0	0.1	3.9	1
Clay	669.1	11.2	0.9	10.3	2
Cottonwood	407.0	2.6	0.1	2.5	1
Dodge	278.4	7.4	1.0	6.4	2
Faribault	455.1	6.5	0.3	6.2	1
Freeborn	448.4	5.7	0.9	4.8	1
Grant	349.6	3.0	0.1	2.9	1
Jackson	445.5	2.3	0.2	2.1	1
Kandiyohi	501.2	12.4	2.5	9.9	2
Kittson	719.0	71.9	4.4	67.5	9
Lac qui Parle	491.6	5.2	0.6	4.6	1
Lincoln	339.8	2.2	0.2	2.0	1
Lyon	453.5	5.3	0.9	4.4	1
McLeod	312.3	6.1	0.3	5.8	2
Marshall	1,145.1	142.7	14.2	128.5	11
Martin	450.1	3.8	0.2	3.6	1
Meeker	396.3	12.0	1.2	10.8	3
Mower	449.9	6.1	0.9	5.2	1
Murray	449.9	1.4	0.3	1.1	0
Nicollet	276.7	13.7	1.4	12.3	4
Nobles	455.5	0.7	--	0.7	0
Norman	566.4	23.1	0.9	22.2	4
Pennington	398.0	32.0	1.3	30.7	8
Pipestone	297.0	0.4	--	0.4	0
Polk	1,288.1	71.3	3.3	68.0	5
Pope	428.3	7.8	0.9	6.9	2
Red Lake	276.5	28.9	1.7	27.2	10
Redwood	559.4	6.7	0.5	6.2	1
Renville	626.3	8.0	0.8	7.2	1
Rock	310.4	0.5	--	0.5	0
Sibley	373.2	11.9	1.0	10.9	3
Steele	272.3	5.6	0.6	5.0	2
Stevens	357.2	1.0	--	1.0	0
Swift	473.2	5.0	0.3	4.7	1
Traverse	363.7	0.9	--	0.9	0
Waseca	265.3	5.0	0.4	4.6	2
Watowwan	276.9	1.1	--	1.1	0
Wilkin	481.1	0.5	--	0.5	0
Yellow Medicine	482.2	8.6	0.8	7.8	2
All Counties	19,137.1	581.5	47.3	534.2	3
All units	50,744.8	16,709.2	3,014.1	13,695.1	27

^{1/} U.S. Department of Commerce, Bureau of Census. 1970.
Area measurement reports, GE-20, No. 1, 22 p.

Table 4.--Area of commercial forest land by ownership class and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Ownership class	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
National Forest	1,715.1	1,152.8	562.3	--	--
Bureau of Land Mgmt.	43.9	8.1	35.8	--	--
Indian	466.8	97.5	364.9	4.4	--
Miscellaneous federal	110.5	20.7	60.5	20.3	9.0
State	2,650.5	1,132.1	1,228.7	244.7	45.0
County and municipal	2,341.6	1,185.9	1,096.7	59.0	--
Forest industry	772.0	534.7	233.8	0.5	3.0
Farmer	3,403.7	544.2	1,322.1	1,141.4	396.0
Farmer owned-leased	--	--	--	--	--
Misc. private-corp.	466.7	246.8	154.3	61.1	4.5
Misc. private-indiv.	1,712.0	523.6	696.6	418.1	73.7
Misc. priv.-corp., leased	5.7	4.0	--	--	1.7
Misc. priv.-indiv., leased	6.6	1.0	2.7	1.6	1.3
All owners	13,695.1	5,451.4	5,758.4	1,951.1	534.2

Table 5.--Area of commercial forest land by ownership class and forest type, Minnesota, 1977

(In thousand acres)

Ownership class	All types	Forest type							Northern white-cedar
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce		
National Forest	1,715.1	116.9	130.7	19.4	185.9	26.3	184.4	61.5	
Bureau of Land Mgmt.	43.9	6.7	1.4	1.4	--	1.4	6.9	6.2	
Indian	466.8	5.2	8.8	7.5	23.0	6.5	51.4	48.7	
Miscellaneous federal	110.5	5.4	1.3	--	6.1	--	4.2	1.6	
State	2,650.5	93.8	23.7	2.6	198.7	22.3	421.2	202.0	
County and municipal	2,341.6	82.4	24.5	4.4	196.4	4.1	160.6	68.7	
Forest industry	772.0	52.4	13.5	5.1	80.6	2.7	66.8	49.9	
Farmer	3,403.7	80.9	21.5	16.7	75.5	7.8	69.9	25.4	
Farmer owned-leased	--	--	--	--	--	--	--	--	
Misc. private-corp.	466.7	12.4	3.6	1.0	32.4	--	27.2	6.6	
Misc. private-indiv.	1,712.0	48.3	17.9	7.5	60.5	8.1	49.2	28.0	
Misc. priv.-corp., leased	5.7	--	--	--	--	--	--	--	
Misc. priv.-indiv., leased	6.6	--	--	--	--	--	--	--	
All owners	13,695.1	504.4	246.9	65.6	859.1	79.2	1,041.8	498.6	

(Table 5 continued)

Ownership class	Tamarack	Oak-hickory	Elm ash-cotton-wood	Maple-basswood	Aspen	Forest type		
						Paper birch	Balsam poplar	Non-stocked
National Forest	7.2	11.1	44.6	98.7	598.5	196.5	--	33.4
Bureau of Land Mgmt.	--	--	1.6	--	13.9	--	2.8	1.6
Indian	25.5	8.6	19.0	24.9	187.2	26.9	20.3	3.3
Miscellaneous federal	5.6	6.5	14.5	11.7	33.1	8.7	8.7	3.1
State	223.7	65.8	123.3	117.2	846.6	129.9	140.4	39.3
County and municipal	73.1	39.0	122.8	163.0	1,057.9	223.9	97.4	23.4
Forest industry	10.0	10.3	38.5	40.2	315.8	49.0	29.0	8.2
Farmer	76.0	581.2	234.8	586.1	1,278.8	161.2	152.3	35.6
Farmer owned-leased	--	--	--	--	--	--	--	--
Misc. private-corp.	16.6	29.9	19.7	33.5	204.4	54.1	19.8	5.5
Misc. private-indiv.	27.7	140.2	119.3	205.7	758.0	147.4	78.2	16.0
Misc. priv.-corp., leased	--	--	--	--	5.7	--	--	--
Misc. priv.-indiv., leased	--	1.3	--	2.9	2.4	--	--	--
All owners	465.4	893.9	738.1	1,283.9	5,302.3	997.6	548.9	169.4

Table 6.--Area of commercial forest land by ownership class and site class, Minnesota, 1977

(In thousand acres)

Ownership class	All classes	Site class (cubic feet of growth/acre/year)				
		165-224	120-164	85-119	50-84	20-49
National Forest	1,715.1	--	1.5	177.3	694.5	841.8
Bureau of Land Mgmt.	43.9	--	--	4.2	14.9	24.8
Indian	466.8	1.4	8.7	78.1	151.0	227.6
Miscellaneous federal	110.5	--	--	5.8	48.3	56.4
State	2,650.5	1.4	31.5	374.4	722.4	1,520.8
County and municipal	2,341.6	1.3	46.8	468.7	919.5	905.3
Forest industry	772.0	1.2	17.5	164.8	230.5	358.0
Farmer	3,403.7	1.4	30.7	414.1	1,318.3	1,639.2
Farmer owned-leased	--	--	--	--	--	--
Misc. private-corp.	466.7	--	5.2	89.0	201.4	171.1
Misc. private-indiv.	1,712.0	--	17.7	265.5	691.1	737.7
Misc. priv.-corp., leased	5.7	--	--	1.4	4.3	--
Mics. priv.-indiv., leased	6.6	--	--	1.0	2.7	2.9
All owners	13,695.1	6.7	159.6	2,044.3	4,998.9	6,485.6

Table 7.--Area of commercial forest land by stand-size class, and Forest Survey Unit, Minnesota, 1977
 (In thousand acres)

Stand-size class	ALL UNITS										Ownership class									
	Owners	A11	National Forest	Bureau of Land Mgmt.	Misc. Federal	State	County & municipal	Forest industry	Farmer	Misc. corp.	priv.-corp., leased	Misc. indiv.	priv.-corp.	priv.-corp., leased	Misc. indiv.	priv.-corp.	priv.-corp., leased	Misc. indiv.	priv.-corp.	
Sawtimber	3,134.8	311.9	15.3	92.6	40.2	451.9	433.3	154.4	1,108.1	104.6	418.2	--	--	--	4.3	--	--	--	--	
Poletimber	6,956.1	1,045.1	18.7	233.6	41.7	1,275.2	1,310.4	354.6	1,533.7	247.8	890.4	2.8	2.3	--	--	--	--	--	--	
Sapling and seedling	3,434.8	324.7	8.3	137.3	25.4	884.1	574.5	254.8	726.7	108.9	387.2	2.9	--	--	--	--	--	--	--	
Nonstocked areas	1,169.4	33.4	1.6	3.3	3.2	39.3	23.4	8.2	35.4	5.4	16.2	--	--	--	--	--	--	--	--	
All classes	T3,695.1	1,715.1	43.9	466.8	110.5	2,650.5	2,341.6	772.0	3,403.7	466.7	1,712.0	5.7	6.6	--	--	--	--	--	--	
ASPIN-BIRCH																				
Sawtimber	942.9	193.5	1.4	20.4	5.5	189.2	188.4	111.1	70.4	48.9	114.1	--	--	--	--	--	--	--	--	--
Poletimber	2,847.1	687.7	2.8	39.2	10.8	539.3	635.0	224.5	314.2	126.9	262.9	2.8	1.0	--	--	--	--	--	--	--
Sapling and seedling	1,596.4	251.4	3.9	37.9	4.4	397.1	342.1	194.6	155.6	67.1	141.1	1.2	--	--	--	--	--	--	--	
Nonstocked areas	65.0	20.2	--	--	6.5	20.4	4.5	4.0	3.9	3.9	5.5	--	--	--	--	--	--	--	--	
All classes	5,451.4	1,152.8	8.1	97.5	20.7	1,132.1	1,185.9	534.7	544.2	246.8	523.6	4.0	1.0	--	--	--	--	--	--	
NORTHERN PINE																				
Sawtimber	1,225.8	118.4	13.9	70.6	20.0	203.6	234.8	43.3	317.4	39.4	163.0	--	--	--	1.4	--	--	--	--	--
Poletimber	3,082.5	357.4	15.9	191.6	24.0	579.2	638.6	128.3	688.8	79.2	378.2	--	--	--	1.3	--	--	--	--	--
Sapling and seedling	1,379.5	73.3	4.4	99.4	15.0	413.6	220.3	58.5	310.2	35.7	149.1	--	--	--	--	--	--	--	--	--
Nonstocked areas	70.6	13.2	1.6	3.3	1.5	32.3	3.0	3.7	5.7	--	6.3	--	--	--	--	--	--	--	--	--
All classes	5,758.4	562.3	35.8	364.9	60.5	1,228.7	1,096.7	233.8	1,322.1	154.3	696.6	--	--	--	--	--	--	--	--	2.7
CENTRAL HARDWOOD																				
Sawtimber	785.5	--	--	1.6	14.7	56.1	10.1	--	577.1	16.3	108.0	--	--	--	1.6	--	--	--	--	--
Poletimber	847.8	--	--	2.8	5.6	136.1	36.8	0.5	396.8	38.9	230.3	--	--	--	--	--	--	--	--	--
Sapling and seedling	289.9	--	--	--	--	52.0	12.1	--	146.0	4.4	75.4	--	--	--	--	--	--	--	--	--
Nonstocked areas	27.9	--	--	--	--	0.5	--	--	21.5	1.5	4.4	--	--	--	--	--	--	--	--	--
All classes	T,951.1	--	--	4.4	20.3	244.7	59.0	0.5	1,141.4	61.1	418.1	--	--	--	--	--	--	--	--	1.6
PRAIRIE																				
Sawtimber	180.6	--	--	--	3.0	--	--	--	143.2	--	33.1	--	--	--	1.3	--	--	--	--	--
Poletimber	178.7	--	--	--	1.3	20.6	--	--	1.3	133.7	2.8	--	--	--	--	--	--	--	--	--
Sapling and seedling	169.0	--	--	--	6.0	21.4	--	--	1.7	114.9	1.7	21.6	1.7	--	--	--	--	--	--	--
Nonstocked areas	5.9	--	--	--	1.7	--	--	--	4.2	--	--	--	--	--	--	--	--	--	--	--
All classes	534.2	--	--	--	9.0	45.0	--	3.0	396.0	4.5	73.7	1.7	--	--	--	--	--	--	--	1.3

Table 8.--Area of commercial forest land by ownership class and area-condition class, Minnesota, 1977

(In thousand acres)

Ownership class	All classes	Area-condition class					
		10	20	30	40	50	60
National Forest	1,715.1	--	--	--	--	145.6	1,370.8
Bureau of Land Mgmt.	43.9	--	--	--	--	11.4	24.1
Indian	466.8	--	--	--	--	175.9	199.8
Miscellaneous federal	110.5	--	--	--	--	21.7	68.0
State	2,650.5	--	--	--	--	856.6	1,319.8
County and municipal	2,341.6	--	--	--	--	713.5	1,195.6
Forest industry	772.0	--	--	--	--	276.4	365.5
Farmer	3,403.7	--	--	--	--	756.6	1,775.3
Farmer owned-leased	--	--	--	--	--	--	--
Misc. private-corp.	466.7	--	--	--	--	98.5	260.5
Misc. private-indiv.	1,712.0	1.3	--	--	--	444.5	844.7
Misc. priv.-corp., leased	5.7	--	--	--	--	1.4	2.9
Misc. priv.-indiv., leased	6.6	--	--	--	--	3.7	2.9
All owners	13,695.1	1.3	--	--	--	3,505.8	7,429.9
							2,758.1

Table 9.--Area of commercial forest land by ownership class and stand-volume class, Minnesota, 1977

(In thousand acres)

Ownership class	All classes	Stand-volume class (board feet ^{1/})		
		Less than 1,500	1,500 to 5,000	More than 5,000
National Forest	1715.1	859.4	585.0	270.7
Bureau of Land Mgmt.	43.9	24.4	16.7	2.8
Indian	466.8	300.9	129.8	36.1
Miscellaneous federal	110.5	53.9	39.2	17.4
State	2,650.5	1,808.6	707.7	134.2
County and municipal	2,341.6	1,451.3	735.2	155.1
Forest industry	772.0	485.1	229.4	57.5
Farmer	3,403.7	1,826.3	1,245.5	331.9
Farmer owned-leased	--	--	--	--
Misc. private-corp.	466.7	302.5	142.0	22.2
Misc. private-indiv.	1,712.0	1,008.2	572.3	131.5
Misc. priv.-corp., leased	5.7	4.3	1.4	--
Misc. priv.-indiv., leased	6.6	1.0	1.3	4.3
All owners	13,695.1	8,125.9	4,405.5	1,163.7

1/International 1/4-inch rule.

Table 10.--Area of commercial forest land by forest type, stand-size class, and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Forest type	ALL UNITS				
	All stands	Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Jack pine	504.4	177.3	247.2	79.9	--
Red pine	246.9	145.1	41.8	60.0	--
White pine	65.6	58.4	3.9	3.3	--
Balsam fir	859.1	140.0	490.5	228.6	--
White spruce	79.2	21.7	23.5	34.0	--
Black spruce	1,041.8	31.1	390.3	620.4	--
Northern white-cedar	498.6	145.5	275.5	77.6	--
Tamarack	465.4	43.5	200.3	221.6	--
Oak-hickory	893.9	452.7	360.9	80.3	--
Elm-ash-cottonwood	738.1	194.8	388.8	154.5	--
Maple-basswood	1,283.9	675.6	493.5	114.8	--
Aspen	5,302.3	791.4	3,032.3	1,478.6	--
Paper birch	997.6	142.0	758.6	97.0	--
Balsam poplar	548.9	115.7	249.0	184.2	--
Nonstocked	169.4	--	--	--	169.4
All types	13,695.1	3,134.8	6,956.1	3,434.8	169.4
ASPEN-BIRCH					
Jack pine	165.7	68.3	66.3	31.1	--
Red pine	114.4	49.2	19.9	45.3	--
White pine	33.8	32.4	--	1.4	--
Balsam fir	626.0	106.1	362.9	157.0	--
White spruce	60.1	13.0	17.1	30.0	--
Black spruce	745.7	24.0	304.4	417.3	--
Northern white-cedar	317.8	110.2	153.0	54.6	--
Tamarack	157.6	9.8	53.6	94.2	--
Oak-hickory	5.4	--	5.4	--	--
Elm-ash-cottonwood	243.7	45.0	138.8	59.9	--
Maple-basswood	214.5	106.0	79.8	28.7	--
Aspen	1,947.4	260.5	1,120.5	566.4	--
Paper birch	546.3	69.4	419.2	57.7	--
Balsam poplar	208.0	49.0	106.2	52.8	--
Nonstocked	65.0	--	--	--	65.0
All types	5,451.4	942.9	2,847.1	1,596.4	65.0
NORTHERN PINE					
Jack pine	327.4	105.9	174.6	46.9	--
Red pine	121.9	94.3	15.6	12.0	--
White pine	24.8	20.9	3.9	--	--
Balsam fir	225.6	31.6	124.4	69.6	--
White spruce	19.1	8.7	6.4	4.0	--
Black spruce	278.2	7.1	80.8	190.3	--
Northern white-cedar	180.8	35.3	122.5	23.0	--
Tamarack	276.0	26.1	132.2	117.7	--
Oak-hickory	247.4	65.5	143.5	38.4	--
Elm-ash-cottonwood	309.8	76.4	169.5	63.9	--
Maple-basswood	466.4	179.0	252.9	34.5	--
Aspen	2,541.7	452.4	1,451.4	637.9	--
Paper birch	371.2	55.9	288.3	27.0	--
Balsam poplar	297.5	66.7	116.5	114.3	--
Nonstocked	70.6	--	--	--	70.6
All types	5,758.4	1,225.8	3,082.5	1,379.5	70.6

(Table 10 continued on next page)

(Table 10 continued)

Forest type	All stands	CENTRAL HARDWOOD			
		Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Jack pine	11.3	3.1	6.3	1.9	--
Red pine	10.6	1.6	6.3	2.7	--
White pine	7.0	5.1	--	1.9	--
Balsam fir	7.5	2.3	3.2	2.0	--
White spruce	--	--	--	--	--
Black spruce	17.9	--	5.1	12.8	--
Northern white-cedar	--	--	--	--	--
Tamarack	30.8	7.6	14.5	8.7	--
Oak-hickory	571.8	343.2	194.0	34.6	--
Elm-ash-cottonwood	129.5	39.1	62.7	27.7	--
Maple-basswood	485.8	296.7	147.4	41.7	--
Aspen	560.2	70.1	349.1	141.0	--
Paper birch	80.1	16.7	51.1	12.3	--
Balsam poplar	10.7	--	8.1	2.6	--
Nonstocked	27.9	--	--	--	27.9
All types	1,951.1	785.5	847.8	289.9	27.9
PRAIRIE					
Jack pine	--	--	--	--	--
Red pine	--	--	--	--	--
White pine	--	--	--	--	--
Balsam fir	--	--	--	--	--
White spruce	--	--	--	--	--
Black spruce	--	--	--	--	--
Northern white-cedar	--	--	--	--	--
Tamarack	1.0	--	--	1.0	--
Oak-hickory	69.3	44.0	18.0	7.3	--
Elm-ash-cottonwood	55.1	34.3	17.8	3.0	--
Maple-basswood	117.2	93.9	13.4	9.9	--
Aspen	253.0	8.4	111.3	133.3	--
Paper birch	--	--	--	--	--
Balsam poplar	32.7	--	18.2	14.5	--
Nonstocked	5.9	--	--	--	5.9
All types	534.2	180.6	178.7	169.0	5.9

Table 11.--Area of commercial forest land by county
and forest type, Minnesota, 1977
(In thousand acres)

County	ASPIN-BIRCH											Forest type						
	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Tamarack	Northern white cedar	Oak-hickory	Maple-Basswood	Aspen	Elm-ash-cottonwood	Paper birch	Balsam poplar	Non-stocked		
Carleton	312.8	1.4	4.1	--	12.7	1.4	19.8	2.7	16.2	4.0	37.5	21.9	142.1	28.2	17.1	3.7		
Cook	538.8	17.1	--	3.9	108.9	19.7	56.5	31.6	--	--	8.0	39.8	164.0	85.3	--	4.0		
Koochiching	1,278.9	17.8	13.2	--	101.6	11.3	279.1	159.3	74.2	--	88.1	16.7	377.6	31.5	95.7	12.8		
Lake	885.3	40.8	45.9	4.8	151.9	12.3	99.7	46.6	2.7	--	26.3	63.3	188.4	150.3	14.1	8.2		
St. Louis	2,465.6	88.6	51.2	25.1	250.9	15.4	290.6	77.6	64.5	1.4	83.8	72.8	1,075.3	251.0	81.1	36.3		
All counties	5,151.4	165.7	114.4	33.8	626.0	60.1	745.7	317.8	157.6	5.4	243.7	214.5	1,947.4	546.3	208.0	65.0		
NORTHERN PINE																		
Aitkin	672.5	2.5	1.6	1.2	15.2	1.2	50.0	8.2	43.4	15.4	71.2	142.8	253.4	40.2	23.4	2.8		
Becker	313.9	16.7	2.6	1.1	10.5	--	6.1	--	17.4	29.4	8.8	41.1	151.8	20.3	8.1	--		
Beltrami	794.6	40.1	15.7	7.1	26.3	4.1	34.5	53.1	63.5	8.6	47.6	40.8	319.3	48.5	70.5	14.9		
Cass	858.6	55.3	35.4	6.9	19.9	1.4	17.7	25.4	23.4	49.1	36.0	66.1	423.0	80.7	12.8	5.5		
Clearwater	301.7	7.7	4.9	4.4	15.6	--	8.6	4.6	13.4	7.2	9.9	29.6	156.3	15.8	22.0	1.7		
Crow Wing	371.9	25.4	4.1	--	2.8	--	4.2	1.2	12.0	86.7	18.5	19.6	165.9	29.0	--	2.5		
Hubbard	398.0	63.5	12.9	1.4	14.1	3.3	5.9	1.4	6.5	17.3	2.5	5.7	224.9	30.2	8.4	--		
Itasca	1,281.0	40.6	39.8	2.7	97.2	4.9	84.7	60.1	43.3	9.9	89.2	96.7	539.7	92.0	56.6	23.6		
Lake of the Woods																		
Mahonen	360.6	22.6	1.4	--	16.5	2.7	54.9	21.2	33.6	--	7.8	--	115.1	10.2	57.8	16.8		
Roseau	106.4	1.4	--	--	1.7	1.5	--	--	2.6	9.7	1.7	17.0	64.7	3.0	3.1	--		
Wadena	191.9	15.0	--	--	5.8	--	9.2	5.6	15.0	--	13.9	5.8	85.9	1.3	31.6	2.8		
All counties	5,758.4	327.4	121.9	24.8	225.6	19.1	278.2	180.8	276.0	247.4	309.8	466.4	2,541.7	371.2	297.5	70.6		

(Table 11 continued on next page)

(Table 11 continued)

County	CENTRAL HARDWOOD													Forest type					
	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Tamarack	Northern white-cedar	Oak-hickory	Cottonwood	Basswood	Aspen	Paper birch	Balsam poplar	Non-stocked			
Anoka	36.6	0.3	0.3	0.1	0.1	--	--	--	0.7	4.0	11.7	5.8	0.9	0.1	0.9				
Benton	26.1	0.7	0.7	0.1	--	--	--	0.1	9.5	1.7	7.4	4.9	0.7	0.1	0.2				
Carver	10.4	--	0.1	0.1	--	--	--	0.1	3.4	1.3	4.0	1.1	0.2	--	0.2				
Chisago	50.2	0.8	0.7	0.1	0.1	0.5	--	1.4	12.5	5.0	17.3	9.1	1.2	0.3	1.2				
Dakota	16.5	--	0.2	--	--	--	--	0.5	3.7	2.7	5.3	3.0	0.6	--	0.5				
Douglas	18.5	--	0.1	--	--	--	--	0.3	4.4	1.3	5.4	5.7	0.6	--	0.5				
Fillmore	65.3	0.4	0.1	0.2	--	--	--	0.2	33.5	3.0	13.7	11.0	2.3	0.3	0.6				
Goodhue	56.4	0.3	0.2	0.1	--	--	--	0.2	29.5	3.0	13.8	6.6	2.0	0.2	0.5				
Hennepin	7.8	--	--	--	--	--	--	0.2	1.7	1.1	3.3	1.0	0.1	0.2	0.2				
Houston	111.5	0.2	0.1	0.2	--	--	--	0.1	66.6	3.9	28.1	8.1	3.3	0.6	0.3				
Isanti	46.9	1.3	1.3	0.1	0.1	0.8	--	2.0	11.1	4.2	12.7	10.5	1.3	0.3	1.2				
Kanabec	129.0	0.1	0.4	0.2	0.2	0.9	--	2.9	27.0	9.8	29.4	49.4	6.5	0.5	1.7				
Le Sueur	10.0	--	--	--	--	--	--	0.3	2.0	1.7	4.2	1.3	0.2	--	0.3				
Mille Lacs	122.8	0.1	0.5	0.4	0.2	--	0.8	--	2.6	22.7	9.1	34.2	43.9	5.8	0.6	1.9			
Morrison	148.7	1.1	0.9	0.3	--	--	0.4	--	2.4	57.0	9.9	35.9	32.6	5.1	0.8	2.3			
Olmsted	32.0	0.1	0.1	0.1	--	--	--	0.2	16.1	1.7	7.2	5.1	1.0	0.1	0.3				
Otter Tail	186.3	0.5	0.8	1.5	0.4	--	1.4	--	3.5	31.4	12.3	50.0	70.2	9.3	1.6	3.4			
Pine	425.6	3.6	2.4	1.5	5.8	--	13.0	--	9.9	37.2	26.6	77.9	214.6	25.1	2.4	5.6			
Ramsey	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Rice	12.1	--	--	--	--	--	--	0.1	2.3	1.6	5.7	1.8	0.2	0.1	0.3				
Scott	13.6	--	--	--	--	--	--	0.2	3.9	2.0	5.6	1.4	0.2	--	0.3				
Sherburne	56.9	0.9	1.3	1.1	0.3	--	--	0.2	28.5	2.8	12.6	6.7	1.7	0.3	0.5				
Stearns	56.0	0.1	0.1	0.2	--	--	--	0.4	26.6	3.7	16.1	6.8	1.4	0.3	0.3				
Todd	104.5	0.1	0.2	0.3	0.3	--	--	1.3	23.8	7.5	32.7	31.6	3.4	0.6	2.7				
Wabasha	57.4	0.3	0.2	0.1	--	--	--	0.4	28.6	2.9	12.8	9.2	2.1	0.2	0.6				
Washington	10.2	--	--	--	--	--	0.1	--	0.3	1.5	1.6	4.4	1.7	0.3	--	0.3			
Winona	106.3	0.3	0.1	0.1	--	--	--	--	63.8	3.2	25.0	9.3	3.5	0.5	0.5				
Wright	33.5	0.1	--	0.1	--	--	--	0.3	11.8	1.9	9.4	7.8	1.1	0.4	0.6				
All counties	1,951.1	11.3	10.6	7.0	7.5	--	17.9	--	30.8	571.8	129.5	485.8	560.2	80.1	10.7	27.9			

(Table 11 continued on next page)

(Table 11 continued)

County	All types	PRAIRIE											FOREST TYPE							
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white cedar	Tamarack	Oak-hickory	Elm-ash-cottonwood	Maple-Basswood	Aspen	Paper birch	Balsam poplar	Non-stocked				
Big Stone	2.4	--	--	--	--	--	--	--	--	0.2	0.6	0.7	0.8	--	0.1	--	--	--		
Blue Earth	21.4	--	--	--	--	--	--	5.0	2.2	11.7	2.0	--	--	0.2	0.3					
Brown	9.1	--	--	--	--	--	--	2.5	1.0	4.6	0.8	--	--	0.1	0.1					
Chippewa	3.9	--	--	--	--	--	--	0.2	1.0	1.0	1.4	--	--	0.2	0.1					
Clay	10.3	--	--	--	--	--	--	2.0	1.6	2.0	4.0	--	--	0.6	0.1					
Cottonwood	2.5	--	--	--	--	--	--	0.2	0.5	1.1	0.6	--	--	0.1	--					
Dodge	6.4	--	--	--	--	--	--	2.5	0.3	3.3	0.2	--	--	--	0.1					
Faribault	6.2	--	--	--	--	--	--	0.8	1.1	3.4	0.8	--	--	0.1	--					
Freeborn	4.8	--	--	--	--	--	--	1.6	0.3	2.2	0.5	--	--	0.1	0.1					
Grant	2.9	--	--	--	--	--	--	0.9	0.3	0.8	0.9	--	--	--	--					
Jackson	2.1	--	--	--	--	--	--	0.5	0.2	1.0	0.4	--	--	--	--					
Kandiyohi	9.9	--	--	--	--	--	--	3.5	1.3	2.7	2.0	--	--	0.3	0.1					
Kittson	67.5	--	--	--	--	--	--	3.7	3.9	1.9	52.3	--	--	5.0	0.7					
Lac qui Parle	4.6	--	--	--	--	--	--	0.5	1.1	1.9	1.0	--	--	0.1	--					
Lincoln	2.0	--	--	--	--	--	--	0.5	0.2	0.9	0.4	--	--	--	--					
Lyon	4.4	--	--	--	--	--	--	0.6	0.9	2.0	0.7	--	--	0.1	0.1					
McLeod	5.8	--	--	--	--	--	--	1.2	0.5	3.5	0.6	--	--	--	--					
Marshall	128.5	--	--	--	--	--	--	0.7	8.3	11.4	5.7	87.9	--	--	13.2	1.3				
Martin	3.6	--	--	--	--	--	--	0.4	0.6	1.5	0.9	--	--	0.1	0.1					
Meeker	10.8	--	--	--	--	--	--	2.7	0.7	6.6	0.4	--	--	0.1	0.3					
Mower	5.2	--	--	--	--	--	--	1.7	0.3	2.8	0.3	--	--	0.1	--					
Murray	1.1	--	--	--	--	--	--	0.1	0.3	0.5	0.2	--	--	--	--					
Nicollet	12.3	--	--	--	--	--	--	2.3	1.1	7.4	1.1	--	--	0.1	0.3					
Nobles	0.7	--	--	--	--	--	--	0.1	0.1	0.2	0.3	--	--	--	--					
Norman	22.2	--	--	--	--	--	--	1.8	3.2	4.0	11.5	--	--	1.4	0.3					
Pennington	30.7	--	--	--	--	--	--	2.5	2.8	3.5	19.3	--	--	2.4	0.2					
Pipestone	0.4	--	--	--	--	--	--	0.1	0.1	0.1	0.1	--	--	--	--					
Polk	68.0	--	--	--	--	--	--	0.1	8.9	7.7	13.2	32.4	--	--	5.1	0.6				
Pope	6.9	--	--	--	--	--	--	0.1	1.1	1.2	1.3	2.7	--	--	0.4	0.1				
Red Lake	27.2	--	--	--	--	--	--	2.4	2.0	2.8	--	17.7	--	--	2.1	0.2				
Redwood	6.2	--	--	--	--	--	--	1.3	1.0	2.1	--	1.5	--	--	0.2	0.1				
Renville	7.2	--	--	--	--	--	--	0.1	1.6	0.9	3.3	1.1	--	--	0.1	0.1				
Rock	0.5	--	--	--	--	--	--	0.1	0.1	0.2	0.1	0.2	--	--	--	--				
Sibley	10.9	--	--	--	--	--	--	2.8	1.0	6.0	0.9	--	--	0.1	0.1					
Steele	5.0	--	--	--	--	--	--	1.4	0.3	2.6	0.5	--	--	0.1	0.1					
Stevens	1.0	--	--	--	--	--	--	0.2	0.1	0.2	0.5	--	--	0.5	--					
Swift	4.7	--	--	--	--	--	--	0.5	1.0	1.7	1.3	--	--	0.1	0.1					
Traverse	0.9	--	--	--	--	--	--	0.1	0.2	0.1	0.4	--	--	0.1	--					
Waseca	4.6	--	--	--	--	--	--	0.9	0.4	2.7	0.5	--	--	--	0.1					
Watonwan	1.1	--	--	--	--	--	--	0.4	0.7	--	--	--	--	--	--					
Wilkin	0.5	--	--	--	--	--	--	0.1	--	0.4	--	--	--	--	--					
Yellow Medicine	7.8	--	--	--	--	--	--	1.7	1.1	3.3	1.5	--	--	0.1	0.1					
All counties	534.2	--	--	--	--	--	--	1.0	69.3	55.1	117.2	253.0	--	--	32.7	5.9				
All units	13,695.1	504.4	246.9	65.6	859.1	79.2	1,041.8	498.6	465.4	893.9	738.1	1,283.9	5,302.3	997.6	548.9	169.4				

Table 12.--Area of commercial forest land by county
and stand-size class, Minnesota, 1977

(In thousand acres)

County	ASPEN-BIRCH				
	All stands	Sawtimber stands	Poletimber stands	Sapling and seedling stands	Stand-size class
Carlton	312.8	38.4	162.2	108.5	3.7
Cook	538.8	142.5	295.9	96.4	4.0
Koochiching	1,278.9	193.7	589.2	483.2	12.8
Lake	855.3	194.8	429.9	222.4	8.2
St. Louis	2,465.6	373.5	1,369.9	685.9	36.3
All counties	5,451.4	942.9	2,847.1	1,596.4	65.0
NORTHERN PINE					
Aitkin	672.5	142.0	331.1	196.6	2.8
Becker	313.9	81.1	178.9	53.9	--
Beltrami	794.6	154.8	428.6	196.3	14.9
Cass	858.6	189.0	515.3	148.8	5.5
Clearwater	301.7	77.5	150.4	72.1	1.7
Crow Wing	371.9	81.7	223.4	64.3	2.5
Hubbard	398.0	71.5	242.8	83.7	--
Itasca	1,281.0	308.5	677.2	271.7	23.6
Lake of the Woods	360.6	49.6	144.9	149.3	16.8
Mahnomen	106.4	22.4	56.5	27.5	--
Roseau	191.9	29.7	72.3	87.1	2.8
Wadena	107.3	18.0	61.1	28.2	--
All counties	5,758.4	1,225.8	3,082.5	1,379.5	70.6
CENTRAL HARDWOOD					
Anoka	36.6	19.5	10.6	5.6	0.9
Benton	26.1	13.1	8.3	4.5	0.2
Carver	10.4	6.6	2.4	1.2	0.2
Chisago	50.2	24.1	17.1	7.9	1.1
Dakota	16.5	7.5	6.7	1.8	0.5
Douglas	18.5	6.5	8.0	3.5	0.5
Fillmore	65.3	35.4	22.5	6.8	0.6
Goodhue	56.4	32.2	18.6	5.1	0.5
Hennepin	7.8	4.6	1.9	0.9	0.4
Houston	111.5	71.7	29.7	9.7	0.4
Isanti	46.9	17.8	18.7	9.2	1.2
Kanabec	129.0	41.2	68.8	17.3	1.7
Le Sueur	10.0	5.8	2.9	1.0	0.3
Mille Lacs	122.8	39.1	64.6	17.2	1.9
Morrison	148.7	68.9	55.9	21.6	2.3
Olmsted	32.0	18.0	10.0	3.7	0.3
Otter Tail	186.3	53.3	101.0	28.6	3.4
Pine	425.6	84.9	246.1	89.0	5.6
Ramsey	--	--	--	--	--
Rice	12.1	7.2	3.3	1.3	0.3
Scott	13.6	8.6	3.2	1.4	0.4
Sherburne	56.9	31.2	17.0	8.4	0.3
Stearns	56.0	33.6	15.5	6.6	0.3
Todd	104.5	37.7	47.1	17.1	2.6
Wabasha	57.4	30.7	19.9	6.0	0.8
Washington	10.2	5.6	3.2	1.2	0.2
Winona	106.3	66.0	30.8	9.1	0.4
Wright	33.5	14.7	14.0	4.2	0.6
All counties	1,951.1	785.5	847.8	289.9	27.9

(Table 12 continued on next page)

(Table 12 continued)

PRAIRIE

County	All stands	Stand-size class			
		Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Big Stone	2.4	1.0	0.7	0.7	--
Blue Earth	21.4	15.3	3.3	2.5	0.3
Brown	9.1	6.5	1.5	1.0	0.1
Chippewa	3.9	1.3	1.3	1.2	0.1
Clay	10.3	3.7	3.2	3.3	0.1
Cottonwood	2.5	1.2	0.9	0.4	--
Dodge	6.4	5.0	0.9	0.4	0.1
Faribault	6.2	4.0	1.3	0.9	--
Freeborn	4.8	3.3	0.8	0.6	0.1
Grant	2.9	1.4	1.1	0.4	--
Jackson	2.1	1.4	0.5	0.2	--
Kandiyohi	9.9	6.0	2.1	1.7	0.1
Kittson	67.5	6.3	28.0	32.5	0.7
Lac qui Parle	4.6	2.3	1.2	1.1	--
Lincoln	2.0	1.4	0.5	0.1	--
Lyon	4.4	2.3	1.1	0.9	0.1
McLeod	5.8	4.3	1.0	0.5	--
Marshall	128.5	16.7	47.7	62.9	1.2
Martin	3.6	2.0	1.1	0.4	0.1
Meeker	10.8	8.8	0.7	1.0	0.3
Mower	5.2	4.0	0.8	0.3	0.1
Murray	1.1	0.6	0.3	0.2	--
Nicollet	12.3	9.3	1.4	1.3	0.3
Nobles	0.7	0.3	0.3	0.1	--
Norman	22.2	6.4	9.6	5.9	0.3
Pennington	30.7	6.3	14.3	9.9	0.2
Pipestone	0.4	0.2	0.2	--	--
Polk	68.0	20.7	26.1	20.5	0.7
Pope	6.9	2.4	2.4	2.0	0.1
Red Lake	27.2	5.3	13.0	8.7	0.2
Redwood	6.2	3.1	1.8	1.2	0.1
Renville	7.2	4.5	1.5	1.1	0.1
Rock	0.5	0.2	0.2	0.1	--
Sibley	10.9	8.0	1.8	1.0	0.1
Steele	5.0	3.6	0.8	0.5	0.1
Stevens	1.0	0.4	0.4	0.2	--
Swift	4.7	2.0	1.6	1.0	0.1
Traverse	0.9	0.3	0.3	0.3	--
Waseca	4.6	3.5	0.5	0.5	0.1
Watonwan	1.1	0.6	0.2	0.3	--
Wilkin	0.5	0.1	0.1	0.3	--
Yellow Medicine	7.8	4.6	2.2	0.9	0.1
All counties	534.2	180.6	178.7	169.0	5.9
All units	13,695.1	3,134.8	6,956.1	3,434.8	169.4

Table 13.--Area of commercial forest land by forest type, stand-size class, and site class, Minnesota, 1977

(In thousand acres)

Forest type and stand-size class	All classes	Site class (cubic feet of growth/acre/year)					
		225 or more	165-224	120-164	85-119	50-84	20-49
Jack pine							
Sawtimber	177.3	--	--	1.4	3.8	77.3	94.8
Poletimber	247.2	--	--	--	10.4	100.8	136.0
Sapling & seedling	79.9	--	--	--	--	40.4	39.5
All stands	504.4	--	--	1.4	14.2	218.5	270.3
Red pine							
Sawtimber	145.1	--	--	1.4	46.7	72.5	24.5
Poletimber	41.8	--	--	4.0	13.7	10.3	13.8
Sapling & seedling	60.0	--	--	--	6.9	30.8	22.3
All stands	246.9	--	--	5.4	67.3	113.6	60.6
White pine							
Sawtimber	58.4	--	2.8	8.6	21.8	12.3	12.9
Poletimber	3.9	--	--	--	3.9	--	--
Sapling & seedling	3.3	--	--	--	3.3	--	--
All stands	65.6	--	2.8	8.6	29.0	12.3	12.9
Balsam fir							
Sawtimber	140.0	--	2.7	24.5	57.7	27.3	27.8
Poletimber	490.5	--	1.2	37.7	174.4	125.3	151.9
Sapling & seedling	228.6	--	--	16.3	54.0	61.3	97.0
All stands	859.1	--	3.9	78.5	286.1	213.9	276.7
White spruce							
Sawtimber	21.7	--	--	--	3.9	12.6	5.2
Poletimber	23.5	--	--	--	1.7	16.7	5.1
Sapling & seedling	34.0	--	--	--	5.9	15.5	12.6
All stands	79.2	--	--	--	11.5	44.8	22.9
Black spruce							
Sawtimber	31.1	--	--	--	--	2.6	28.5
Poletimber	390.3	--	--	--	6.9	20.2	363.2
Sapling & seedling	620.4	--	--	--	1.3	14.8	604.3
All stands	1,041.8	--	--	--	8.2	37.6	996.0
Northern white-cedar							
Sawtimber	145.5	--	--	--	--	2.8	142.7
Poletimber	275.5	--	--	--	--	17.1	258.4
Sapling & seedling	77.6	--	--	--	--	--	77.6
All stands	498.6	--	--	--	--	19.9	478.7

(Table 13 continued on next page)

(Table 13 continued)

Forest type and stand-size class	All classes	Site class (cubic feet of growth/acre/year)					
		225 or more	165-224	120-164	85-119	50-84	20-49
Tamarack							
Sawtimber	43.5	--	--	--	1.3	12.1	30.1
Poletimber	200.3	--	--	--	2.0	33.6	164.7
Sapling & seedling	221.6	--	--	--	--	19.4	202.2
All stands	465.4	--	--	--	3.3	65.1	397.0
Oak-hickory							
Sawtimber	452.7	--	--	2.8	10.0	134.6	305.3
Poletimber	360.9	--	--	--	14.7	118.8	227.4
Sapling & seedling	80.3	--	--	--	--	20.7	59.6
All stands	893.9	--	--	2.8	24.7	274.1	592.3
Elm-ash-cottonwood							
Sawtimber	194.8	--	--	--	6.3	37.2	151.3
Poletimber	388.8	--	--	--	1.1	25.8	361.9
Sapling & seedling	154.5	--	--	--	--	4.6	149.9
All stands	738.1	--	--	--	7.4	67.6	663.1
Maple-basswood							
Sawtimber	675.6	--	--	--	30.6	245.2	399.8
Poletimber	493.5	--	--	--	29.4	130.6	333.5
Sapling & seedling	114.8	--	--	--	1.1	23.1	90.6
All stands	1,283.9	--	--	--	61.1	398.9	823.9
Aspen							
Sawtimber	791.4	--	--	27.3	253.4	440.8	69.9
Poletimber	3,032.3	--	--	28.6	985.0	1,614.6	404.1
Sapling & seedling	1,478.6	--	--	4.2	210.0	828.0	436.4
All stands	5,302.3	--	--	60.1	1,448.4	2,883.4	910.4
Paper birch							
Sawtimber	142.0	--	--	--	2.9	51.1	88.0
Poletimber	758.6	--	--	1.4	6.7	259.0	491.5
Sapling & seedling	97.0	--	--	--	1.3	22.1	73.6
All stands	997.6	--	--	1.4	10.9	332.2	653.1
Balsam poplar							
Sawtimber	115.7	--	--	--	22.3	69.5	23.9
Poletimber	249.0	--	--	1.4	34.3	126.5	86.8
Sapling & seedling	184.2	--	--	--	10.1	90.0	84.1
All stands	548.9	--	--	1.4	66.7	286.0	194.8
Nonstocked	169.4	--	--	--	5.5	31.0	132.9
All types							
Sawtimber	3,134.8	--	5.5	66.0	460.7	1,197.9	1,404.7
Poletimber	6,956.1	--	1.2	73.1	1,284.2	2,599.3	2,998.3
Sapling & seedling	3,434.8	--	--	20.5	293.9	1,170.7	1,949.7
Nonstocked	169.4	--	--	--	5.5	31.0	132.9
All stands	13,695.1	--	6.7	159.6	2,044.3	4,998.9	6,485.6

Table 14.--Area of commercial forest land by forest type and stand-age class,
Minnesota, 1977

Forest type	All ages	Stand-age class (years)										91- 100	101- 120	121- 140	141+
		1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90					
Jack pine	504.4	22.7	19.0	64.5	98.9	114.8	98.5	52.4	8.0	12.2	10.7	2.7	--	--	
Red pine	246.9	10.3	38.7	12.0	28.0	19.9	16.6	15.6	47.5	21.6	34.0	2.7	--	--	
White pine	65.6	2.1	3.3	--	1.3	8.9	4.2	9.8	8.8	3.9	17.6	5.7	--	--	
Balsam fir	859.1	42.1	68.4	78.2	101.6	221.0	178.2	109.5	37.1	11.2	9.1	2.7	--	--	
White spruce	79.2	14.2	7.2	4.8	8.2	18.8	14.6	3.9	1.2	2.5	2.7	1.1	--	--	
Black spruce	1,041.8	47.5	103.1	174.0	161.4	117.6	130.6	72.7	80.9	62.2	59.2	17.1	12.5	--	
Northern white-cedar	498.6	3.0	10.3	24.8	21.7	18.1	40.8	61.7	52.3	61.3	69.5	56.9	74.1	4.1	
Tamarack	465.4	30.5	78.6	49.0	31.2	38.4	68.5	26.9	32.2	35.3	9.0	38.1	26.5	1.2	
Oak-hickory	893.9	28.2	38.6	13.4	61.8	139.7	129.6	141.0	100.0	88.8	92.4	49.8	7.6	--	
Elm-ash-cottonwood	738.1	46.8	51.1	47.1	40.0	78.4	120.5	89.1	69.7	73.6	70.1	32.3	19.4	--	
Maple-basswood	1,283.9	30.3	50.8	41.2	95.9	200.5	234.3	191.5	156.2	91.0	100.6	58.6	33.0	--	
Aspen	5,302.3	679.1	518.0	475.8	904.6	1,253.9	923.0	348.8	125.0	53.2	15.0	4.5	1.4	--	
Paper birch	997.6	31.8	59.9	34.5	119.5	263.7	236.2	116.6	72.9	43.7	11.9	6.9	--	--	
Balsam poplar	548.9	65.4	78.0	43.6	90.4	120.9	78.5	38.3	25.3	7.1	1.4	--	--	--	
Nonstocked	169.4	156.3	3.9	1.6	1.3	4.9	--	--	1.4	--	--	--	--	--	
All types	13,695.1	1,210.3	1,128.9	1,064.5	1,771.8	2,619.5	2,274.1	1,277.8	818.5	567.6	503.2	279.1	174.5	5.3	

Table 15.--Area of commercial forest land by forest type and area-condition class,
Minnesota, 1977

(In thousand acres)

Forest type	All classes	Area-condition class						
		10	20	30	40	50	60	
Jack pine	504.4	--	--	--	--	154.0	311.8	38.6
Red pine	246.9	--	--	--	--	118.5	116.1	12.3
White pine	65.6	--	--	--	--	25.7	35.2	4.7
Balsam fir	859.1	--	--	--	--	225.7	497.6	135.8
White spruce	79.2	--	--	--	--	17.8	44.3	17.1
Black spruce	1,041.8	--	--	--	--	367.9	519.7	154.2
Northern white-cedar	498.6	--	--	--	--	196.0	234.9	67.7
Tamarack	465.4	--	--	--	--	75.6	230.4	159.4
Oak-hickory	893.9	--	--	--	--	227.5	495.9	170.5
Elm-ash-cottonwood	738.1	--	--	--	--	189.6	322.0	226.5
Maple-basswood	1,283.9	--	--	--	--	285.0	685.5	313.4
Aspen	5,302.3	1.3	--	--	--	1,255.4	3,050.2	995.4
Paper birch	997.6	--	--	--	--	238.6	600.9	158.1
Balsam poplar	548.9	--	--	--	--	128.5	265.2	155.2
Nonstocked	169.4	--	--	--	--	--	20.2	149.2
All types	13,695.1	1.3	--	--	--	3,505.8	7,429.9	2,758.1

Table 16.--Area of commercial forest land by forest type, site-index class, and Forest Survey Unit, Minnesota, 1977

(In thousand acres)

Forest type	All classes	ALL UNITS								
		11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine	504.4	--	--	18.2	112.4	194.3	132.7	40.0	5.4	1.4
Red pine	246.9	--	--	5.8	36.4	118.2	42.7	43.8	--	--
White pine	65.6	--	--	3.7	18.8	29.5	10.7	2.9	--	--
Balsam fir	859.1	--	18.6	179.3	316.6	250.4	71.2	19.1	3.9	--
White spruce	79.2	--	--	5.8	32.7	23.8	16.9	--	--	--
Black spruce	1,041.8	27.2	369.8	375.1	223.9	37.6	6.9	1.3	--	--
Northern white-cedar	498.6	85.8	278.0	95.2	25.7	10.0	3.9	--	--	--
Tamarack	465.4	4.5	91.6	168.1	132.8	52.3	12.8	3.3	--	--
Oak-hickory	893.9	--	7.5	164.3	307.2	225.7	134.9	39.5	12.0	2.8
Elm-ash-cottonwood	738.1	--	3.2	136.3	218.8	259.3	82.5	30.6	5.9	1.5
Maple-basswood	1,283.9	--	--	63.4	303.0	465.1	316.5	103.8	32.1	--
Aspen	5,302.3	1.4	12.3	73.1	397.7	1,225.1	1,780.0	1,286.2	466.4	60.1
Paper birch	997.6	--	3.0	47.0	186.7	388.9	290.1	69.5	11.0	1.4
Balsam poplar	548.9	--	--	25.4	111.2	134.1	169.9	73.7	30.4	4.2
Nonstocked	169.4	4.3	20.8	31.1	51.1	36.1	20.6	5.4	--	--
All types	13,695.1	123.2	804.8	1,391.8	2,475.0	3,450.4	3,092.3	1,719.1	567.1	71.4
ASPEN-BIRCH										
Jack pine	165.7	--	--	5.4	55.9	78.5	20.7	5.2	--	--
Red pine	114.4	--	--	1.3	22.1	66.1	21.0	3.9	--	--
White pine	33.8	--	--	3.7	15.0	11.6	3.5	--	--	--
Balsam fir	626.0	--	11.0	106.0	245.6	195.0	56.2	9.5	2.7	--
White spruce	60.1	--	--	5.8	21.7	21.0	11.6	--	--	--
Black spruce	745.7	21.6	248.3	270.1	169.9	29.2	5.3	1.3	--	--
Northern white-cedar	317.8	52.0	182.9	54.4	17.9	6.7	3.9	--	--	--
Tamarack	157.6	1.2	40.8	51.5	44.4	17.0	2.7	--	--	--
Oak-hickory	5.4	--	--	--	1.2	1.4	1.4	1.4	--	--
Elm-ash-cottonwood	243.7	--	--	57.6	97.2	75.4	10.5	3.0	--	--
Maple-basswood	214.5	--	--	14.2	75.0	82.6	39.0	2.7	1.0	--
Aspen	1,947.4	--	8.9	20.3	156.0	530.7	698.2	391.8	118.9	22.6
Paper birch	546.3	--	1.4	36.7	112.0	223.5	144.0	27.2	1.5	--
Balsam poplar	208.0	--	--	8.6	28.8	52.2	64.2	33.4	18.0	2.8
Nonstocked	65.0	--	3.5	9.3	33.7	7.2	8.4	2.9	--	--
All types	5,451.4	74.8	496.8	644.9	1,096.4	1,398.1	1,090.6	482.3	142.1	25.4
NORTHERN PINE										
Jack pine	327.4	--	--	12.8	54.6	112.7	109.8	30.7	5.4	1.4
Red pine	121.9	--	--	4.5	14.3	47.4	17.7	38.0	--	--
White pine	24.8	--	--	--	2.5	15.3	5.6	1.4	--	--
Balsam fir	225.6	--	7.6	71.3	69.6	51.3	15.0	9.6	1.2	--
White spruce	19.1	--	--	--	11.0	2.8	5.3	--	--	--
Black spruce	278.2	5.6	120.0	91.5	51.1	8.4	1.6	--	--	--
Northern white-cedar	180.8	33.8	95.1	40.8	7.8	3.3	--	--	--	--
Tamarack	276.0	3.3	49.1	113.2	71.1	30.7	7.3	1.3	--	--
Oak-hickory	247.4	--	4.6	34.9	92.8	67.0	34.5	9.4	4.2	--
Elm-ash-cottonwood	309.8	--	1.4	56.3	82.6	119.1	39.2	10.1	1.1	--
Maple-basswood	466.4	--	--	21.7	100.1	171.9	116.8	39.9	16.0	--
Aspen	2,541.7	1.4	1.8	36.9	139.9	440.0	808.1	743.0	333.1	37.5
Paper birch	371.2	--	--	4.9	54.8	143.1	122.0	35.5	9.5	1.4
Balsam poplar	297.5	--	--	12.3	65.5	68.6	98.5	38.8	12.4	1.4
Nonstocked	70.6	4.3	15.8	11.8	10.3	18.1	7.8	2.5	--	--
All types	5,758.4	48.4	295.4	512.9	828.0	1,299.7	1,389.2	960.2	382.9	41.7

(Table 16 continued on next page)

(Table 16 continued)

Forest type	All classes	CENTRAL HARDWOODS								
		Site-index class (feet)								
	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+	
Jack pine	11.3	--	--	--	1.9	3.1	2.2	4.1	--	--
Red pine	10.6	--	--	--	--	4.7	4.0	1.9	--	--
White pine	7.0	--	--	--	1.3	2.6	1.6	1.5	--	--
Balsam fir	7.5	--	--	2.0	1.4	4.1	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--
Black spruce	17.9	--	1.5	13.5	2.9	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--
Tamarack	30.8	--	0.7	3.4	17.3	4.6	2.8	2.0	--	--
Oak-hickory	571.8	--	1.6	98.2	195.2	144.6	92.9	28.7	7.8	2.8
Elm-ash-cottonwood	129.5	--	1.8	13.5	27.3	45.8	21.3	15.0	4.8	--
Maple-basswood	485.8	--	--	20.5	105.3	167.6	135.0	43.8	13.6	--
Aspen	560.2	--	1.6	2.5	36.2	153.1	223.6	128.8	14.4	--
Paper birch	80.1	--	1.6	5.4	19.9	22.3	24.1	6.8	--	--
Balsam poplar	10.7	--	--	1.5	2.9	3.2	1.6	1.5	--	--
Nonstocked	27.9	--	1.5	10.0	2.6	9.4	4.4	--	--	--
All types	1,951.1	--	10.3	170.5	414.2	565.1	513.5	234.1	40.6	2.8
PRAIRIE										
Jack pine	--	--	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--	--	--
White pine	--	--	--	--	--	--	--	--	--	--
Balsam fir	--	--	--	--	--	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--
Tamarack	1.0	--	1.0	--	--	--	--	--	--	--
Oak-hickory	69.3	--	1.3	31.2	18.0	12.7	6.1	--	--	--
Elm-ash-cottonwood	55.1	--	--	8.9	11.7	19.0	11.5	2.5	--	1.5
Maple-basswood	117.2	--	--	7.0	22.6	43.0	25.7	17.4	1.5	--
Aspen	253.0	--	--	13.4	65.6	101.3	50.1	22.6	--	--
Paper birch	--	--	--	--	--	--	--	--	--	--
Balsam poplar	32.7	--	--	3.0	14.0	10.1	5.6	--	--	--
Nonstocked	5.9	--	--	--	4.5	1.4	--	--	--	--
All types	534.2	--	2.3	63.5	136.4	187.5	99.0	42.5	1.5	1.5

Table 17.--Area of commercial forest land by forest type and basal-area class,
Minnesota, 1977

Forest type	All classes		Basal-area class (square feet per acre)			Basal-area class (square feet per acre)			Basal-area class (square feet per acre)		
	0-20	21-40	41-60	61-80	81-100	101-120	121-140	141-160	161-180	181+	
Jack pine	504.4	10.1	31.3	65.3	122.1	115.6	97.5	27.4	15.6	19.5	
Red pine	246.9	8.2	37.7	21.0	19.5	70.3	18.0	27.0	11.5	--	
White pine	65.6	1.9	1.4	--	15.5	13.0	19.7	4.8	18.8	14.9	
Balsam fir	859.1	81.1	88.0	137.2	150.3	139.1	99.6	65.6	7.2	2.1	
White spruce	79.2	20.0	4.1	19.7	11.6	16.6	--	43.5	36.7	--	
Black spruce	1,041.8	127.9	130.2	218.2	184.4	152.8	103.0	83.2	18.8	--	
Northern white-cedar	498.6	4.1	25.1	35.5	51.1	64.5	84.7	89.0	43.8	--	
Tamarack	465.4	72.8	81.3	146.3	86.5	48.6	15.9	14.0	46.5	54.3	
Oak-hickory	893.9	14.7	52.2	129.9	193.0	232.2	155.0	89.8	--	--	
Elm-ash-cottonwood	738.1	47.1	82.3	126.6	125.7	127.0	110.5	87.0	19.4	7.7	
Maple-basswood	1,283.9	14.8	74.2	172.2	229.5	271.4	283.0	126.8	82.8	4.8	
Aspen	5,302.3	360.7	558.5	1,080.8	975.5	860.1	758.0	384.5	185.1	16.1	
Paper birch	997.6	33.0	78.9	143.1	192.5	216.1	156.5	106.3	38.8	87.1	
Balsam poplar	548.9	66.3	84.3	128.0	94.9	72.7	48.7	34.3	13.8	52.0	
Nonstocked	169.4	74.2	33.8	42.5	13.3	1.2	2.8	1.6	--	--	
All types	13,695.1	936.9	1,363.3	2,466.3	2,465.4	2,401.2	1,952.9	1,146.8	502.0	290.5	
										169.8	

Table 18.--Area of commercial forest land by stocking class of growing-stock trees and stand-size class, Minnesota, 1977

(In thousand acres)

Percent stocking class	All stands	Stand-size class			
		Sawtimber stands	Poletimber stands	Sapling and Seedling stands	Nonstocked areas
Less than 18	165.5	1.6	7.3	7.4	149.2
18 to 60	2,725.3	614.4	1,213.7	897.2	--
61 to 100	7,480.7	1,734.3	3,924.0	1,802.2	20.2
101 to 133	3,006.1	715.5	1,660.3	630.3	--
134 or more	317.5	69.0	150.8	97.7	--
All classes	13,695.1	3,134.8	6,956.1	3,434.8	169.4

Table 19.--Area of commercial forest land by stocking class based on selected stand components, Minnesota, 1977

(In thousand acres)

Stocking percentage	All trees	Stocking classified in terms of			Rough and rotten trees
		Total	Desirable	Acceptable	
0-10	15.6	69.2	13,294.5	73.3	4,846.2
11-20	49.7	165.3	279.2	172.5	3,350.3
21-30	104.8	315.9	87.0	319.6	3,308.0
31-40	202.3	550.1	16.0	592.4	1,170.5
41-50	376.4	690.8	11.5	731.5	553.9
51-60	520.8	1,098.9	5.6	2,302.3	270.7
61-70	661.3	2,456.3	--	1,396.3	117.5
71-80	1,003.9	1,570.4	--	1,645.8	42.8
81-90	1,299.4	1,725.9	--	1,721.4	15.0
91-100	2,823.3	1,729.4	--	1,677.6	2.4
101-110	1,788.3	1,299.1	1.3	1,229.0	9.4
111-120	1,739.0	973.4	--	900.1	4.2
121-130	1,432.6	613.4	--	553.3	1.3
131-140	979.3	277.0	--	238.2	--
141-150	513.5	115.6	--	100.3	2.9
151-160	184.9	44.4	--	41.5	--
161+	--	--	--	--	--
Total	13,695.1	13,695.1	13,695.1	13,695.1	13,695.1

Table 20.--Area of noncommercial forest land by ownership class,
Minnesota, 1977

(In thousand acres)

Ownership class	All areas	Productive-reserved areas ^{1/}	Unproductive areas
National forest	884.3	758.7	125.6
Other federal	253.8	126.7	127.1
State, county and municipal	1,560.3	281.6	1,278.7
Forest industry	35.2	--	35.2
Farmer	211.1	--	211.1
Miscellaneous private	69.4	11.6	57.8
All owners	3,014.1	1,178.6	1,835.5

^{1/}Includes 3,000 acres of productive-deferred forest land, commercial forest land being withheld from harvest while a decision is made whether to place it in productive-reserved status.

Table 21.--Area of noncommercial forest land by forest type,
Minnesota, 1977

(In thousand acres)

Forest type	All areas	Productive-reserved areas ^{1/}	Unproductive areas
Jack pine	211.0	208.2	2.8
Red-white pine	79.4	71.9	7.5
Spruce-fir	171.9	104.7	67.2
Black spruce	1,101.1	68.7	1,032.4
Northern white-cedar	148.6	12.6	136.0
Tamarack	177.0	3.2	173.8
Oak-hickory	111.6	11.4	100.2
Elm-ash-cottonwood	225.9	38.3	187.6
Maple-basswood	30.7	23.1	7.6
Aspen-birch	743.0	633.9	109.1
Nonstocked	13.9	2.6	11.3
All types	3,014.1	1,178.6	1,835.5

^{1/}Includes 3,000 acres of productive-deferred forest land, commercial forest land being withheld from harvest while a decision is made whether to place it in productive-reserved status.

Table 22.—Number of all live trees on commercial forest land by species group and diameter class, Minnesota, 1977
 (In thousand trees)

Species		Diameter class (inches at breast height)											
	classes	1.0-	3.0-	5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-
SOFTWOODS:													
White pine	32, 257	8, 834	8, 528	4, 691	2, 318	2, 661	1, 282	1, 161	1, 066	755	315	268	334
Red pine	73, 561	25, 131	14, 378	10, 998	8, 262	4, 944	3, 129	2, 331	1, 932	1, 307	571	431	143
Jack pine	185, 093	37, 536	47, 591	42, 157	31, 710	15, 937	7, 078	2, 165	772	111	25	8	3
White spruce	63, 944	26, 353	14, 163	10, 920	5, 202	3, 161	1, 925	1, 055	644	292	145	57	27
Black spruce	844, 736	381, 474	298, 102	121, 886	33, 432	8, 141	1, 242	349	73	22	13	2	--
Balsam fir	1, 067, 328	563, 293	286, 001	143, 547	57, 509	19, 709	5, 514	1, 350	286	109	7	3	--
Tamarack	3, 05	234, 943	88, 921	74, 230	46, 750	17, 574	5, 243	1, 719	379	95	25	5	2
Northern white-cedar	3, 93	303, 026	95, 138	78, 740	63, 277	34, 583	16, 913	8, 491	3, 537	1, 374	611	245	73
Other softwoods	9, 568	4, 789	2, 917	1, 182	427	138	62	30	12	4	6	1	--
Total	2,814,456	1,221,469	824,650	445,408	191,017	76,847	30,442	12,357	6,254	3,236	1,332	843	551
HARDWOODS:													
Select white oak	183, 116	72, 398	45, 305	25, 664	15, 174	9, 964	6, 374	3, 541	2, 276	1, 047	628	336	358
Select red oak	123, 680	24, 473	20, 155	24, 882	20, 566	13, 696	8, 341	5, 168	2, 953	1, 648	846	466	419
Other red oak	1, 601	378	138	307	185	132	93	117	95	61	42	26	1
Hickory	14, 839	9, 663	2, 090	1, 574	671	425	219	125	48	13	9	2	--
Yellow birch	8, 295	3, 685	1, 667	920	649	361	381	277	100	111	41	46	50
Hard maple	292, 080	169, 658	69, 806	27, 247	10, 975	7, 063	3, 475	2, 290	1, 353	709	272	113	5
Soft maple	295, 188	157, 680	84, 161	33, 503	12, 519	3, 742	1, 682	814	485	270	127	64	89
Ash	546, 325	299, 291	122, 613	65, 99	32, 279	15, 644	6, 017	2, 695	1, 124	377	143	65	66
Balsam poplar	301, 134	137, 775	66, 828	40, 885	27, 408	15, 419	7, 745	3, 111	1, 246	478	152	49	36
Paper birch	716, 495	237, 213	200, 915	145, 373	80, 534	33, 880	12, 266	3, 921	1, 491	563	212	54	73
Bigtooth aspen	45, 378	11, 793	7, 349	7, 904	8, 431	5, 557	2, 606	1, 095	409	165	49	18	2
Quaking aspen	1, 745, 329	854, 510	316, 809	219, 851	170, 882	103, 274	50, 064	19, 218	6, 335	2, 581	843	268	122
Basswood	- 170, 899	70, 218	36, 510	25, 426	16, 993	9, 973	5, 453	2, 840	1, 633	903	467	233	219
Elm	202, 765	93, 081	44, 515	24, 79	16, 133	9, 268	5, 584	3, 330	1, 503	778	545	683	187
Select hardwoods	25, 825	4, 925	2, 602	1, 120	738	467	244	164	71	20	6	11	5
Other hardwoods	50, 863	24, 834	11, 439	5, 840	3, 522	2, 121	1, 367	678	427	215	144	112	92
Noncommercial species	174, 774	139, 219	26, 890	6, 724	1, 437	311	118	40	22	3	7	--	1
Total	4,898,386	2,321,321	1,061,115	659,498	419,448	231,568	112,252	49,507	23,091	10,718	4,780	2,360	456
All species	7,713,042	3,542,790	1,885,765	1,104,906	610,465	308,415	142,694	61,864	29,345	13,954	6,112	3,246	503

Table 23.--Number of growing-stock trees on commercial forest land by species group and diameter class, Minnesota, 1977
 (In thousand trees)

Species	A1 classes	Diameter class (inches at breast height)										23.0- 28.9	29.0- 39.0+
		1.0- 2.9	3.0- 4.9	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	14.0- 16.9	15.0- 18.9	16.0- 20.9		
SOFTWOODS:													
White pine	26,402	6,506	7,088	3,777	1,906	2,305	1,145	1,121	903	734	309	254	315
Red pine	69,662	22,599	13,812	10,547	8,071	4,862	3,099	2,305	1,334	1,296	566	426	142
Jack pine	157,327	25,291	39,156	38,671	29,559	15,116	6,730	1,990	689	99	15	8	3
White spruce	58,356	22,217	13,471	10,661	4,882	3,057	1,879	1,044	640	279	142	57	27
Black spruce	736,707	307,334	272,790	114,946	32,220	7,784	1,185	342	69	22	13	2	--
Balsam fir	932,749	452,411	266,055	134,837	54,558	18,228	5,095	1,225	250	80	7	3	--
Tamarack	199,915	75,409	62,966	39,817	15,464	4,429	1,428	314	70	16	--	2	--
Northern white-cedar	232,128	74,226	65,267	46,147	25,307	11,716	5,324	2,435	974	386	174	40	31
Other	6,266	2,987	1,857	878	407	76	48	9	4	--	--	--	--
Total	2,419,512	988,980	742,462	400,281	172,374	67,573	26,033	10,785	5,533	2,912	1,226	790	520
HARDWOODS:													
Select white oak	143,370	52,290	36,765	21,166	12,861	8,700	5,175	2,985	1,720	773	464	224	217
Select red oak	101,004	18,342	15,403	20,244	18,178	12,200	7,073	4,394	2,454	1,357	652	365	301
Other red oak	1,401	378	138	211	155	121	88	90	95	55	27	17	25
Hickory	12,389	7,906	1,656	1,419	637	408	205	101	36	12	7	2	--
Yellow birch	5,049	2,701	1,274	380	199	97	178	93	49	41	18	8	11
Hard maple	209,611	119,713	55,223	19,283	7,136	3,817	1,863	1,294	683	380	123	44	50
Soft maple	197,182	102,676	60,337	23,016	6,880	2,128	1,049	503	255	142	68	36	21
Ash	454,660	239,421	106,381	58,094	28,265	13,535	5,121	2,342	976	308	118	51	41
Balsam poplar	255,451	119,489	53,996	33,750	23,626	13,623	6,818	2,673	1,046	297	94	14	24
Paper birch	587,564	181,470	170,463	121,950	70,416	29,257	9,875	2,858	900	223	127	16	9
Bigtooth aspen	35,478	8,155	5,711	6,418	7,110	4,780	2,100	777	287	108	22	10	--
Quaking aspen	1,381,842	684,732	247,085	171,847	137,913	82,576	38,233	13,500	4,233	1,226	339	101	57
Basswood	132,430	48,592	28,041	21,631	15,285	8,831	4,769	2,425	1,388	747	389	171	143
Elm	155,692	68,085	34,889	20,324	12,934	7,625	4,415	2,616	1,887	1,217	617	414	530
Select hardwoods	16,662	10,904	2,466	1,483	699	510	286	126	48	8	4	5	--
Other hardwoods	33,576	16,654	8,112	3,598	2,148	1,403	688	364	221	138	84	66	44
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	3,723,361	1,681,508	827,940	524,814	344,442	189,611	87,936	37,141	16,353	7,072	3,157	1,543	1,521
All species	6,142,873	2,670,488	1,570,402	925,095	516,816	257,184	113,969	47,926	21,886	9,984	4,383	2,333	2,041

Table 24.--Number of growing-stock trees on commercial forest land by species group and Forest Survey Unit, Minnesota, 1977

(In thousand trees)

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	26,402	12,368	11,705	2,329	--
Red pine	69,662	31,991	29,529	8,123	19
Jack pine	157,327	35,364	116,948	4,972	43
White spruce	58,356	36,230	21,289	798	39
Black spruce	736,707	550,365	177,347	8,811	184
Balsam fir	932,749	668,902	258,386	5,269	192
Tamarack	199,915	84,419	105,253	10,065	178
Northern white-cedar	232,128	154,502	77,626	--	--
Other softwoods	6,266	315	106	4,484	1,361
Total	2,419,512	1,574,456	798,189	44,851	2,016
HARDWOODS:					
Select white oak	143,370	2,529	89,517	36,550	14,774
Select red oak	101,004	1,855	57,252	39,823	2,074
Other red oak	1,401	--	718	638	45
Hickory	12,389	--	198	12,111	80
Yellow birch	5,049	1,819	2,133	1,097	--
Hard maple	209,611	65,281	105,767	36,150	2,413
Soft maple	197,182	85,414	71,241	40,251	276
Ash	454,660	191,103	201,976	50,525	11,056
Balsam poplar	255,451	97,790	135,790	3,916	17,955
Paper birch	587,564	328,755	204,134	53,304	1,371
Bigtooth aspen	35,478	4,433	25,339	5,692	14
Quaking aspen	1,381,842	584,299	602,327	110,801	84,415
Basswood	132,430	9,063	74,343	44,692	4,332
Elm	155,692	12,720	69,716	58,588	14,668
Select hardwoods	16,662	312	3,140	10,271	2,939
Other hardwoods	33,576	1,130	3,457	13,667	15,322
Noncommercial species	--	--	--	--	--
Total	3,723,361	1,386,503	1,647,048	518,076	171,734
All species	6,142,873	2,960,959	2,445,237	562,927	173,750

Table 25.--Number of short-log trees on commercial forest land by species group and diameter class, Minnesota, 1977

(In thousand trees)

Species	All classes	Diameter class (inches at breast height)									
		9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 28.9	29.0- 38.9	39.0+
SFTWOODS:											
White pine	93	37	8	17	20	3	2	--	5	1	--
Red pine	63	31	18	9	--	3	2	--	--	--	--
Jack pine	417	239	115	49	11	3	--	--	--	--	--
White spruce	35	26	5	--	4	--	--	--	--	--	--
Black spruce	142	130	8	--	4	--	--	--	--	--	--
Balsam fir	427	342	49	10	12	14	--	--	--	--	--
Tamarack	268	175	81	6	3	3	--	--	--	--	--
Northern white-cedar	1,880	883	613	210	70	84	14	4	2	--	--
Other softwoods	59	52	--	--	4	--	3	--	--	--	--
Total	3,384	1,915	897	301	128	110	21	4	7	1	--
HARDWOODS:											
Select white oak	1,133	--	492	208	215	89	51	42	29	7	--
Select red oak	864	--	323	266	121	76	26	31	19	2	--
Other red oak	25	--	5	12	--	3	3	2	--	--	--
Hickory	17	--	5	10	--	--	2	--	--	--	--
Yellow birch	90	--	18	42	5	10	--	2	13	--	--
Hard maple	547	--	174	184	96	29	33	6	24	1	--
Soft maple	160	--	27	58	30	15	13	4	7	5	1
Ash	347	--	217	75	39	9	2	2	2	1	--
Balsam poplar	455	--	211	76	16	103	26	19	3	--	1
Paper birch	1,398	--	595	278	307	131	35	8	44	--	--
Bigtooth aspen	184	--	85	57	19	23	--	--	--	--	--
Quaking aspen	3,909	--	2,131	939	497	222	99	10	10	1	--
Basswood	384	--	175	86	54	22	14	7	24	2	--
Elm	1,099	--	510	212	153	84	54	33	38	12	3
Select hardwoods	49	--	7	5	24	10	--	2	1	--	--
Other hardwoods	310	--	161	88	31	14	5	2	6	1	2
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--
Total	10,971	--	5,136	2,596	1,607	840	363	170	220	32	7
All species	14,355	1,915	6,033	2,897	1,735	950	384	174	227	33	7

Table 26.--Net volume of growing stock and sawtimber on commercial forest land
by species group, Minnesota, ^{1/}1962 and 1977

Species	Growing stock		Sawtimber	
	1/1962	1977	1/1962	1977
Thousand cubic feet				^{2/} Thousand board feet
SOFTWOODS:				
White pine	191,796	194,797	900,060	1,068,372
Red pine	325,301	434,556	1,530,249	1,952,896
Jack pine	733,320	593,704	1,402,842	1,566,444
Spruce	813,347	717,920	849,704	1,109,131
Balsam fir	765,270	893,608	791,442	1,338,249
Tamarack	302,558	250,589	281,500	346,508
Northern white-cedar	251,867	387,215	376,843	1,142,761
Other softwoods	--	4,618	--	6,228
Total	3,383,459	3,477,007	6,132,640	8,530,589
HARDWOODS:				
White oak	278,877	358,272	817,696	1,076,044
Red oak	433,424	581,563	1,027,215	1,820,036
Yellow birch	13,904	10,611	63,839	39,926
Hard maple	134,865	189,024	455,532	489,619
Soft maple	94,429	131,845	232,890	281,999
Ash	426,107	538,086	758,002	993,952
Paper birch	841,822	1,273,982	491,034	1,234,388
Aspen	2,790,752	3,410,720	2,208,044	5,974,671
Basswood	239,667	402,424	719,073	1,116,835
Elm	341,740	431,437	1,257,911	1,607,307
Other hardwoods	464,614	649,026	710,952	1,441,832
Total	6,060,201	7,976,990	8,742,188	16,076,609
All species	9,443,660	11,453,997	14,874,828	24,607,198

^{1/}Figures have been adjusted from those published after the 1962 survey to conform to 1977 volumes because of changes in survey definitions and procedures.

^{2/}International 1/4-inch rule.

Table 27.--Cubic foot volume in all live trees on commercial forest land by species group and diameter class, Minnesota, 1977

(In thousand cubic feet)

Species	classes	Diameter class (inches at breast height)										39.0+
		5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	
		6.9	8.9	10.9	12.9	14.9	16.9	18.9	20.9	22.9	28.9	
SOFTWOODS:												
White pine	205,023	7,642	9,141	22,103	15,544	22,314	28,626	29,505	16,398	16,236	30,644	6,552
Red pine	437,926	25,560	50,642	56,305	56,198	60,473	64,893	58,162	30,079	25,080	10,207	327
Jack pine	619,448	100,012	173,666	157,527	113,540	46,410	22,888	3,727	1,112	396	170	--
White spruce	183,887	24,023	25,736	30,613	31,104	24,622	21,153	12,044	8,332	3,356	2,304	--
Black spruce	552,013	266,807	171,833	78,841	21,044	8,904	2,778	1,069	685	52	--	--
Balsam fir	937,200	323,402	296,481	186,037	86,750	29,843	9,451	4,672	322	242	--	--
Tamarack	277,608	107,291	88,212	47,286	24,004	7,410	2,402	812	96	--	--	--
Northern white-cedar	463,876	84,543	106,085	99,802	74,301	47,050	26,702	13,924	7,513	2,136	1,713	107
Other softwoods	5,945	2,051	1,534	846	657	361	63	158	74	--	--	--
Total	3,682,926	941,331	923,330	679,360	423,142	247,387	179,094	123,978	64,695	48,172	45,133	6,986
HARDWOODS:												
Select white oak	414,782	44,857	58,800	67,455	65,416	52,418	44,138	26,149	19,917	12,956	18,498	3,788
Select red oak	628,225	51,581	94,520	108,368	97,333	85,856	64,822	46,732	29,555	20,466	23,471	5,286
Other red oak	13,844	453	702	1,074	1,232	1,743	2,453	1,876	1,406	1,188	1,653	67
Hickory	17,210	3,191	3,246	3,674	2,824	2,307	1,028	420	397	123	--	--
Yellow birch	18,196	1,335	1,710	1,704	3,227	2,803	1,791	1,874	893	947	1,855	57
Hard maple	263,723	50,307	42,078	46,499	33,412	34,086	23,707	16,377	8,428	3,638	4,831	295
Soft maple	171,993	47,787	37,694	22,744	16,254	11,814	9,513	6,730	4,119	2,663	5,690	65
Ash	585,894	135,853	145,970	127,276	77,422	48,013	28,294	10,222	5,767	2,667	5,542	574
Balsam poplar	598,970	88,420	141,475	141,920	110,400	63,090	32,721	13,196	4,533	1,344	1,662	172
Paper birch	1,416,500	362,655	446,212	320,088	166,257	70,803	31,720	10,298	6,306	1,477	684	--
Bigtooth aspen	-	201,225	20,348	48,333	54,754	37,974	21,471	10,378	5,299	1,771	853	--
Quaking aspen	3,782,905	540,038	934,303	974,591	709,965	360,902	160,098	65,698	24,249	8,332	4,704	25
Basswood	402,931	49,939	80,985	80,692	69,324	51,440	39,635	27,161	18,229	10,168	12,325	2,703
Elm	485,879	37,657	53,695	61,411	58,300	52,447	50,973	44,231	29,745	25,012	44,323	21,562
Select hardwoods	22,911	4,006	3,310	4,002	3,665	2,512	2,501	1,419	412	216	556	312
Other hardwoods	80,832	8,255	10,115	10,718	9,590	7,480	6,249	4,935	3,921	4,136	4,540	5,872
Noncommercial species	16,884	7,794	4,774	1,783	1,046	557	436	135	197	--	65	97
Total	9,162,904	1,454,476	2,107,922	2,028,753	1,463,641	869,742	510,457	282,752	159,845	96,183	128,443	44,910
All species	12,845,830	2,395,807	3,031,252	2,708,113	1,886,783	1,117,129	689,551	406,730	224,540	144,355	173,576	51,896
												16,098

Table 28.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods, Minnesota, 1977

(In thousand cubic feet)

Class of timber	All species	Softwoods	Hardwoods
GROWING-STOCK TREES:			
Saw log trees			
Saw log portion	3,499,363	1,292,396	2,206,967
Upper stem portion	1,232,785	426,209	806,576
Subtotal	<u>4,732,148</u>	<u>1,718,605</u>	<u>3,013,543</u>
Poletimber	<u>6,721,849</u>	<u>1,758,402</u>	<u>4,963,447</u>
Total	11,453,997	3,477,007	7,976,990
CULL TREES:			
Rough and rotten cull trees			
Sawtimber	473,416	72,602	400,814
Poletimber	733,960	106,257	627,703
Subtotal	<u>1,207,376</u>	<u>178,859</u>	<u>1,028,517</u>
Short-log cull trees			
Sawtimber	184,457	27,060	157,397
Poletimber	--	--	--
Subtotal	<u>184,457</u>	<u>27,060</u>	<u>157,397</u>
Total	1,391,833	205,919	1,185,914
SALVABLE DEAD TREES:			
All classes	107,031	47,856	59,175
Total	12,952,861	3,730,782	9,222,079

Table 29.--Net volume of growing stock and sawtimber on commercial forest land
by county and species category, Minnesota, 1977

County	All species	Growing stock				ASPEN-BIRCH				Sawtimber			
		Pine	Spruce- fir	Other softwoods	Aspen	All species	Pine	Spruce- fir	Other softwoods	Aspen	Other hardwoods		
- Thousand cubic feet -													
Carlton	210,376	18,849	25,747	8,117	57,322	100,341	347,958	91,996	37,529	10,104	62,312	146,017	
Cook	534,017	33,526	179,850	31,744	171,395	117,502	1,083,698	136,545	313,513	116,398	400,505	116,737	
Koochiching	928,923	43,462	271,210	135,430	262,888	215,933	1,594,444	145,029	308,582	330,176	387,920	422,737	
Lake	694,029	59,566	165,030	54,112	158,441	256,880	1,466,852	253,984	246,627	199,397	366,035	400,809	
St. Louis	2,154,730	295,927	474,006	92,359	736,692	555,746	3,831,644	1,074,438	677,313	199,597	1,187,494	692,802	
Total	4,522,075	451,330	1,115,843	321,762	1,386,738	1,246,402	8,324,596	1,701,992	1,583,564	855,672	2,404,266	1,779,102	
NORTHERN PINE													
Itkin	487,614	8,372	36,300	34,082	123,423	285,437	1,039,872	38,096	63,867	60,083	251,714	626,112	
Becker	305,068	33,278	14,819	7,191	107,449	142,331	620,361	108,439	35,053	15,581	153,771	307,517	
Beltrami	683,735	105,002	67,283	71,526	213,220	226,704	1,407,730	402,218	102,768	98,078	387,647	417,019	
Cass	854,270	186,144	64,160	34,964	274,528	294,474	2,027,912	782,239	128,207	85,317	564,796	467,353	
Clearwater	266,797	21,628	15,774	11,151	100,995	117,249	521,323	98,311	27,623	28,683	148,506	218,200	
Crow Wing	327,167	58,342	5,903	5,501	109,000	148,421	592,708	163,761	7,621	10,789	195,735	214,802	
Hubbard	344,524	89,758	13,271	5,252	147,637	88,606	608,538	270,562	31,813	12,934	199,544	93,685	
Itasca	1,297,155	157,615	225,932	77,632	426,676	409,300	2,987,983	703,993	395,196	202,778	942,958	743,058	
Lake of the Woods	192,801	27,116	29,604	28,461	58,679	48,941	334,578	66,212	32,034	44,231	98,880	93,221	
Mahnomen	91,371	1,495	589	1,067	29,118	59,102	168,247	2,764	1,730	3,829	47,271	112,633	
Roseau	99,416	16,466	9,369	13,351	29,068	31,162	183,368	53,389	15,509	22,931	43,336	48,203	
Wadena	72,976	28,992	881	1,183	22,466	19,454	128,130	62,728	2,838	--	22,387	40,177	
Total	5,022,894	734,208	483,885	291,361	1,642,299	1,871,181	10,620,750	2,752,712	844,259	585,234	3,056,545	3,382,000	

(Table 29 continued on next page)

(Table 29 continued)

County	Growing stock						CENTRAL HARDWOOD						Sawtimber						
	All species	Pine	Spruce-fir	Other softwoods	Aspen	Other hardwoods	All species	Pine	Spruce-fir	Other softwoods	Aspen	Other hardwoods	All species	Pine	Spruce-fir	Other softwoods	Aspen	Other hardwoods	
Anoka	28,414	821	52	747	2,202	24,592	105,665	2,481	97	1,565	3,605	97,917							
Benton	22,075	1,271	61	145	2,758	17,840	73,720	2,356	140	382	4,949	65,893							
Carver	9,221	111	9	154	487	8,460	38,303	548	19	326	846	36,564							
Chisago	39,317	1,511	238	1,364	3,960	32,244	136,656	3,134	411	2,800	6,908	123,403							
Dakota	13,381	285	65	606	1,367	11,058	45,496	1,125	119	1,060	2,465	40,727							
Douglas	12,281	235	321	2,208	9,452	35,423	990	168	168	762	3,094	30,409							
Fillmore	54,832	1,219	19	354	5,949	47,291	183,563	5,213	73	696	8,751	168,830							
Goodhue	52,365	805	40	397	4,440	46,683	182,049	2,902	94	723	7,397	170,933							
Hennepin	6,455	76	12	168	394	5,805	26,870	346	22	335	768	25,399							
Houston	106,619	801	32	273	6,244	99,269	392,741	3,560	111	493	10,500	378,077							
I Saint	32,797	2,251	283	1,713	3,942	24,608	97,605	3,595	410	3,703	5,974	83,923							
Kanabec	101,060	1,867	678	2,204	26,220	70,101	255,196	8,055	1,074	4,898	40,544	200,625							
Le Sueur	9,030	89	20	270	520	8,131	36,716	365	36	537	978	34,800							
Minne Lacs	95,532	1,542	674	2,179	22,976	68,161	247,242	6,523	1,080	4,664	37,573	197,402							
Morrison	115,167	3,027	271	2,372	14,803	94,694	366,219	10,483	496	5,165	22,511	327,564							
Olmsted	26,266	596	8	221	2,572	22,869	91,348	2,685	30	462	3,781	84,390							
Otter Tail	140,234	3,191	1,217	2,974	35,703	97,149	345,069	12,702	2,084	5,992	56,778	267,513							
Pine	299,170	11,035	6,434	7,574	107,800	166,327	588,231	38,601	9,162	10,393	162,088	367,387							
Ramsey	--	--	--	--	--	--	--	--	--	--	--	--							
Rice	10,778	83	33	148	820	9,694	44,855	391	100	332	1,448	42,584							
Scott	12,340	123	16	234	589	11,378	51,873	581	39	491	1,065	49,697							
Sherburne	48,087	1,586	268	543	3,543	42,147	167,266	3,911	265	454	5,591	157,045							
Stearns	49,181	723	77	349	4,286	43,746	178,922	3,413	177	706	8,040	166,586							
Todd	77,260	1,154	421	1,416	14,058	60,211	222,937	4,840	1,111	3,155	2,988	190,843							
Wabasha	48,661	900	31	506	5,049	42,175	162,174	3,807	87	1,012	7,774	149,94							
Washington	8,726	96	40	336	779	7,475	34,426	394	43	557	1,374	32,058							
Winona	100,794	908	24	231	6,915	92,716	360,560	3,885	85	394	11,370	344,826							
Wright	26,773	439	85	362	3,913	21,974	82,629	1,855	230	828	6,222	73,94							
Total	1,546,816	36,735	11,173	28,161	284,497	1,186,250	4,553,754	128,741	17,763	52,885	445,382	3,908,983	(Table 29 continued on next page)						

(Table 29 continued)

County	PRAIRIE						Sawtimber					
	All species	Pine	Spruce-fir	Other softwoods	Aspen	Other hardwoods	All species	Pine	Spruce-fir	Other softwoods	Aspen	Other hardwoods
- - - - Thousand cubic feet - - - -												
Big Stone	1,574	--	2	282	1,290	5,317	--	--	--	5	225	5,087
Blue Earth	19,767	--	2	93	18,689	88,482	--	8	135	844	87,495	
Brown	8,526	--	66	469	7,991	37,925	--	--	96	465	37,364	
Chippewa	2,438	--	5	487	1,946	7,575	--	--	10	415	7,150	
Clay	7,296	--	12	8	1,355	5,841	23,101	--	68	16	835	
Cottonwood	2,153	--	--	--	382	1,771	7,863	--	--	363	7,500	
Dodge	6,136	--	--	69	162	5,905	28,198	--	--	100	136	
Faribault	5,608	--	--	6	446	5,156	24,300	--	--	9	430	
Freeborn	4,339	--	2	43	221	4,073	19,191	--	8	64	134	
Grant	2,715	--	--	1	461	2,253	9,536	--	--	2	249	9,285
Jackson	1,958	--	--	3	57	709	7,748	7,902	--	4	180	7,718
Kandiyohi	7,947	--	3	106	16,958	14,547	44,047	1,614	137	85	592	32,436
Kittson	32,021	296	--	1	480	3,097	14,047	--	9	194	10,077	32,025
Lac qui Parle	3,580	--	--	9	230	1,628	7,511	--	--	3	468	13,567
Lincoln	1,867	--	--	10	359	3,116	14,137	--	--	13	203	7,295
Lyon	3,485	--	--	1	310	5,528	26,304	--	--	15	325	13,797
McLeod	5,839	--	--	207	29,098	33,159	111,282	2,021	687	1	210	26,093
Marshall	63,118	371	--	1	521	2,563	11,394	--	--	293	18,437	89,844
Martin	3,085	--	--	31	208	9,759	47,438	--	--	1	468	10,925
Meeker	9,998	--	--	46	204	4,709	22,417	--	--	44	173	47,221
Mower	4,959	--	--	--	--	72	718	3,197	--	66	175	22,176
Murray	790	--	--	1	601	10,868	52,093	--	8	1	61	3,135
Nicollet	11,490	--	1	20	135	388	1,553	--	--	28	575	51,482
Nobles	523	--	--	11	5,353	10,054	39,652	61	86	1	115	1,437
Norman	15,448	--	19	11	8,665	11,464	43,803	199	165	44	235	35,251
Pennington	20,227	37	41	20	69	310	1,338	--	--	35	6,607	36,797
Pipestone	382	--	--	3	14,344	34,190	144,142	208	452	4	59	1,275
Polk	48,740	38	99	69	1,120	3,599	14,027	8	36	107	10,790	132,585
Pope	4,762	2	10	31	8,048	9,792	36,804	156	110	55	905	13,072
Red Lake	17,932	29	29	34	668	4,081	17,862	--	17	45	6,257	30,226
Redwood	4,783	--	3	31	584	5,959	27,371	--	8	48	543	17,253
Renville	6,586	--	6	37	1,477	639	2,848	12,142	--	10	493	26,772
Rock	319	--	--	1	51	269	1,054	--	--	1	42	1,011
Sibley	10,382	--	--	2	24	283	4,251	20,074	--	73	437	46,107
Steele	4,560	--	2	--	184	557	2,389	--	8	35	202	19,829
Stevens	741	--	--	7	639	2,848	12,142	--	--	1	120	2,268
Swift	3,494	--	--	10	166	3,831	18,469	--	--	1	493	11,639
Traverse	509	--	2	--	19	878	4,240	--	--	3	91	1,383
Waseca	4,007	--	--	--	1	65	159	537	--	15	156	18,298
Watonwan	897	--	--	--	20	881	6,105	28,157	--	--	52	4,888
Wilkin	225	--	--	--	--	--	--	--	1	1	32	504
Yellow Medicine	7,006	--	--	20	97,226	262,437	1,108,095	4,267	1,194	30	754	27,373
Total	362,212	784	627	1,138	--	--	--	--	1,04	68,477	1,031,853	

1/International 1/4-inch rule.

Table 30.--Net volume of growing stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species, Minnesota, 1977

Species	Total all live	Growing stock	Short- log	Rough and rotten	Sawtimber
- - - - - Thousand cubic feet - - - - -					
Thousand board feet ¹					
SOFTWOODS:					
White pine	205,023	194,797	1,729	8,497	1,068,372
Red pine	437,926	434,556	785	2,585	1,952,896
Jack pine	619,449	593,704	4,109	21,636	1,566,444
Scotch pine	1,165	1,036	--	129	1,666
White spruce	183,887	180,969	264	2,654	648,730
Black spruce	552,013	536,951	1,208	13,854	460,401
Balsam fir	937,200	893,608	4,229	39,363	1,338,249
Tamarack	277,608	250,589	2,462	24,557	346,508
Northern white-cedar	463,876	387,215	11,883	64,778	1,142,761
Eastern redcedar	4,779	3,582	391	806	4,562
Total	3,682,926	3,477,007	27,060	178,859	8,530,589
HARDWOODS:					
White oak	65,467	54,086	3,761	7,620	204,223
Burr oak	349,191	304,186	12,310	32,695	871,821
Swamp white oak	124	--	--	124	--
Northern red oak	628,225	568,939	13,346	45,940	1,763,622
Black oak	2,734	2,372	--	362	10,525
Northern pin oak	11,110	10,252	385	473	45,889
Bitternut hickory	5,294	5,211	--	83	6,798
Shagbark hickory	11,916	11,207	200	509	25,585
Yellow birch	18,196	10,611	2,057	5,528	39,926
Sugar maple	262,890	188,534	10,015	64,341	487,955
Black maple	833	490	--	343	1,664
Red maple	134,415	100,171	1,519	32,725	110,402
Silver maple	37,578	31,674	1,869	4,035	171,596
White ash	2,809	2,349	--	460	10,239
Black ash	485,614	449,732	4,003	31,879	727,731
Green ash	97,471	86,005	1,364	10,102	255,982
Balsam poplar	598,970	548,624	5,239	45,107	1,101,406
Paper birch	1,416,500	1,273,982	11,929	130,589	1,234,388
Bigtooth aspen	201,225	174,315	3,398	23,512	303,391
Quaking aspen	3,782,905	3,236,405	60,256	486,244	5,671,280
Basswood	442,931	402,424	7,295	33,212	1,116,835
American elm	449,804	398,468	14,725	36,611	1,461,780
Slippery elm	31,155	28,681	465	2,009	129,165
Rock elm	4,920	4,288	104	528	16,362
Butternut	7,659	5,575	354	1,730	13,357
Black walnut	5,071	4,686	124	261	13,690
Black cherry	10,181	8,055	11	2,115	13,145
Boxelder	33,332	22,203	1,133	9,996	53,725
River birch	504	300	73	131	289
Hackberry	4,142	3,585	242	315	14,923
Eastern cottonwood	23,205	21,589	887	729	117,565
Black willow	19,076	17,561	257	1,258	80,118
Kentucky coffeetree	573	430	76	67	1,231
Noncommercial	16,884	--	--	16,884	--
Total	9,162,904	7,976,990	157,397	1,028,517	16,076,608
All species	12,845,830	11,453,997	184,457	1,207,376	24,607,197

¹/International 1/4-inch rule.

Table 31.--Net volume of growing stock on commercial forest land by species group
and Forest Survey Unit, Minnesota, 1977

(In thousand cubic feet)

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	194,797	91,561	90,495	12,741	--
Red pine	434,556	147,197	273,024	13,843	492
Jack pine	593,704	212,572	370,689	10,151	292
White spruce	180,969	136,485	42,389	1,705	390
Black spruce	536,951	419,971	113,362	3,555	63
Balsam fir	893,608	559,387	328,134	5,913	174
Tamarack	250,589	75,063	150,313	24,900	313
Northern white-cedar	387,215	246,561	140,654	--	--
Other softwoods	4,618	138	394	3,261	825
Total	3,477,007	1,888,935	1,509,454	76,069	2,549
HARDWOODS:					
Select white oak	358,272	5,277	119,986	172,960	60,049
Select red oak	568,939	9,347	217,524	326,516	15,552
Other red oak	12,624	--	1,015	11,087	522
Hickory	16,418	--	520	15,522	376
Yellow birch	10,611	6,861	3,552	198	--
Hard maple	189,024	43,352	83,680	54,508	7,484
Soft maple	131,845	38,495	49,757	40,258	3,335
Ash	538,086	196,644	241,200	76,509	23,733
Balsam poplar	548,624	244,477	265,529	12,839	25,779
Paper birch	1,273,982	620,775	538,764	111,395	3,048
Bigtooth aspen	174,315	21,001	123,016	30,271	27
Quaking aspen	3,236,405	1,365,737	1,519,243	254,226	97,199
Basswood	402,424	35,262	203,813	133,839	29,510
Elm	431,437	45,431	141,808	185,338	58,860
Select hardwoods	18,316	53	2,005	14,303	1,955
Other hardwoods	65,668	428	2,028	30,978	32,234
Noncommercial species	--	--	--	--	--
Total	7,976,990	2,633,140	3,513,440	1,470,747	359,663
All species	11,453,997	4,522,075	5,022,894	1,546,816	362,212

Table 32.--Net volume of sawtimber on commercial forest land by species group
and Forest Survey Unit, Minnesota, 1977

(In thousand board feet)¹

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	1,068,372	515,487	489,804	63,081	--
Red pine	1,952,896	596,918	1,310,295	42,516	3,167
Jack pine	1,566,444	589,587	952,613	23,144	1,100
White spruce	648,730	471,316	168,448	7,172	1,794
Black spruce	460,401	371,239	87,515	1,647	--
Balsam fir	1,338,249	741,009	588,296	8,944	--
Tamarack	346,508	86,831	210,950	48,280	447
Northern white-cedar	1,142,761	768,841	373,920	--	--
Other softwoods	6,228	--	364	4,605	1,259
Total	8,530,589	4,141,228	4,182,205	199,389	7,767
HARDWOODS:					
Select white oak	1,076,044	13,774	264,498	570,892	226,880
Select red oak	1,763,622	23,285	439,583	1,237,647	63,107
Other red oak	56,414	--	1,141	52,870	2,403
Hickory	32,383	--	444	31,088	851
Yellow birch	39,926	27,091	11,866	969	--
Hard maple	489,619	56,909	204,393	198,945	29,372
Soft maple	281,998	30,931	75,450	158,376	17,241
Ash	993,952	312,399	352,993	227,791	100,769
Balsam poplar	1,101,406	481,135	572,553	18,664	29,054
Paper birch	1,234,388	591,221	570,799	69,492	2,876
Bigtooth aspen	303,391	32,683	213,453	57,255	--
Quaking aspen	5,671,280	2,371,583	2,843,092	388,128	68,477
Basswood	1,116,835	64,530	413,860	489,971	148,474
Elm	1,607,307	176,959	468,485	691,004	270,859
Select hardwoods	40,192	--	2,223	32,630	5,339
Other hardwoods	267,851	868	3,712	128,643	134,628
Noncommercial species	--	--	--	--	--
Total	16,076,608	4,183,368	6,438,545	4,354,365	1,100,330
All species	24,607,197	8,324,596	10,620,750	4,553,754	1,108,097

¹/International 1/4-inch rule.

Table 33.--Net volume of growing stock on commercial forest land by species group and diameter class, Minnesota, 1977

(In thousand cubic feet)

Species	classes	Diameter class (inches at breast height)									
		5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-
SOFWOODS:											
White pine	194,797	6,149	7,815	20,429	14,865	21,769	26,433	29,044	16,165	15,782	29,836
Red pine	434,556	24,844	49,880	55,803	55,778	60,043	64,893	57,934	29,903	25,005	10,158
Jack pine	593,704	95,316	166,977	151,777	109,695	43,944	21,196	3,499	734	396	170
White spruce	180,969	23,613	24,773	29,975	30,605	24,510	21,072	11,881	8,281	3,955	2,304
Black spruce	536,951	258,093	168,191	76,734	20,653	8,862	2,612	1,069	685	52	--
Balsam fir	893,608	305,998	285,790	177,026	83,296	28,282	8,862	3,789	323	242	--
Tamarack	250,589	95,661	80,677	42,818	21,901	6,692	2,150	595	--	95	--
Northern white-cedar	387,215	70,403	90,957	82,057	60,214	39,889	22,618	11,559	6,307	1,658	1,462
Other softwoods	4,618	1,751	1,515	559	591	132	70	--	--	91	--
Total	3,477,007	881,828	876,575	637,178	397,598	234,123	169,906	119,370	62,398	47,090	44,025
HARDWOODS:											
Select white oak	358,212	40,856	53,466	61,660	56,973	46,495	36,325	21,257	16,177	9,728	12,586
Select red oak	568,939	46,755	88,659	101,881	88,002	77,602	57,935	41,582	25,635	17,550	19,538
Other red oak	12,624	404	676	1,005	1,189	1,453	2,453	1,737	1,185	826	1,628
Hickory	16,418	3,090	3,191	3,592	2,713	2,077	918	384	330	123	--
Yellow birch	10,611	874	951	732	2,119	1,623	1,187	1,282	774	450	639
Hard maple	189,024	41,911	32,145	30,538	23,155	23,212	16,150	11,876	4,794	1,952	3,166
Soft maple	131,845	40,366	27,996	16,470	12,622	9,181	6,509	4,818	2,845	1,920	4,449
Ash	538,086	125,386	135,624	116,819	70,105	44,109	25,877	9,037	5,336	2,875	2,806
Balsam poplar	548,624	79,004	120,510	131,819	103,339	57,647	29,877	11,009	3,930	863	1,454
Paper birch	1,273,982	325,598	406,838	291,766	147,840	61,949	25,675	7,906	5,092	901	417
Bigtooth aspen	174,315	17,677	43,195	49,705	32,880	17,052	8,190	4,056	1,009	551	--
Quaking aspen	-	3,236,405	470,750	822,817	854,070	607,753	294,92	121,463	43,862	14,986	4,900
Basswood	402,424	44,906	75,355	74,498	62,992	46,707	35,977	24,444	16,578	8,772	9,931
Elm	431,437	35,234	49,769	54,498	52,357	46,789	46,464	40,316	26,398	21,716	37,658
Select hardwoods	18,316	2,936	2,699	3,079	1,954	2,213	1,213	287	169	284	--
Other hardwoods	65,668	6,856	8,450	9,368	7,664	5,799	4,916	3,985	3,212	3,080	3,215
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--
Total	7,376,990	1,292,604	1,879,341	1,801,501	1,274,782	738,441	422,111	228,744	128,568	75,776	100,843
All species	11,453,997	2,164,432	2,755,916	2,438,679	1,672,380	972,564	592,017	348,114	190,966	122,866	144,868
											39,278
											11,917

Table 34.--Net volume of sawtimber on commercial forest land by species group
and diameter class, Minnesota, 1977

(In thousand board feet) 1/

Species	All classes	Diameter class (inches at breast height)						29.0-38.9	39.0+
		9.0-10.9	11.0-12.9	13.0-14.9	15.0-16.9	17.0-18.9	21.0-20.9		
SOFTWOODS:									
White pine	1,068,372	121,360	93,477	130,950	153,745	167,250	94,677	91,464	175,759
Red pine	1,952,896	261,711	288,634	312,921	346,863	329,144	178,336	160,738	71,378
Jack pine	1,566,444	725,404	506,640	205,290	106,429	16,547	3,364	1,991	1,779
White spruce	126,383	140,116	124,198	110,760	64,162	47,201	22,178	13,732	--
Black spruce	460,401	307,934	89,418	40,786	12,564	5,568	3,539	592	--
Balsam fir	1,338,249	784,954	369,426	124,454	39,333	17,287	1,430	1,365	--
Tamarack	346,508	198,533	102,284	31,041	10,570	3,60	--	920	--
Northern white-cedar	1,142,761	421,477	301,268	197,974	110,762	57,344	34,045	9,943	9,091
Other softwoods	6,228	2,927	2,549	477	275	--	--	857	--
Total	8,530,589	2,950,683	1,893,812	1,168,091	891,301	660,462	362,592	288,271	211,659
HARDWOODS:									
Select white oak	1,076,044	--	301,831	247,911	194,992	111,213	86,100	52,070	67,403
Select red oak	1,763,622	--	455,970	412,745	311,706	223,639	137,318	94,558	105,549
Other red oak	56,414	--	6,441	7,692	12,915	9,559	6,387	4,386	8,729
Hickory	32,383	--	13,211	11,226	4,312	1,637	1,473	524	--
Yellow birch	39,926	--	10,374	8,443	6,651	6,202	3,717	1,958	2,581
Hard maple	489,619	--	134,596	132,811	92,012	70,081	29,254	11,626	18,315
Soft maple	281,998	--	73,576	59,117	40,986	30,231	18,306	11,982	25,173
Ash	993,952	--	440,293	271,984	152,502	58,515	33,079	15,803	17,839
Balsam poplar	1,101,406	--	534,789	307,661	161,412	60,691	21,563	4,900	9,653
Paper birch	1,234,388	--	742,689	305,074	121,115	38,016	21,772	4,017	1,705
Bigtooth aspen	303,391	--	154,814	81,851	39,560	19,260	4,866	3,040	--
Quaking aspen	5,671,280	--	3,179,633	1,518,668	631,756	221,601	77,557	25,103	16,962
Basswood	1,116,835	--	329,520	249,097	197,069	136,234	92,959	48,423	55,294
Elm	1,607,307	--	297,358	261,745	254,321	217,866	144,202	116,545	206,103
Select hardwoods	40,192	--	11,670	7,999	9,490	6,600	1,679	1,182	1,572
Other hardwoods	267,851	--	59,151	41,930	35,418	27,639	20,634	18,969	18,708
Noncommercial species	--	--	--	--	--	--	--	--	--
Total	16,076,608	--	6,741,916	3,925,954	2,266,217	1,238,884	700,866	415,086	555,586
All species	24,607,197	2,950,683	8,635,728	5,094,045	3,157,518	1,899,346	1,063,458	703,357	827,245

1/ International 1/4-inch rule.

Total 24,607,197 2,950,683 8,635,728 5,094,045 3,157,518 1,899,346 1,063,458 703,357 827,245 214,692 61,125 58,794

Table 35.--Net volume of growing stock on commercial forest land by species group and forest type, Minnesota, 1977

(In thousand cubic feet)

Species	All types	Forest type						Northern white-cedar
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	
SOFTWOODS:								
White pine	194,797	2,788	45,377	52,529	11,887	1,009	2,787	2,631
Red pine	434,556	38,735	251,343	16,619	12,406	1,119	1,839	3,477
Jack pine	593,704	435,520	16,837	5,630	6,558	2,506	15,145	1,862
White spruce	180,969	2,337	4,222	6,694	34,120	20,094	8,614	2,363
Black spruce	536,951	16,129	1,403	803	54,748	1,244	342,917	38,975
Balsam fir	893,608	5,764	14,921	3,850	299,047	4,765	29,742	33,255
Tamarack	250,589	125	281	--	11,015	624	37,677	11,725
Northern white-cedar	387,215	--	312	211	42,370	1,760	10,264	235,540
Other softwoods	4,618	--	589	--	--	--	184	--
Total	3,477,007	501,398	335,285	86,336	472,151	33,121	449,169	329,828
HARDWOODS:								
Select white oak	358,272	854	226	623	613	29	--	--
Select red oak	568,939	2,628	1,037	571	152	--	197	--
Other red oak	12,624	--	--	--	--	--	--	--
Hickory	16,418	--	--	--	--	--	--	--
Yellow birch	10,611	--	--	--	308	--	--	715
Hard maple	189,024	--	--	221	607	--	--	--
Soft maple	131,845	1,334	56	870	2,426	--	286	57
Ash	538,086	64	129	345	8,550	--	2,115	9,017
Balsam poplar	548,624	579	559	46	19,671	722	1,110	6,635
Paper birch	1,273,982	11,385	24,693	4,421	93,342	8,572	7,902	24,318
Bigtooth aspen	174,315	3,248	2,887	37	789	--	311	516
Quaking aspen	3,236,405	38,439	14,328	10,143	77,556	7,516	32,326	7,309
Basswood	402,424	63	--	465	1,448	--	--	--
Elm	431,437	124	43	--	1,530	--	79	172
Select hardwoods	18,316	--	--	--	--	--	--	--
Other hardwoods	65,668	225	118	--	--	--	--	--
Noncommercial species	--	--	--	--	--	--	--	--
Total	7,976,990	58,943	44,076	17,742	206,992	16,839	44,326	48,739
All species	11,453,997	560,341	379,361	104,078	679,143	49,960	493,495	378,567

(Table 35 continued on next page)

(Table 35 continued)

Species	Tamarack	Forest type					
		Oak hickory	Elm-ash-cottonwood	Maple-basswood	Aspen	Paper birch	Balsam poplar
SFTWOODS:							
White pine	1,248	2,422	1,583	12,990	43,050	14,053	443
Red pine	514	6,075	322	766	75,167	25,865	309
Jack pine	1,047	6,565	442	1,700	87,605	9,032	1,162
White spruce	488	554	5,123	7,715	65,257	17,996	5,392
Black spruce	21,379	86	2,265	975	48,382	4,671	2,537
Balsam fir	3,478	577	35,475	42,678	292,578	84,111	39,590
Tamarack	161,129	214	3,179	2,566	11,872	4,983	4,371
Northern white-cedar	4,706	--	29,393	12,048	31,292	12,495	6,419
Other softwoods	--	2,275	89	1,019	45	296	121
Total	193,989	18,768	77,871	82,457	655,248	173,502	60,344
HARDWOODS:							
Select white oak	--	186,573	7,989	64,565	85,978	8,692	1,924
Select red oak	197	345,887	1,118	66,373	120,485	29,402	892
Other red oak	--	9,034	317	1,774	1,296	69	134
Hickory	--	12,728	--	2,863	--	827	--
Yellow birch	--	--	1,814	6,110	250	1,185	229
Hard maple	--	5,497	1,901	147,695	23,019	8,550	1,430
Soft maple	253	5,064	28,823	34,196	40,287	17,832	361
Ash	424	9,393	267,189	95,747	98,957	24,632	20,901
Balsam poplar	2,308	1,949	21,942	16,858	231,042	23,691	221,373
Paper birch	3,135	44,595	28,129	81,071	448,945	467,891	24,200
Bigtooth aspen	--	11,001	1,233	9,597	135,755	8,588	353
Quaking aspen	2,604	53,146	22,274	85,594	2,697,885	124,144	59,467
Basswood	--	30,356	11,609	271,204	69,857	15,372	2,050
Elm	910	36,307	70,521	225,013	67,648	14,916	13,654
Select hardwoods	--	10,080	607	5,204	1,911	389	67
Other hardwoods	--	3,908	40,945	16,554	3,362	--	213
Noncommercial species	--	--	--	--	--	--	--
Total	9,831	765,518	506,411	1,130,418	4,026,677	746,180	347,248
All species	203,820	784,286	584,282	1,212,875	4,681,925	919,682	407,592
							14,590

Table 36.--Net volume of sawtimber on commercial forest land by species group and forest type, Minnesota, 1977

(In thousand board feet)^{1/}

Species	All types	Forest type						Northern white-cedar
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	
SOFTWOODS:								
White pine	1,068,372	10,856	237,978	289,021	72,837	6,649	16,097	16,202
Red pine	1,952,896	135,809	1,093,109	88,319	64,394	4,588	9,963	18,696
Jack pine	1,566,444	1,051,843	45,843	28,580	25,931	10,876	43,528	6,303
White spruce	648,730	4,381	13,789	29,458	125,019	65,686	26,213	8,914
Black spruce	460,401	11,469	998	1,192	79,000	1,404	180,844	64,052
Balsam fir	1,338,249	3,897	46,705	7,691	394,770	5,506	25,026	29,443
Tamarack	346,508	687	354	--	25,465	2,388	40,026	14,828
Northern white-cedar	1,142,761	--	1,101	428	132,944	7,411	17,620	619,635
Other softwoods	6,228	--	--	--	--	--	--	--
Total	8,530,589	1,218,942	1,439,877	444,689	920,360	104,508	359,317	778,073
HARDWOODS:								
Select white oak	1,076,044	393	--	552	1,904	--	--	--
Select red oak	1,763,622	1,531	2,005	2,376	438	--	--	--
Other red oak	56,414	--	--	--	--	--	--	--
Hickory	32,383	--	--	--	--	--	--	--
Yellow birch	39,926	--	--	--	646	--	--	2,236
Hard maple	489,619	--	--	1,344	--	--	--	--
Soft maple	281,998	--	--	346	7,623	--	684	--
Ash	993,952	--	--	368	12,125	--	6,719	16,218
Balsam poplar	1,101,406	975	--	--	30,680	750	1,048	16,036
Paper birch	1,234,388	3,909	36,621	3,857	141,043	11,322	4,826	42,718
Bigtooth aspen	303,391	1,181	318	--	2,475	--	393	1,176
Quaking aspen	5,671,280	61,514	19,307	37,026	123,947	16,488	31,878	15,719
Basswood	1,116,835	--	--	1,296	4,582	--	--	--
Elm	1,607,307	424	--	--	4,617	--	--	762
Select hardwoods	40,192	--	--	--	--	--	--	--
Other hardwoods	267,851	--	--	--	--	--	--	--
Noncommercial species	--	--	--	--	--	--	--	--
Total	16,076,608	69,927	58,251	47,165	330,080	28,560	45,548	94,865
All species	24,607,197	1,288,869	1,498,128	491,854	1,250,440	133,068	404,865	872,938

(Table 36 continued on next page)

^{1/}International 1/4-inch rule.

(Table 36 continued)

Species	Forest type							
	Tamarack	Oak hickory	Elm-ash-cottonwood	Maple-basswood	Aspen	Paper birch	Balsam poplar	Non-stocked
SOFTWOODS:								
White pine	7,454	13,968	10,261	73,792	235,419	75,224	2,614	--
Red pine	2,293	27,070	1,128	4,353	365,963	135,609	1,602	--
Jack pine	2,655	18,743	1,214	7,218	284,213	32,953	896	5,648
White spruce	1,028	2,357	19,458	34,788	217,387	79,613	20,639	--
Black spruce	12,464	353	4,429	1,720	84,154	10,270	7,073	979
Balsam fir	4,453	493	59,563	94,096	459,104	125,661	71,838	10,003
Tamarack	177,555	1,101	7,247	6,685	36,068	14,748	17,602	1,754
Northern white-cedar	11,911	--	108,288	52,133	118,607	48,256	22,913	1,514
Other softwoods	--	4,039	364	1,825	--	--	--	--
Total	219,813	68,124	211,952	276,610	1,800,915	522,334	145,177	19,898
HARDWOODS:								
Select white oak	--	601,375	29,402	237,231	181,871	17,761	4,879	676
Select red oak	1,082	1,165,499	926	247,767	273,100	65,337	3,561	--
Other red oak	--	42,719	1,718	9,021	2,231	--	725	--
Hickory	--	23,625	--	5,456	--	3,302	--	--
Yellow birch	--	--	7,306	24,162	463	4,218	895	--
Hard maple	--	14,787	4,913	435,094	26,390	6,490	601	--
Soft maple	--	9,080	148,521	79,370	31,582	4,792	--	--
Ash	--	20,987	467,143	278,329	127,516	31,683	30,240	2,624
Balsam poplar	4,939	4,350	64,585	49,547	449,184	52,074	427,238	--
Paper birch	2,416	29,524	44,761	145,752	358,611	370,387	37,849	792
Bigtooth aspen	--	29,064	2,877	29,072	219,687	17,148	--	--
Quaking aspen	3,989	94,318	53,728	198,888	4,572,282	307,130	128,498	6,568
Basswood	--	78,306	40,612	860,089	98,727	29,965	3,258	--
Elm	811	122,620	270,664	936,185	182,843	39,943	46,278	2,160
Select hardwoods	--	21,447	226	15,359	2,483	677	--	--
Other hardwoods	--	12,123	177,158	68,153	8,492	--	--	1,925
Noncommercial species	--	--	--	--	--	--	--	--
Total	13,237	2,269,824	1,314,540	3,619,475	6,535,462	950,907	684,022	14,745
All species	233,050	2,337,948	1,526,492	3,896,085	8,336,377	1,473,241	829,199	34,643

Table 37.--Net volume of growing stock on commercial forest land by species group and ownership class, Minnesota, 1977
 (In thousand cubic feet)

Species	All owners	National Forest	Bureau of Land Mgmt.						County & municipal			Forest Industry			Farmer			Misc. priv.- corp.			Misc. priv.- corp.			Misc. priv.- corp.			Misc. priv.- corp.								
			Misc.	National	Indian	Federal	Misc.	State	Municipal	Industry	Farmer	Misc.	priv.- corp.	Indiv.	Leased	Misc.	priv.- corp.	Indiv.	Leased	Misc.	priv.- corp.	Indiv.	Leased	Misc.	priv.- corp.	Indiv.	Leased	Misc.	priv.- corp.	Indiv.	Leased				
SOFTWOODS:																																			
White pine	194,797	76,561	448	12,675	1,408	15,003	23,886	10,787	30,214	5,395	17,446	--	974	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
Red pine	434,556	185,006	2,503	18,320	958	47,939	62,798	20,305	48,332	6,782	41,713	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
Jack pine	593,704	157,912	9,613	8,978	4,146	101,261	89,280	46,130	96,742	13,088	66,288	266	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
White spruce	49,247	1,360	5,073	1,675	30,138	32,968	16,341	18,331	5,793	19,919	124	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--					
Black spruce	536,951	106,720	3,591	17,903	3,708	221,824	67,696	42,303	31,201	15,852	25,800	353	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Balsam fir	893,608	218,902	913	22,874	5,106	156,371	201,918	77,640	94,053	35,962	79,551	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Tamarack	250,589	13,094	571	17,729	1,483	108,065	36,308	6,387	42,774	7,531	16,647	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Northern white-cedar	387,215	63,624	3,815	33,043	1,667	136,637	51,746	45,148	19,439	7,474	24,622	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Other softwoods	4,618	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Total	3,477,007	871,066	22,814	136,595	20,151	818,221	566,738	265,041	383,554	98,481	292,311	743	1,292																						
HARDWOODS:																																			
Select white oak	358,272	8,109	84	7,563	1,508	19,393	20,508	1,391	241,026	7,190	50,382	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Select red oak	568,939	10,862	--	5,462	4,080	61,287	53,170	6,634	293,332	17,907	114,562	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Other red oak	12,624	--	--	--	380	1,201	58	--	10,519	--	466	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Hickory	16,418	--	--	191	327	246	300	--	14,067	--	1,287	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Yellow birch	10,611	461	--	--	--	978	5,556	691	490	988	1,447	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Hard maple	189,024	7,210	--	4,776	1,739	28,658	37,457	8,423	64,520	3,630	32,279	70	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Soft maple	131,845	18,103	--	1,360	14,120	13,497	23,858	4,953	33,325	4,057	18,472	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Ash	538,086	54,957	1,377	14,972	5,860	88,929	92,853	28,688	157,780	15,460	76,998	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--				
Balsam poplar	548,624	62,455	1,091	24,621	4,955	103,048	112,710	37,560	130,114	14,584	57,227	108	151	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Paper birch	1,273,982	240,812	1,840	36,306	9,046	178,606	272,388	67,148	209,877	62,146	194,559	88	1,166	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Bigtooth aspen	1,174,315	5,760	134	2,364	397	33,426	36,049	7,240	40,364	6,570	41,746	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Quaking aspen	3,236,405	549,715	9,557	115,918	19,595	518,351	684,905	188,751	652,602	112,222	380,939	2,755	1,195	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Basswood	402,424	28,068	--	15,616	3,468	33,974	59,554	9,707	168,628	11,643	70,441	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Elm	431,437	13,488	480	8,672	6,698	36,215	45,670	9,776	243,085	7,539	57,562	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Select hardwoods	18,316	--	--	--	139	1,873	403	--	13,411	696	1,794	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Other hardwoods	65,668	--	--	--	62	4,106	4,259	118	--	49,515	958	6,650	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--			
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--		
Total	7,976,990	1,000,000	14,563	237,383	76,418	1,123,941	1,445,557	370,962	2,322,655	265,590	1,106,711	3,021	9,589																						
All species	11,453,997	1,871,066	37,377	374,578	96,569	1,942,162	2,012,295	636,003	2,706,209	364,071	1,399,022	3,764	10,881																						

Table 38.--Net volume of sawtimber on commercial forest land by species
group and ownership class, Minnesota, 1977
(In thousand board feet)^{1/}

Species	A11 owners	Ownership class										Misc. priv.- corp., leased	Misc. priv.- indiv., leased		
		Bureau of Land Mgmt.		Misc. Federal		County & municipal		Forest		Farmer					
		National Forest	Indian	State	Industry	Indstry	Corp.	Indiv.	Indiv.	Indiv.	Indiv.				
SOFWOODS:															
White pine	1,068,372	394,746	1,625	61,881	8,028.	88,087	135,016	71,963	168,052	31,346	103,315	--	4,313		
Red pine	1,952,896	827,988	3,970	82,942	5,087	218,637	293,305	76,379	226,166	30,435	187,987	--	--		
Jack pine	1,566,444	420,047	26,103	26,010	14,712	295,928	236,124	87,328	253,477	41,542	164,294	879	--		
White spruce	648,730	183,093	7,353	20,503	5,391	91,818	118,397	55,945	73,95	22,259	70,008	468	--		
Black spruce	460,401	139,187	2,280	7,237	4,580	163,130	51,093	43,448	19,058	10,444	19,944	--	--		
Balsam fir	1,338,249	341,533	1,996	32,943	11,523	216,563	306,820	108,577	147,402	44,961	125,373	--	528		
Tamarack	346,508	26,681	1,174	19,298	2,771	130,810	42,638	5,618	80,751	8,931	27,831	--	--		
Northern white-cedar	1,142,761	217,274	6,376	57,153	6,510	383,199	165,677	147,545	45,783	28,493	84,751	--	--		
Other softwoods	6,228	--	--	--	--	364	--	--	3,581	821	1,462	--	--		
Total	8,530,589	2,550,549	50,877	307,997	58,602	1,588,536	1,349,070	596,803	1,017,765	219,237	784,965	1,347	4,841		
HARDWOODS:															
Select white oak	1,076,044	25,896	429	13,597	5,372	49,035	41,196	1,220	786,380	18,428	129,610	--	4,881		
Select red oak	1,763,622	13,077	--	6,982	11,194	160,531	104,125	5,014	1,084,804	44,897	329,567	--	3,431		
Other red oak	56,414	--	--	--	2,058	3,007	290	--	49,371	--	1,688	--	--		
Hickory	32,383	--	--	--	637	285	989	--	29,539	--	933	--	--		
Yellow birch	39,926	1,606	--	--	--	2,755	22,413	3,290	903	4,502	4,457	--	--		
Hard maple	489,619	6,668	--	9,720	3,869	71,846	81,504	16,620	208,839	3,841	86,712	--	--		
Soft maple	281,998	10,900	--	1,088	81,748	20,518	29,770	5,038	94,607	5,418	32,911	--	--		
Ash	993,952	88,212	2,258	20,646	20,577	129,499	156,737	52,598	357,578	24,091	140,943	--	813		
Balsam poplar	1,101,406	144,889	1,916	37,980	3,937	206,987	253,307	74,119	244,099	30,580	102,88	523	881		
Paper birch	1,234,388	276,079	1,058	50,296	16,037	185,600	197,057	75,316	203,453	41,735	187,447	--	310		
Bigtooth aspen	303,391	12,135	--	3,767	695	40,387	51,585	18,943	92,045	13,876	69,218	--	740		
Quaking aspen	5,671,280	1,068,447	21,668	205,049	39,243	836,043	1,219,322	356,277	1,042,614	234,038	642,280	2,168	4,131		
Basswood	1,116,835	36,841	--	33,986	8,114	83,137	106,332	15,521	588,125	27,875	210,393	--	6,511		
Elm	1,607,307	55,474	1,777	23,756	28,484	117,399	151,743	37,656	942,695	25,310	212,793	--	10,220		
Select hardwoods	40,192	--	--	--	440	3,129	--	--	30,534	1,591	4,498	--	--		
Other hardwoods	267,851	--	--	304	22,293	14,959	--	--	204,298	3,026	22,971	--	--		
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--	--	--		
Total	16,076,608	1,740,224	29,106	244,598	1,925,117	2,416,370	661,612	5,959,884	479,208	2,178,609	2,691	31,918			
All species	24,607,197	4,290,773	79,983	715,168	303,300	3,513,653	3,765,440	1,258,415	6,977,649	698,445	2,963,574	4,038	36,759		

^{1/}International 1/4-inch rule.

Table 39.--Net volume of growing stock on commercial forest land by forest type and stand-age class, Minnesota, 1977

(In thousand cubic feet)

Forest type	All classes	Stand-age class (years)					
		0-10	11-20	21-30	31-40	41-50	51-60
Jack pine	560,341	4,681	3,194	24,517	115,786	143,135	147,803
Red pine	379,361	2,491	6,730	8,577	40,312	32,630	33,291
White pine	104,078	--	491	--	1,329	10,419	7,950
Balsam fir	679,143	12,674	18,644	31,363	65,442	211,002	193,493
White spruce	49,960	304	384	1,721	4,189	15,454	11,761
Black spruce	493,495	3,624	17,395	32,662	39,987	61,332	101,045
Northern white-cedar	378,567	551	1,833	5,010	10,351	10,892	25,634
Tamarack	203,820	3,117	13,425	9,423	7,848	20,980	40,830
Oak-hickory	784,286	4,577	9,899	2,910	53,113	136,848	133,132
Elm-ash-cottonwood	584,282	9,677	14,165	14,278	18,361	67,374	102,512
Maple-basswood	1,212,875	8,049	14,472	15,438	80,412	173,660	234,623
Aspen	4,681,925	159,232	149,722	250,317	816,553	1,443,009	1,151,136
Paper birch	919,682	5,063	14,592	16,703	95,456	271,439	240,579
Balsam poplar	407,592	13,990	15,138	18,044	64,316	131,327	79,004
Nonstocked	14,590	13,886	151	--	106	348	--
All types	11,453,997	241,916	280,235	430,963	1,413,561	2,729,849	2,502,793

(Table 39 continued)

Forest type	Stand-age class (years)						
	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	87,204	9,132	12,811	9,533	2,545	--	--
Red pine	19,727	138,196	32,424	62,010	2,973	--	--
White pine	14,846	23,017	4,335	27,989	13,702	--	--
Balsam fir	88,787	29,075	11,850	13,682	3,131	--	--
White spruce	4,956	1,530	3,496	5,173	992	--	--
Black spruce	58,575	73,907	45,927	37,959	8,520	12,562	--
Northern white-cedar	47,916	33,323	55,880	53,773	46,602	84,195	2,607
Tamarack	17,067	17,772	18,679	6,886	29,083	18,204	506
Oak-hickory	138,917	92,210	78,731	82,756	45,926	5,267	--
Elm-ash-cottonwood	92,916	65,691	81,035	63,515	30,253	24,505	--
Maple-basswood	206,122	181,780	93,862	101,704	64,500	38,253	--
Aspen	472,625	144,095	68,134	20,870	3,743	2,489	--
Paper birch	118,869	84,430	51,101	14,231	7,219	--	--
Balsam poplar	46,627	27,224	10,434	1,488	--	--	--
Nonstocked	--	99	--	--	--	--	--
All types	1,415,154	921,481	568,699	501,569	259,189	185,475	3,113

Table 40.--Net volume of sawtimber on commercial forest land by forest type and stand-age class, Minnesota, 1977

(In thousand board feet)^{1/}

Forest type	All ages	Stand-age class (years)					
		0-10	11-20	21-30	31-40	41-50	51-60
Jack pine	1,288,869	9,343	6,218	22,324	199,816	312,645	416,610
Red pine	1,498,128	11,046	11,662	6,336	75,180	98,259	112,932
White pine	491,854	--	3,736	--	3,307	40,202	32,307
Balsam fir	1,250,440	31,237	39,819	55,218	84,935	300,842	368,555
White spruce	133,068	--	--	4,544	6,443	18,527	29,463
Black spruce	404,865	3,928	9,103	13,554	22,714	49,318	86,363
Northern white-cedar	872,938	1,441	2,078	5,006	12,418	21,666	39,144
Tamarack	233,050	2,664	15,628	6,290	4,625	16,338	49,937
Oak-hickory	2,337,948	12,967	28,655	4,203	95,337	221,443	330,599
Elm-ash-cottonwood	1,526,492	13,316	27,471	24,880	38,480	150,895	253,577
Maple-basswood	3,896,085	26,002	29,931	24,429	155,330	348,427	655,637
Aspen	8,336,377	279,718	193,790	285,176	1,006,672	2,267,161	2,393,445
Paper birch	1,473,241	4,202	18,308	25,903	121,683	308,558	337,528
Balsam poplar	829,199	18,472	22,751	11,642	84,769	232,380	183,650
Nonstocked	34,643	32,595	417	--	--	895	--
All types	24,607,197	446,931	409,567	489,505	1,911,709	4,387,556	5,289,747

^{1/} International 1/4-inch rule.

(Table 40 continued)

Forest type	Stand-age class (years)						
	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	219,381	37,222	32,780	25,228	7,302	--	--
Red pine	81,587	628,588	134,002	325,654	12,882	--	--
White pine	66,361	116,519	16,464	136,463	76,495	--	--
Balsam fir	209,129	68,266	30,755	52,692	8,992	--	--
White spruce	18,619	5,938	16,568	28,260	4,706	--	--
Black spruce	40,053	97,774	40,778	23,422	8,775	9,083	--
Northern white-ceda	78,320	69,199	127,068	102,695	121,903	282,482	9,518
Tamarack	20,194	30,466	24,210	9,891	37,176	15,631	--
Oak-hickory	429,357	317,402	318,135	356,212	200,068	23,570	--
Elm-ash-cottonwood	240,906	195,014	208,672	200,558	79,853	92,870	--
Maple-basswood	732,621	738,672	390,415	353,538	291,066	150,017	--
Aspen	1,175,188	414,623	238,771	64,547	9,726	7,560	--
Paper birch	213,109	207,572	169,931	45,217	21,230	--	--
Balsam poplar	144,776	88,977	36,899	4,883	--	--	--
Nonstocked	--	736	--	--	--	--	--
All types	3,669,601	3,016,968	1,785,448	1,729,260	880,174	581,213	9,518

Table 41.--Net volume of sawtimber on commercial forest land by species group
and butt log-grade class, Minnesota, 1977

(In thousand board feet)^{1/}

Species	All grades	Log grade			Tie and timber
		1	2	3	
SOFTWOODS:					
White pine	1,068,372	211,735	181,862	647,933	26,842
Red pine	1,952,896	294,630	386,324	1,271,684	258
Jack pine	1,566,444	3,234	84,359	1,478,761	90
White spruce	648,730	3,319	26,715	618,550	146
Black spruce	460,401	4,248	33,422	422,653	78
Balsam fir	1,338,249	--	28,214	1,310,035	--
Tamarack	346,508	1,550	26,669	318,253	36
Northern white-cedar	1,142,761	14,633	74,190	1,053,938	--
Other softwoods	6,228	29	46	6,153	--
Total softwoods	8,530,589	533,378	841,801	7,127,960	27,450
HARDWOODS:					
Select white oak	1,076,044	75,495	229,741	660,706	110,102
Select red oak	1,763,622	149,129	443,202	1,074,625	96,666
Other red oak	56,414	3,025	13,976	30,339	9,074
Hickory	32,383	180	9,797	21,174	1,232
Yellow birch	39,926	6,015	11,149	22,709	53
Hard maple	489,619	35,997	93,628	337,986	22,008
Soft maple	281,998	24,428	63,439	190,360	3,771
Ash	993,952	93,017	409,394	464,268	27,273
Balsam poplar	1,101,406	53,550	279,463	694,769	73,624
Paper birch	1,234,388	75,719	365,594	739,461	53,614
Bigtooth aspen	303,391	17,251	62,675	206,132	17,333
Quaking aspen	5,671,280	159,061	1,121,044	3,992,697	398,478
Basswood	1,116,835	207,585	480,260	417,441	11,549
Elm	1,607,307	251,297	554,755	761,341	39,914
Select hardwoods	40,192	1,912	7,413	30,867	--
Other hardwoods	267,851	69,418	51,713	146,469	251
Noncommercial species	--	--	--	--	--
Total	16,076,608	1,223,079	4,197,243	9,791,344	864,942
All species	24,607,197	1,756,457	5,039,044	16,919,304	892,392

^{1/}International 1/4-inch rule.

Table 42.--Net volume of short-log trees on commercial forest land by species group and diameter class, Minnesota, 1977
(In thousand cubic feet)

Species	A11 classes	Diameter class (inches at breast height)										29.0- 38.9	39.0+ 3.021
		9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 28.9	24.0- 38.9	25.0- 38.9		
SOFTWOODS:													
White pine	1,729	311	85	286	420	89	86	--	366	86	--	--	--
Red pine	785	191	265	148	--	109	72	--	--	--	--	--	--
Jack pine	4,109	1,685	1,201	843	308	72	--	--	--	--	--	--	--
White spruce	264	117	66	--	81	--	--	--	--	--	--	--	--
Black spruce	1,228	951	91	--	166	--	--	--	--	--	--	--	--
Balsam fir	4,229	2,674	530	141	236	648	--	--	--	--	--	--	--
Tamarack	2,462	1,343	887	83	61	88	--	--	--	--	--	--	--
Northern white-cedar	11,883	4,538	3,529	1,256	1,115	1,007	267	83	88	--	--	--	--
Other softwoods	391	248	--	--	73	--	70	--	--	--	--	--	--
Total	27,060	12,058	6,654	2,757	2,460	2,013	495	83	454	86	--	--	--
HARDWOODS:													
Select white oak	16,071	--	3,734	2,337	3,373	1,761	1,474	1,450	1,322	620	--	--	--
Select red oak	13,346	--	2,965	3,523	2,109	1,765	1,721	1,139	976	148	--	--	--
Other red oak	385	--	43	115	--	71	89	67	--	--	--	--	--
Hickory	200	--	37	96	--	--	67	--	--	--	--	--	--
Yellow birch	2,057	--	176	568	88	211	--	90	924	--	--	--	--
Hard maple	10,015	--	1,980	2,855	2,135	861	1,249	248	597	90	--	--	--
Soft maple	3,388	--	185	530	428	315	487	178	479	437	349	--	--
Ash	5,367	--	2,381	1,244	1,073	354	56	99	114	46	--	--	--
Balsam poplar	5,239	--	1,630	1,207	400	1,379	254	225	107	--	37	--	--
Paper birch	11,929	--	5,092	2,830	2,578	511	661	134	123	--	--	--	--
Bigtooth aspen	3,398	--	1,222	1,100	405	671	--	--	--	--	--	--	--
Quaking aspen	60,256	--	26,475	15,301	10,405	5,368	1,900	371	432	4	--	--	--
Basswood	7,295	--	2,117	1,452	1,242	588	486	262	1,020	128	--	--	--
Elm	15,294	--	3,235	1,865	1,834	1,414	1,513	1,104	2,320	1,377	632	--	--
Select hardwoods	489	--	6	83	181	73	--	45	101	--	--	--	--
Other hardwoods	2,668	--	540	616	168	204	84	62	283	171	540	--	--
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	157,397	--	51,818	35,722	26,419	15,546	9,041	5,474	8,798	3,021	1,558		
All species	184,457	12,058	58,472	38,479	28,879	17,559	9,536	5,557	9,252	3,107	1,558		

Table 43.--Net volume of short-log trees on commercial forest land by species group
and diameter class, Minnesota, 1977
(In thousand board feet)^{1/}

Species	All classes	Diameter Class (inches at breast height)								
		9.0-	11.0-	13.0-	15.0-	17.0-	19.0-	21.0-	23.0-	29.0-
SOFTWOODS:										
White pine	6,237	1,181	387	1,034	1,792	411	213	--	889	330
Red pine	2,874	684	1,246	516	--	254	174	--	--	--
Jack pine	14,430	6,339	4,642	2,165	965	319	--	--	--	--
White spruce	1,513	754	332	--	427	--	--	--	--	--
Black spruce	3,770	3,184	368	--	218	--	--	--	--	--
Balsam fir	13,467	8,498	2,168	394	1,337	1,070	--	--	--	--
Tamarack	7,773	3,820	2,862	180	455	456	--	--	--	--
Northern white-cedar	41,088	17,962	12,155	3,915	2,990	2,794	665	207	400	--
Other softwoods	1,716	1,384	--	--	165	--	167	--	--	--
Total	92,868	43,806	24,160	8,204	8,349	5,304	1,219	207	1,289	330
HARDWOODS:										
Select white oak	55,764	--	15,181	8,066	10,936	5,910	4,071	4,460	4,846	2,294
Select red oak	40,661	--	10,434	10,694	6,602	4,769	1,717	3,323	2,595	527
Other red oak	1,253	--	138	474	--	201	250	190	--	--
Hickory	700	--	119	381	--	200	--	--	--	--
Yellow birch	4,678	--	556	1,809	177	838	--	435	863	--
Hard maple	26,164	--	5,278	7,203	5,308	2,019	2,965	848	2,264	279
Soft maple	11,058	--	758	2,426	1,674	1,023	1,443	434	1,145	1,097
Ash	12,715	--	6,388	3,002	1,924	583	143	193	234	248
Balsam poplar	18,654	--	3,957	3,516	867	6,307	1,518	1,489	517	--
Paper birch	35,137	--	13,967	8,029	5,595	1,627	4,300	1,024	595	--
Bigtooth aspen	8,291	--	2,685	2,654	1,061	1,891	--	--	--	--
Quaking aspen	172,196	--	70,814	40,809	33,047	17,143	7,507	1,173	1,700	3
Basswood	18,770	--	4,526	2,785	2,515	1,479	1,047	833	4,596	989
Elm	58,460	--	13,939	7,758	6,914	5,506	4,379	3,479	8,038	4,944
Select hardwoods	1,656	--	56	30	743	386	--	203	238	--
Other hardwoods	15,221	--	3,327	3,257	1,260	1,089	584	363	912	1,059
Noncommercial species	--	--	--	--	--	--	--	--	--	--
Total	481,378	--	152,123	102,893	78,623	50,771	30,124	18,447	28,543	11,440
All species	574,246	43,806	176,283	111,097	86,972	56,075	31,343	18,654	29,832	11,770
										8,414

^{1/}International 14-inch rule.

Table 44.--Net annual growth of growing stock
on commercial forest land by softwoods and
hardwoods, Minnesota, 1962^{1/} and 1976

(In thousand cubic feet)

Species	1962	1976
Softwoods:	106,789	119,781
Hardwoods:	257,420	229,139
All species	364,209	348,920

^{1/}Figures have been adjusted from
those published after the 1962 survey to
conform to 1977 volumes because of changes
in survey definitions and procedures.

Table 45.--Net annual growth of growing stock on commercial forest land by
species group and Forest Survey Unit, Minnesota, 1976

(In thousand cubic feet)

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	5,599	2,367	2,779	453	--
Red pine	15,684	5,811	8,742	1,113	18
Jack pine	25,677	5,799	19,216	649	13
White spruce	10,701	7,328	3,228	126	19
Black spruce	16,520	11,358	4,947	211	4
Balsam fir	31,902	17,912	13,570	402	18
Tamarack	2,269	(-)343	2,092	508	12
Northern white-cedar	11,274	6,747	4,527	--	--
Other softwoods	155	3	22	100	30
Total	119,781	56,982	59,123	3,562	114
HARDWOODS:					
Select white oak	8,733	140	3,213	4,294	1,086
Select red oak	15,691	191	6,034	9,025	441
Other red oak	256	--	29	214	13
Hickory	455	--	12	429	14
Yellow birch	118	30	85	3	--
Hard maple	8,660	1,298	2,535	4,335	492
Soft maple	6,454	1,574	1,813	2,940	127
Ash	9,468	3,996	3,621	1,538	313
Balsam poplar	17,757	6,229	9,429	833	1,266
Paper birch	30,290	10,619	15,829	3,761	81
Bigtooth aspen	1,086	409	341	332	4
Quaking aspen	93,083	31,322	45,739	11,430	4,592
Basswood	17,252	891	6,228	8,516	1,617
Elm	18,022	1,248	5,617	10,307	850
Select hardwoods	440	4	73	306	57
Other hardwoods	1,374	(-)34	71	470	867
Noncommercial species	--	--	--	--	--
Total	229,139	57,917	100,669	58,733	11,820
All species	348,920	114,899	159,792	62,295	11,934

Table 46.--Net annual growth of sawtimber on commercial forest land by species group and Forest Survey Unit, Minnesota, 1976

(In thousand board feet)^{1/}

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	33,304	15,969	14,775	2,560	--
Red pine	74,768	25,414	48,197	1,064	93
Jack pine	88,650	30,665	56,971	981	33
White spruce	36,750	23,581	12,764	347	58
Black spruce	18,568	14,758	3,800	10	--
Balsam fir	86,053	48,647	36,542	864	--
Tamarack	8,460	6	5,698	2,743	13
Northern white-cedar	33,003	19,486	13,517	--	--
Other softwoods	763	--	664	71	28
Total	380,319	178,526	192,928	8,640	225
HARDWOODS:					
Select white oak	30,845	199	9,585	16,546	4,515
Select red oak	61,191	658	19,759	38,201	2,573
Other red oak	960	--	3	909	48
Hickory	1,484	--	6	1,456	22
Yellow birch	612	428	166	18	--
Hard maple	30,649	2,639	6,239	19,508	2,263
Soft maple	18,380	1,574	3,278	10,481	3,047
Ash	18,003	6,377	5,340	5,078	1,208
Balsam poplar	51,922	22,274	25,742	812	3,094
Paper birch	53,434	23,611	26,074	3,715	34
Bigtooth aspen	11,116	1,130	10,651	(-)665	--
Quaking aspen	330,071	132,104	157,084	34,262	6,621
Basswood	48,788	2,452	12,042	27,208	7,086
Elm	61,699	6,113	18,524	34,852	2,210
Select hardwoods	2,261	--	444	1,564	253
Other hardwoods	9,730	(-)19	287	3,358	6,104
Noncommercial species	--	--	--	--	--
Total	731,145	199,540	295,224	197,303	39,078
All species	1,111,464	378,066	488,152	205,943	39,303

^{1/}International 1/4-inch rule.

Table 47.--Net annual growth of growing stock on commercial forest land by species group and ownership class, Minnesota, 1976
 (In thousand cubic feet)

Species	All owners	National Forest	Ownership Class						
			Bureau of Land Mgmt.	Indian	Misc. Federal	State	County & municipal	Forest Industry	Farmer
SOFTWOODS:									
White pine	5,599	1,555	27	488	1	382	911	432	1,003
Red pine	15,684	6,044	158	630	16	1,582	2,040	1,009	1,565
Jack pine	25,677	4,407	410	543	387	3,870	4,368	2,911	4,738
White spruce	10,701	1,965	75	269	85	3,222	1,978	688	1,148
Black spruce	16,520	2,827	139	550	98	6,155	3,051	1,232	1,093
Balsam fir	31,902	6,364	34	1,350	206	5,974	9,690	1,278	3,728
Tamarack	2,269	538	11	61	43	340	325	210	(-175)
Northern white-cedar	11,274	1,411	131	1,289	47	4,288	1,287	1,112	733
Other softwoods	155	--	--	--	--	49	3	--	78
Total	119,781	25,111	985	5,180	883	25,862	23,653	8,872	13,911
HARDWOODS:									
Select white oak	8,733	178	2	212	32	761	565	45	5,727
Select red oak	15,691	388	--	195	109	1,535	1,558	200	6,938
Other red oak	256	--	--	--	6	29	16	--	311
Hickory	455	--	--	8	9	6	4	--	193
Yellow birch	118	(-)84	--	--	--	22	94	14	385
Hard maple	8,660	208	--	174	54	1,461	631	(-)36	3,984
Soft maple	6,454	1,104	--	73	409	1,884	816	140	1,546
Ash	9,468	2,189	32	404	(-)62	1,434	767	(-)9	1,944
Balsam poplar	17,757	2,247	201	1,445	502	3,126	2,586	483	2,371
Paper birch	30,290	2,886	47	788	220	4,433	7,066	1,870	4,382
Bigtooth aspen	1,086	(-)1	7	81	13	1,221	(-)764	182	1,472
Quaking aspen	93,083	15,412	430	4,006	794	19,028	12,866	4,162	1,226
Basswood	17,252	911	--	530	116	1,265	2,383	298	1,944
Elm	18,022	354	23	451	218	1,717	1,938	385	2,371
Select hardwoods	440	--	--	--	3	75	20	--	792
Other hardwoods	1,374	--	--	1	105	193	4	--	1,781
Noncommercial species	--	--	--	--	--	--	--	--	7
Total	229,139	25,792	742	8,368	2,528	37,190	30,550	7,027	71,150
All species	348,920	50,903	1,727	13,548	3,411	63,052	54,203	15,899	85,061
									39,255
									(-)153
									397
									39,255
									(-)14
									445

Table 48.--Net annual growth of sawtimber on commercial forest land by species group and ownership class, Minnesota, 1976
 (In thousand board feet)^{1/}

Species	All owners	National Forest	Bureau of Land Mgmt.	Indian	Misc. Federal	State	Ownership class			Misc. Farmer	priv.-corp.	priv.-indiv.	priv.-corp., leased	priv.-indiv., leased	Misc. Farmer	priv.-corp.	priv.-indiv.	priv.-corp., leased	priv.-indiv., leased
							County & municipal	Forest Industry	Farmer										
SOFTWOODS:																			
White pine	33,304	12,806	64	2,017	(-)39	1,755	4,177	2,914	5,877	800	2,822	--	--	111	--	--	--	--	
Red pine	74,768	30,280	932	3,486	109	6,532	12,338	4,638	7,800	902	7,751	--	--	--	--	--	--	--	
Jack pine	88,650	25,996	1,909	58	400	12,350	12,722	8,228	16,617	746	9,597	27	--	--	--	--	--	--	
White spruce	36,750	7,226	401	1,130	275	6,373	6,976	1,727	6,183	1,302	5,096	61	--	--	--	--	--	--	
Black spruce	18,568	9,481	45	113	135	3,183	1,898	1,476	1,624	298	315	--	--	--	--	--	--	--	
Balsam fir	86,053	21,684	58	1,460	263	15,806	22,240	6,201	9,975	(-)109	8,459	--	--	16	--	--	--	--	
Tamarack	8,460	1,351	19	82	77	824	1,845	154	389	224	3,495	--	--	--	--	--	--	--	
Northern white-cedar	33,003	8,653	119	2,113	131	11,372	4,024	2,568	777	1,212	2,034	--	--	--	--	--	--	--	
Other softwoods	763	--	--	--	--	664	--	--	68	14	17	--	--	--	--	--	--	--	
Total	380,319	117,477	3,547	10,459	1,351	58,859	66,220	27,906	49,310	5,389	39,586	88	127	--	--	--	--	--	
HARDWOODS:																			
Select white oak	30,845	699	8	215	75	1,518	1,496	13	23,298	958	2,463	--	--	102	--	--	--	--	
Select red oak	61,191	488	--	523	544	5,903	4,033	1,171	33,633	(-)364	15,195	--	--	65	--	--	--	--	
Other red oak	960	--	--	--	31	53	1	--	840	--	35	--	--	--	--	--	--	--	
Hickory	1,484	--	--	--	16	8	13	--	1,423	--	24	--	--	--	--	--	--	--	
Yellow birch	612	154	--	--	--	38	239	42	17	61	61	--	--	--	--	--	--	--	
Hard maple	30,649	626	--	738	135	2,941	2,380	644	19,894	93	3,198	--	--	--	--	--	--	--	
Soft maple	18,380	1,171	--	13	1,499	745	464	53	10,497	95	3,843	--	--	--	--	--	--	--	
Ash	18,003	2,590	35	318	2,423	3,362	3,728	(-)18	1,222	383	3,948	--	--	12	--	--	--	--	
Balsam poplar	51,922	5,790	711	2,691	99	10,073	13,087	3,484	13,396	842	1,668	--	--	28	--	--	--	--	
Paper birch	53,334	14,365	5	1,537	673	3,324	7,402	3,732	12,032	963	8,895	--	--	6	--	--	--	--	
Bigtooth aspen	11,116	1,533	--	832	13	3,015	(-)207	853	1,273	304	3,488	--	--	12	--	--	--	--	
Quaking aspen	330,071	59,251	1,868	9,001	2,279	52,228	72,551	19,979	55,609	4,690	52,477	64	74	--	--	--	--	--	
Basswood	48,788	2,433	--	1,155	210	3,231	3,947	1,042	24,661	2,287	9,521	--	--	301	--	--	--	--	
Elm	61,699	1,888	56	1,169	307	5,307	7,474	1,437	31,136	1,112	11,053	--	--	690	--	--	--	--	
Select hardwoods	2,261	--	--	--	2	2	--	--	1,863	38	107	--	--	--	--	--	--	--	
Other hardwoods	9,730	--	--	4	392	262	--	--	7,562	73	1,437	--	--	--	--	--	--	--	
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Total	731,145	91,458	2,683	18,296	8,693	92,259	116,608	32,432	238,356	11,535	117,433	97	1,290	--	--	--	--	--	
All species	1,111,464	208,935	6,230	28,755	10,049	151,118	182,828	60,338	287,666	16,924	157,019	185	1,417	--	--	--	--	--	

^{1/}International 1/4-inch rule.

Table 49.--Net annual growth of growing stock on commercial forest land
by species group and forest type, Minnesota, 1976

(In thousand cubic feet)

Species	All types	Forest type						
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar
SFTWOODS:								
White pine	5,599	119	1,168	1,247	320	35	89	37
Red pine	15,684	1,780	8,797	387	346	42	48	59
Jack pine	25,677	20,768	667	111	172	78	405	87
White spruce	10,701	226	266	267	1,517	1,190	464	34
Black spruce	16,520	438	54	(-)67	2,060	47	11,517	168
Balsam fir	31,902	375	564	(-)532	8,260	188	1,032	169
Tamarack	2,269	5	14	--	129	(-)819	732	84
Northern white-cedar	11,274	--	11	8	1,334	43	376	6,959
Other softwoods	155	--	25	--	--	--	10	--
Total	119,781	23,711	11,566	1,421	14,138	804	14,673	7,597
HARDWOODS:								
Select white oak	8,733	31	8	14	18	1	--	--
Select red oak	15,691	94	33	15	4	--	6	--
Other red oak	256	--	--	--	--	--	--	--
Hickory	455	--	--	--	--	--	--	--
Yellow birch	118	--	--	--	7	--	--	15
Hard maple	8,660	--	--	3	19	--	--	--
Soft maple	6,454	146	3	41	44	--	6	1
Ash	9,468	2	6	13	261	(-)310	50	(-)24
Balsam poplar	17,757	33	36	4	(-)819	34	40	198
Paper birch	30,290	495	411	(-)24	2,344	296	239	150
Bigtooth aspen	1,086	(-)576	(-)118	1	14	--	88	10
Quaking aspen	93,083	1,655	(-)30	196	2,261	480	1,143	117
Basswood	17,252	5	--	11	36	--	--	--
Elm	18,022	8	3	--	69	(-)129	6	5
Select hardwoods	440	--	--	--	--	--	--	--
Other hardwoods	1,374	12	4	--	--	--	--	--
Noncommercial species	--	--	--	--	--	--	--	--
Total	229,139	1,905	356	274	4,258	372	1,578	472
All species	348,920	25,616	11,922	1,695	18,396	1,176	16,251	8,069

(Table 49 continued)

Species	Tamarack	Forest type						
		Oak-hickory	Elm-ash-cottonwood	Maple-basswood	Aspen	Paper birch	Balsam poplar	Non-stocked
SFTWOODS:								
White pine	54	87	53	332	1,558	491	9	--
Red pine	13	245	14	20	3,172	745	16	--
Jack pine	32	252	21	1	2,687	292	22	82
White spruce	52	(-)49	149	318	5,143	816	308	--
Black spruce	840	--	54	(-)17	1,338	(-)14	78	14
Balsam fir	133	30	584	554	14,662	4,339	1,335	209
Tamarack	2,690	4	(-)402	109	(-)240	(-)104	37	30
Northern white-cedar	192	--	882	130	1,107	2	219	11
Other softwoods	--	71	4	28	--	9	8	--
Total	4,006	640	1,359	1,475	29,427	6,586	2,032	346
HARDWOODS:								
Select white oak	--	3,983	174	1,311	2,895	245	48	5
Select red oak	7	8,207	348	1,759	4,293	906	19	--
Other red oak	--	172	4	38	38	1	3	--
Hickory	--	363	--	75	--	17	--	--
Yellow birch	--	--	36	20	7	31	2	--
Hard maple	--	390	249	6,464	1,212	269	52	2
Soft maple	14	275	882	1,197	2,914	916	15	--
Ash	16	240	4,202	1,317	2,895	399	385	16
Balsam poplar	121	95	556	(-)293	7,395	616	9,819	(-)78
Paper birch	80	1,486	370	1,669	10,854	11,349	528	43
Bigtooth aspen	--	351	32	(-)88	1,977	(-)618	13	--
Quaking aspen	(-)47	1,033	236	1,609	81,400	921	2,033	76
Basswood	--	1,772	442	11,089	3,315	566	16	--
Elm	86	1,632	2,267	8,762	3,871	762	646	34
Select hardwoods	--	132	26	162	98	16	3	3
Other hardwoods	--	139	933	187	80	--	13	6
Noncommercial species	--	--	--	--	--	--	--	--
Total	277	20,270	10,757	35,278	123,244	16,396	13,595	107
All species	4,283	20,910	12,116	36,753	152,671	22,982	15,627	453

Table 50.--Net annual growth of sawtimber on commercial forest land by species group and forest type, Minnesota, 1976

(In thousand board feet)^{1/}

Species	All types	Forest type					
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce
SOFTWOODS:							
White pine	33,304	356	8,612	9,399	1,653	215	497
Red pine	74,768	6,511	40,989	2,353	1,539	104	204
Jack pine	88,650	62,359	1,673	215	544	193	3,219
White spruce	36,750	365	1,008	2,110	5,639	3,452	897
Black spruce	18,568	670	16	30	4,272	23	4,961
Balsam fir	86,053	166	2,183	210	19,181	482	2,032
Tamarack	8,460	24	10	--	1,201	(-)2,795	2,718
Northern white-cedar	33,003	--	36	8	4,679	170	1,674
Other softwoods	763	--	--	--	--	--	--
Total	380,319	70,451	54,527	14,325	38,708	1,844	16,202
HARDWOODS:							
Select white oak	30,845	7	--	13	36	--	--
Select red oak	61,191	37	43	62	5	--	--
Other red oak	960	--	--	--	--	--	--
Hickory	1,484	--	--	--	--	--	--
Yellow birch	612	--	--	--	6	--	24
Hard maple	30,649	--	--	17	--	--	--
Soft maple	18,380	--	--	6	770	--	9
Ash	18,003	--	--	9	303	(-)1,516	114
Balsam poplar	51,922	42	--	--	1,140	14	22
Paper birch	53,434	1,062	1,607	42	3,917	400	33
Bigtooth aspen	11,116	26	5	--	24	--	7
Quaking aspen	330,071	3,498	1,341	(-)355	6,006	346	2,877
Basswood	48,788	--	--	25	88	--	--
Elm	61,699	13	--	--	133	(-)520	--
Select hardwoods	2,261	--	--	--	--	--	--
Other hardwoods	9,730	--	--	--	--	--	--
Noncommercial species	--	--	--	--	--	--	--
Total	731,145	4,685	2,996	(-)181	12,429	(-)1,276	3,061
All species	1,111,464	75,136	57,523	14,144	51,136	568	19,264
							15,259

^{1/}International 1/4-inch rule.

(Table 50 continued)

Species	Tamarack	Forest type					
		Oak-hickory	Elm-ash-cottonwood	Maple-basswood	Aspen	Paper birch	Balsam poplar
SFTWOODS:							
White pine	259	445	277	1,667	7,179	2,435	55
Red pine	61	765	24	113	17,685	3,705	79
Jack pine	50	325	38	(-)18	18,930	629	(-)158
White spruce	85	(-)365	883	1,330	15,688	3,970	1,712
Black spruce	348	--	38	715	7,318	212	129
Balsam fir	173	14	(-)342	6,472	39,017	9,676	5,446
Tamarack	7,270	26	(-)632	192	(-)972	650	494
Northern white-cedar	1,333	--	3,734	1,111	7,752	(-)58	588
Other softwoods	--	69	15	30	--	--	649
Total	9,579	1,279	4,035	11,612	112,597	21,219	8,994
HARDWOODS:							
Select white oak	--	13,612	559	7,536	8,107	882	81
Select red oak	39	34,649	20	6,967	15,184	4,120	65
Other red oak	--	702	23	187	31	--	17
Hickory	--	473	--	949	--	62	--
Yellow birch	--	--	105	404	7	60	6
Hard maple	--	766	215	27,199	1,900	540	12
Soft maple	--	1,978	5,668	1,682	8,151	116	--
Ash	--	279	7,714	3,970	3,567	1,486	1,915
Balsam poplar	141	127	1,109	1,811	18,374	3,315	24,856
Paper birch	16	1,152	1,220	4,607	23,456	15,660	138
Bigtooth aspen	--	633	51	(-)117	11,700	11,223	--
Quaking aspen	80	5,180	883	5,008	286,167	8,485	10,116
Basswood	--	5,328	2,089	36,014	3,989	1,191	64
Elm	29	2,575	10,634	28,735	16,165	1,828	1,990
Select hardwoods	--	1,681	9	457	81	33	--
Other hardwoods	--	146	5,332	4,168	66	--	--
Noncommercial species	--	--	--	--	--	--	--
Total	305	69,280	35,631	129,578	396,945	36,555	39,260
All species	9,884	70,560	39,666	141,189	509,542	57,774	48,254
							1,565

Table 51.--Net annual growth of growing stock on commercial forest land by forest type and stand-age class, Minnesota, 1976

(In thousand cubic feet)

Forest type	All ages	Stand-age class (years)					
		0-10	11-20	21-30	31-40	41-50	51-60
Jack pine	25,616	111	17	3,146	7,134	6,722	5,410
Red pine	11,922	100	836	767	2,331	1,102	1,262
White pine	1,695	(-)29	20	--	88	608	123
Balsam fir	18,396	410	280	1,026	2,883	7,584	3,295
White spruce	1,176	(-)395	30	116	217	(-)94	861
Black spruce	16,251	75	742	1,123	1,369	2,377	3,595
Northern white-cedar	8,069	22	67	137	190	100	855
Tamarack	4,283	103	337	130	322	489	913
Oak-hickory	20,910	43	364	(-)18	1,812	4,911	3,929
Elm-ash-cottonwood	12,116	(-)689	523	500	1,000	2,599	1,935
Maple-basswood	36,753	186	465	907	3,809	5,367	7,969
Aspen	152,671	(-)1,571	7,875	13,982	34,047	46,803	35,933
Paper birch	22,982	110	697	705	2,782	8,228	5,039
Balsam poplar	15,627	397	779	1,520	3,516	4,762	2,258
Nonstocked	453	524	6	--	(-)98	19	--
All types	348,920	(-)603	13,038	24,041	61,402	91,577	73,377

(Table 51 continued)

Forest Type	Stand-age class (years)						
	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	2,882	284	(-)86	(-)53	49	--	--
Red pine	649	3,084	620	1,089	82	--	--
White pine	479	265	138	(-)210	213	--	--
Balsam fir	2,841	174	(-)370	173	100	--	--
White spruce	191	30	99	101	20	--	--
Black spruce	1,930	2,233	1,313	1,019	94	381	--
Northern white-cedar	1,241	784	1,539	942	618	1,492	82
Tamarack	587	306	(-)309	144	880	369	12
Oak-hickory	3,876	2,574	557	1,809	922	131	--
Elm-ash-cottonwood	1,822	588	1,760	1,131	511	436	--
Maple-basswood	6,685	4,734	2,681	2,306	706	938	--
Aspen	11,096	2,881	1,099	400	65	61	--
Paper birch	2,662	1,797	774	35	153	--	--
Balsam poplar	1,215	822	318	40	--	--	--
Nonstocked	--	2	--	--	--	--	--
All types	38,156	20,558	10,133	8,926	4,413	3,808	94

Table 52.--Net annual growth of sawtimber on commercial forest land by forest type and stand-age class, Minnesota, 1976

(In thousand board feet)^{1/}

Forest type	All ages	Stand-age class (years)					
		0-10	11-20	21-30	31-40	41-50	51-60
Jack pine	75,136	(-)567	719	1,967	15,932	24,704	19,078
Red pine	57,523	360	1,165	372	6,891	4,925	5,904
White pine	14,144	--	131	--	664	1,310	804
Balsam fir	51,136	1,594	455	1,331	5,471	16,623	16,663
White spruce	568	(-)2,036	--	261	198	(-)1,866	981
Black spruce	19,264	94	777	848	1,528	2,797	6,609
Northern white-cedar	15,259	33	48	103	(-)1	(-)696	794
Tamarack	9,884	61	836	166	121	1,965	3,510
Oak-hickory	70,560	(-)152	754	97	3,270	10,004	11,277
Elm-ash-cottonwood	39,666	(-)305	693	1,020	2,027	10,460	3,939
Maple-basswood	141,189	2,116	3,654	(-)276	12,363	13,065	29,692
Aspen	509,542	3,970	15,151	30,531	79,956	166,023	132,793
Paper birch	57,774	182	435	1,455	6,578	19,370	11,100
Balsam poplar	48,254	(-)1,482	341	375	7,199	18,166	9,914
Nonstocked	1,565	1,524	5	--	--	20	--
All types	1,111,464	5,392	25,164	38,250	142,197	286,870	253,058

^{1/} International 1/4-inch rule.

(Table 52 continued)

Forest type	Stand-age class (years)						
	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	9,840	1,233	986	1,121	123	--	--
Red pine	2,833	20,814	4,892	8,657	710	--	--
White pine	3,019	2,586	444	3,926	1,260	--	--
Balsam fir	5,691	3,255	(-)686	509	230	--	--
White spruce	1,444	117	381	988	100	--	--
Black spruce	1,308	2,631	774	1,603	157	138	--
Northern white-cedar	2,753	2,255	4,595	1,769	143	3,270	193
Tamarack	494	(-)310	1,208	282	1,247	304	--
Oak-hickory	16,819	13,071	1,890	9,428	3,551	551	--
Elm-ash-cottonwood	4,143	5,014	5,752	3,838	1,329	1,756	--
Maple-basswood	21,401	26,144	13,460	9,366	6,039	4,165	--
Aspen	52,045	17,277	9,437	1,778	451	130	--
Paper birch	7,110	5,656	3,857	1,724	307	--	--
Balsam poplar	9,142	2,709	1,361	529	--	--	--
Nonstocked	--	16	--	--	--	--	--
All types	138,042	102,468	48,351	45,518	15,647	10,314	193

Table 53.--Timber removals^{1/} from growing stock and sawtimber on commercial forest land by species group, Minnesota, 1962 and 1976

Species	Growing stock		Sawtimber	
	2/1962	1976	2/1962	1976
Thousand cubic feet		^{3/} Thousand board feet		
SOFTWOODS:				
White pine	3,620	2,910	20,759	13,190
Red pine	3,416	4,177	15,976	15,214
Jack pine	22,678	21,470	54,844	56,934
Spruce	20,589	17,943	45,600	38,809
Balsam fir	12,601	13,893	20,860	27,000
Tamarack	3,485	4,982	6,305	10,165
Northern white-cedar	2,445	3,315	4,586	8,548
Other	66	110	49	82
Total	68,900	68,800	168,979	169,942
HARDWOODS:				
White oak	4,738	5,119	12,763	11,856
Red oak	6,743	10,102	21,149	26,782
Yellow birch	441	16	1,840	41
Hard maple	1,036	1,388	2,534	3,297
Soft maple	1,273	2,840	3,737	5,992
Ash	2,632	5,063	6,781	10,247
Paper birch	3,408	9,113	8,476	13,865
Aspen	45,675	72,979	85,089	172,530
Basswood	2,941	3,529	12,773	10,162
Elm	4,180	7,813	13,872	21,143
Other	3,933	6,838	10,903	14,450
Total	77,000	124,800	179,917	290,365
All species	145,900	193,600	348,896	460,307

1/Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

2/Figures have been adjusted from those published after the 1962 survey to conform to 1976 volumes because of changes in survey definitions and procedures.

3/International 1/4-inch rule.

Table 54.--Timber removals¹/ from growing stock and sawtimber on commercial forest land by item and species category, Minnesota, 1976

Item	A1 species	Growing stock			Sawtimber			Other hard- woods
		Jack pine	Spruce	Other soft- woods	Other hard- woods	A1 species	Jack pine	
- - - - Thousand cubic feet- - - - -								
ROUNDWOOD PRODUCTS:								
Pulpwood	89,880	13,289	15,188	14,688	42,625	4,090	195,011	26,776
Saw logs	27,498	5,363	582	4,987	9,006	7,560	135,220	26,743
Fuelwood	9,065	374	2	1,704	6,850	12,683	519	2,895
Posts	1,799	723	--	821	20	235	1,206	6
Veneer logs	460	--	--	65	--	395	3,059	--
Poles	610	271	--	339	--	--	1,758	784
Other ³ /	5,723	50	--	138	4,607	928	24,986	235
Subtotal	135,035	20,070	15,772	21,108	58,027	20,058	373,923	55,366
LOGGING RESIDUE:	5,060	418	282	457	2,284	1,619	6,954	299
OTHER REMOVALS:	53,505	982	1,889	7,822	12,668	30,144	79,430	1,269
TOTAL	193,600	21,470	17,943	29,387	72,979	51,921	460,307	56,934
							38,809	74,199
							172,530	117,835

¹/Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

²/International 1/4-inch rule.

³/Includes match bolts, particleboard bolts, shavings bolts, piling, lath bolts, etc.

Table 55.--Timber removals^{1/} from growing stock on commercial forest land by species group and Forest Survey Unit, Minnesota, 1976

(In thousand cubic feet)

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	2,910	1,711	1,013	186	--
Red pine	4,177	1,485	2,540	132	20
Jack pine	21,470	10,718	10,259	484	9
White spruce	4,188	2,888	1,265	20	15
Black spruce	13,755	10,275	3,458	21	1
Balsam fir	13,893	7,728	6,040	119	6
Tamarack	4,982	2,503	2,126	304	49
Northern white-cedar	3,315	1,495	1,801	1	18
Other softwoods	110	--	--	72	38
Total	68,800	38,803	28,502	1,339	156
HARDWOODS:					
Select white oak	5,119	10	595	3,136	1,378
Select red oak	9,779	113	1,980	7,255	431
Other red oak	323	--	8	299	16
Hickory	198	--	5	182	11
Yellow birch	16	3	8	5	--
Hard maple	1,388	28	319	813	228
Soft maple	2,840	77	269	2,356	138
Ash	5,063	302	1,237	2,893	631
Balsam poplar	3,078	1,044	1,455	207	372
Paper birch	9,113	3,253	4,540	1,265	55
Bigtooth aspen	3,444	665	2,202	577	--
Quaking aspen	69,535	32,686	30,440	4,965	1,444
Basswood	3,529	48	805	2,000	676
Elm	7,813	207	1,050	4,620	1,936
Select hardwoods	66	--	--	54	12
Other hardwoods	3,496	9	13	2,231	1,243
Noncommercial species	--	--	--	--	--
Total	124,800	38,445	44,926	32,858	8,571
All species	193,600	77,248	73,428	34,197	8,727

^{1/}Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

Table 56.--Timber removals^{1/} from sawtimber on commercial forest land by species group and Forest Survey Unit, Minnesota, 1976

(In thousand board feet)^{2/}

Species	All units	Aspen-Birch	Northern Pine	Central Hardwood	Prairie
SOFTWOODS:					
White pine	13,190	7,641	5,026	523	--
Red pine	15,214	4,210	10,535	405	64
Jack pine	56,934	27,678	27,943	1,296	17
White spruce	12,679	6,368	6,224	54	33
Black spruce	26,130	21,857	4,269	4	--
Balsam fir	27,000	15,329	11,563	108	--
Tamarack	10,165	5,237	4,523	318	87
Northern white-cedar	8,548	4,948	3,568	8	24
Other softwoods	82	--	--	50	32
Total	169,942	93,268	73,651	2,766	257
HARDWOODS:					
Select white oak	11,856	10	1,729	7,494	2,623
Select red oak	25,721	160	4,587	20,026	948
Other red oak	1,061	--	10	1,010	41
Hickory	274	--	9	252	13
Yellow birch	41	14	17	10	--
Hard maple	3,297	39	676	2,103	479
Soft maple	5,992	69	558	4,971	394
Ash	10,247	683	3,353	4,861	1,350
Balsam poplar	4,508	1,165	2,522	603	218
Paper birch	13,865	6,582	6,257	1,012	14
Bigtooth aspen	8,797	1,472	5,473	1,852	--
Quaking aspen	163,733	73,787	76,701	12,708	537
Basswood	10,162	152	2,768	5,353	1,889
Elm	21,143	618	4,073	11,371	5,081
Select hardwoods	374	--	--	298	76
Other hardwoods	9,294	7	22	5,312	3,953
Noncommercial species	--	--	--	--	--
Total	290,365	84,758	108,755	79,236	17,616
All species	460,307	178,026	182,406	82,002	17,873

^{1/}Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

^{2/}International 1/4-inch rule.

Table 57.--Net annual growth and removals^{1/} of growing stock on commercial forest land by species group, Minnesota, 1976

(In thousand cubic feet)

Species	Net annual growth	Annual timber removals
SOFTWOODS:		
White pine	5,599	2,910
Red pine	15,684	4,177
Jack pine	25,677	21,470
White spruce	10,701	4,188
Black spruce	16,520	13,755
Balsam fir	31,902	13,893
Tamarack	2,269	4,982
Northern white-cedar	11,274	3,315
Other softwoods	155	110
Total	119,781	68,800
HARDWOODS:		
Select white oak	8,733	5,119
Select red oak	15,691	9,779
Other red oak	256	323
Hickory	455	198
Yellow birch	118	16
Hard maple	8,660	1,388
Soft maple	6,454	2,840
Ash	9,468	5,063
Balsam poplar	17,757	3,078
Paper birch	30,290	9,113
Bigtooth aspen	1,086	3,444
Quaking aspen	93,083	69,535
Basswood	17,252	3,529
Elm	18,022	7,813
Select hardwoods	440	66
Other hardwoods	1,374	3,496
Noncommercial species	--	--
Total	229,139	124,800
All species	348,920	193,600

^{1/}Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

Table 58.--Net annual growth and removals^{1/} of sawtimber on commercial forest land by species group, Minnesota, 1976

(In thousand board feet)^{2/}

Species	Net annual growth	Annual timber removals
SOFTWOODS:		
White pine	33,304	13,190
Red pine	74,768	15,214
Jack pine	88,650	56,934
White spruce	36,750	12,679
Black spruce	18,568	26,130
Balsam fir	86,053	27,000
Tamarack	8,460	10,165
Northern white-cedar	33,003	8,548
Other softwoods	763	82
Total	380,319	169,942
HARDWOODS:		
Select white oak	30,845	11,856
Select red oak	61,191	25,721
Other red oak	960	1,061
Hickory	1,484	274
Yellow birch	612	41
Hard maple	30,649	3,297
Soft maple	18,380	5,992
Ash	18,003	10,247
Balsam poplar	51,922	4,508
Paper birch	53,434	13,865
Bigtooth aspen	11,116	8,797
Quaking aspen	330,071	163,733
Basswood	48,788	10,162
Elm	61,699	21,143
Select hardwoods	2,261	374
Other hardwoods	9,730	9,294
Noncommercial species	--	--
Total	731,145	290,365
All species	1,111,464	460,307

^{1/}Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

^{2/}International 1/4-inch rule.

Table 59.--Net annual growth and removals^{1/} of growing stock on commercial forest land by ownership class and softwoods and hardwoods, Minnesota, 1976

(In thousand cubic feet)

FEDERAL						
Owner	Net annual growth			Annual timber removals		
	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
National Forest	50,903	25,111	25,792	16,423	7,946	8,477
Other federal	18,686	7,048	11,638	5,202	2,686	2,516
Subtotal	69,589	32,159	37,430	21,625	10,632	10,993

STATE						
Total	63,052	25,862	37,190	34,123	18,920	15,203

COUNTY & MUNICIPAL						
Total	54,203	23,653	30,550	18,354	5,753	12,601

PRIVATE						
Forest industry	15,899	8,872	7,027	15,165	7,491	7,674
Farm and other	146,177	29,235	116,942	104,333	26,004	78,329
Subtotal	162,076	38,107	123,969	119,498	33,495	86,003

ALL OWNERS						
Total	348,920	119,781	229,139	193,600	68,800	124,800

^{1/}Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

Table 60.--Net annual growth and removals^{1/} of sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Minnesota, 1976

(In thousand board feet)^{2/}

FEDERAL						
Owner	Net annual growth			Annual timber removals		
	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
National forest	208,935	117,477	91,458	41,631	21,862	19,769
Other federal	45,034	15,357	29,677	12,926	6,839	6,087
Subtotal	253,969	132,834	121,135	54,557	28,701	25,856

STATE						
Total	151,118	58,859	92,259	90,134	52,004	38,130

COUNTY & MUNICIPAL						
Total	182,828	66,220	116,608	46,436	14,769	31,667

PRIVATE						
Forest industry	60,338	27,906	32,432	34,606	16,845	17,761
Farmer and other	463,211	94,500	368,711	234,574	57,623	176,951
Subtotal	523,549	122,406	401,143	269,180	74,468	194,712

ALL OWNERS						
Total	1,111,464	380,319	731,145	460,307	169,942	290,365

^{1/}Removals in 1976 are trend-level removals. "Other" removals from the transfer of commercial forest land to productive-reserved are not included in 1976 removals.

^{2/}International 1/4-inch rule.

Table 61.--Annual mortality of growing stock and sawtimber on commercial forest land by species group, Minnesota, 1976

Species	Growing stock		Sawtimber
	Thousand cubic feet		Thousand board feet ^{1/}
SOFTWOODS:			
White pine	960		2,994
Red pine	110		345
Jack pine	3,322		6,009
White spruce	1,102		3,408
Black spruce	3,899		1,513
Balsam fir	16,774		21,233
Tamarack	5,857		8,748
Northern white-cedar	1,704		6,212
Other	--		--
Total	33,728		50,462
HARDWOODS:			
Select white oak	1,098		3,444
Select red oak	2,993		10,815
Other red oak	--		--
Hickory	--		--
Yellow birch	87		27
Hard maple	1,122		1,003
Soft maple	252		914
Ash	5,071		11,195
Balsam poplar	10,723		17,656
Paper birch	4,870		7,231
Bigtooth aspen	4,841		7,153
Quaking aspen	66,519		110,093
Basswood	1,410		5,043
Elm	8,125		37,957
Select hardwoods	223		--
Other hardwoods	479		--
Noncommercial species	--		--
Total	107,813		212,531
All species	141,541		262,993

^{1/}International 1/4-inch rule.

Table 62.--Annual mortality of growing stock on commercial forest land by species group and cause, Minnesota, 1976
 (In thousand cubic feet)

Species	All causes	Insects	Disease	Fire	Animals	Weather	Suppression	Logging	Cause			Timber stand improvement	Land clearing	Unknown and other
									Cause					
Softwoods:														
White pine	960	--	762	109	27	27	--	--	--	--	--	--	--	35
Red pine	110	--	1,862	396	143	353	--	59	13	--	--	--	--	38
Jack pine	3,322	70	700	--	26	261	--	--	12	--	--	--	--	486
White spruce	1,102	101	2,390	--	106	618	--	--	--	--	--	--	--	14
Black spruce	3,899	173	6,775	--	76	2,064	19	51	--	--	--	--	--	612
Balsam fir	16,774	5,198	533	1,570	86	677	--	--	--	--	--	45	45	2,546
Tamarack	5,857	--	482	--	641	--	--	56	--	--	--	--	--	2,991
Northern white-cedar	1,704	--	--	--	--	--	--	--	--	--	--	--	--	525
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	33,728	6,075	14,541	505	464	4,700	19	132	--	--	--	45	45	7,247
HARDWOODS:														
Select white oak	1,098	--	756	--	--	342	--	--	--	--	--	--	--	--
Select red oak	2,993	--	1,039	--	--	1,032	--	--	214	--	--	--	--	708
Other red oak	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hickory	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Yellow birch	87	--	87	--	--	--	--	--	--	--	--	--	--	--
Hard maple	1,122	--	858	--	--	--	--	--	--	264	--	--	--	--
Soft maple	252	--	71	--	--	181	--	--	--	--	--	--	--	--
Ash	5,071	--	1,350	159	--	2,437	--	--	--	310	--	--	--	815
Balsam poplar	10,723	--	5,623	84	784	2,595	--	--	--	--	--	--	--	1,637
Paper birch	4,870	80	3,431	120	--	428	--	--	--	--	--	--	--	758
Bigtooth aspen	4,841	--	2,728	--	--	341	--	--	--	--	--	--	--	1,772
Quaking aspen	66,519	612	42,490	6,817	2,259	10,641	--	--	277	--	--	--	--	3,423
Basswood	1,410	--	232	--	--	959	--	--	104	--	--	--	--	115
Elm	8,125	--	7,446	--	--	--	--	--	7	129	--	--	--	543
Select hardwoods	223	--	223	--	--	207	--	--	--	--	--	--	--	--
Other hardwoods	479	--	--	--	--	--	--	--	--	--	--	--	--	272
Noncommercial species	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	107,813	692	66,334	7,180	3,043	19,163	--	--	655	703	--	--	--	10,043
All species	141,541	6,767	80,875	7,685	3,507	23,863	19	787	703	45	45	45	45	17,290

Table 63.—Annual mortality of sawtimber on commercial forest land by species group and cause, Minnesota, 1976
 (In thousand board feet)^{1/}

Species	Cause						Timber stand improvement	Land clearing	Unknown and other
	All causes	Insects	Disease	Fire	Animals	Weather			
SOFTWOODS:									
White pine	2,994	--	1,786	682	193	171	--	--	162
Red pine	345	--	--	--	157	--	--	--	188
Jack pine	6,009	344	3,195	421	390	620	--	70	969
White spruce	3,408	237	1,710	--	60	1,401	--	--	--
Black spruce	1,513	--	721	--	228	464	--	--	100
Balsam fir	21,233	7,386	5,302	--	112	3,932	--	--	4,358
Tamarack	8,748	--	4,372	--	--	--	--	143	4,376
Northern white-cedar	6,212	--	1,589	--	--	2,434	--	--	1,813
Other softwoods	--	--	--	--	--	--	--	376	--
Total	50,462	7,967	18,675	1,103	983	9,179	--	589	--
HARDWOODS:									
Select white oak	3,444	--	1,624	--	--	1,820	--	--	--
Select red oak	10,815	--	4,890	--	--	4,824	--	--	1,101
Other red oak	--	--	--	--	--	--	--	--	--
Hickory	--	--	--	--	--	--	--	--	--
Yellow birch	27	--	27	--	--	--	--	--	--
Hard maple	1,003	--	1,003	--	--	--	--	--	--
Soft maple	914	--	8	--	--	906	--	--	--
Ash	11,195	--	1,469	--	--	8,210	--	--	1,516
Balsam poplar	17,656	--	9,720	--	--	6,218	--	--	1,718
Paper birch	7,231	--	4,582	--	--	766	--	--	1,590
Bigtooth aspen	7,153	--	5,520	--	--	1,633	--	--	--
Quaking aspen	110,093	--	62,723	8,293	5,410	26,728	--	1,171	5,768
Basswood	5,043	--	885	--	--	4,158	--	--	--
Elm	37,957	--	37,437	--	--	--	--	520	--
Select hardwoods	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--
Noncommercial species	--	--	--	--	--	--	--	--	--
Total	212,531	--	129,888	8,293	5,410	55,263	--	1,464	2,036
All species	262,993	7,967	148,563	9,396	6,393	64,442	--	2,053	2,036
									22,143
									10,177

^{1/}International 1/4-inch rule.

Table 64.--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Minnesota, 1976

Owner	Growing stock			Sawtimber		
	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
- - - - Thousand cubic feet- - - -						<u>1/</u> Thousand board feet- - - -
National Forest	14,272	7,505	6,767	9,352	2,426	6,926
Bureau of Land Management	--	--	--	--	--	--
Indian	4,029	1,019	3,010	7,303	1,994	5,309
Miscellaneous federal	861	131	730	1,914	388	1,526
State	20,998	8,772	12,226	35,131	12,350	22,781
County and municipal	31,990	4,477	27,513	51,818	7,623	44,195
Forest industry	12,680	3,534	9,146	18,497	6,419	12,078
Farmer	36,797	4,312	32,485	94,273	10,728	83,545
Farmer owned-leased	--	--	--	--	--	--
Misc. private-corp.	6,213	1,543	4,670	16,586	3,994	12,592
Misc. private-indiv.	13,507	2,435	11,072	28,119	4,540	23,579
Misc. priv.-corp., leased	194	--	194	--	--	--
Misc. priv.-indiv., leased	--	--	--	--	--	--
All owners	141,541	33,728	107,813	262,993	50,462	212,531

1/International 1/4-inch rule.

Table 65.--Output of timber products by source of material and softwoods and hardwoods, Minnesota, 1975.

Product	Standard units	Roundwood products			Plant byproducts No. of units Thousand cubic feet				
		Total	No. of thousand units	Growing stock No. of thousand cubic feet					
PULPWOOD:	Standard cords/	622,245	49,148	546,506	43,165	31,779	2,510	43,960	3,473
	Softwood	736,607	58,186	591,391	46,715	81,578	6,444	63,638	5,027
	Hardwood	1,358,852	107,334	1,137,897	89,880	113,357	8,954	107,598	8,500
FUELWOOD:	Standard cords/	40,966	2,828	7,551	511	9,677	655	23,738	1,662
	Softwood	301,921	20,885	123,763	8,554	161,057	11,134	17,101	1,197
	Hardwood	342,887	23,713	131,314	9,065	170,734	11,789	40,839	2,859
POSTS:	Thousands pieces	2,360	1,896	1,921	1,544	439	352	--	--
	Softwood	421	403	270	255	151	148	--	--
	Hardwood	2,781	2,299	2,191	1,799	590	500	--	--
VENeer LOGS:	2/Thousands board feet	3,216	503	--	--	--	--	--	--
	Softwood	3,216	503	2,946	460	270	43	--	--
	Hardwood	0	0	2,946	460	270	43	--	--
POLES	Pieces	103,405	618	102,067	610	1,338	8	--	--
	Softwood	0	0	--	--	--	--	--	--
	Hardwood	103,405	618	102,067	610	1,338	8	--	--
SAW LOGS:	2/Thousands board feet	60,923	11,261	59,144	10,932	1,779	329	--	--
	Softwood	95,200	16,972	92,917	16,566	2,283	406	--	--
	Hardwood	156,123	28,233	152,061	27,498	4,062	735	--	--
OTHER ^{3/}	Softwood	416	416	188	188	2	2	226	226
	Hardwood	6,745	6,745	5,535	5,535	393	393	817	817
	Total	7,161	7,161	5,723	5,723	395	395	1,043	1,043
ALL PRODUCTS:	Softwood	66,167	66,167	56,950	56,950	3,856	3,856	5,361	5,361
	Hardwood	103,694	103,694	78,085	78,085	18,568	18,568	7,041	7,041
	Total	169,861	169,861	135,035	135,035	22,424	22,424	12,402	12,402

1/Rough-wood, 128 cubic foot basis.

2/International 1/4-inch rule.

3/Other (industrial production) includes match bolts, shaving bolts, particleboard bolts,
lath bolts, piling, etc.

Table 66.--Output of roundwood products by source and softwoods and hardwoods,
Minnesota, 1975

(In thousand cubic feet)

Product and species group	All sources	INDUSTRIAL PRODUCTS			Rough and rotten trees	Salvable dead trees	Other sources			
		Growing-stock trees		Poletimber						
		Total	Sawtimber							
Saw logs:										
Softwood	11,261	10,932	10,659	273	10	--	319			
Hardwood	16,972	16,566	14,519	2,047	188	--	218			
Subtotal	28,233	27,498	25,178	2,320	198	--	537			
Veneer logs and bolts:										
Softwood	--	--	--	--	--	--	--			
Hardwood	503	460	460	--	43	--	--			
Subtotal	503	460	460	--	43	--	--			
Pulpwood:										
Softwood	45,675	43,165	27,609	15,556	446	37	2,027			
Hardwood	53,159	46,715	26,549	20,166	4,600	983	861			
Subtotal	98,834	89,880	54,158	35,722	5,046	1,020	2,888			
Cooperage:										
Softwood	--	--	--	--	--	--	--			
Hardwood	128	110	110	--	11	--	7			
Subtotal	128	110	110	--	11	--	7			
Piling:										
Softwood	86	86	74	12	--	--	--			
Hardwood	--	--	--	--	--	--	--			
Subtotal	86	86	74	12	--	--	--			
Poles:										
Softwood	618	610	570	40	8	--	--			
Hardwood	--	--	--	--	--	--	--			
Subtotal	618	610	570	40	8	--	--			
Mine timbers (Round):										
Softwood	--	--	--	--	--	--	--			
Hardwood	--	--	--	--	--	--	--			
Subtotal	--	--	--	--	--	--	--			
Posts (Round and split):										
Softwood	1,896	1,544	347	1,197	233	59	60			
Hardwood	403	255	113	142	74	--	74			
Subtotal	2,299	1,799	460	1,339	307	59	134			
Other:										
Softwood	104	102	92	10	--	--	2			
Hardwood	5,800	5,425	4,222	1,203	230	51	94			
Subtotal	5,904	5,527	4,314	1,213	230	51	96			
All industrial products:										
Softwood	59,640	56,439	39,351	17,088	697	96	2,408			
Hardwood	76,965	69,531	45,973	23,558	5,146	1,034	1,254			
Total	136,705	125,970	85,324	40,646	5,843	1,130	3,662			
			FUELWOOD							
Softwood	1,166	511	166	345	45	63	547			
Hardwood	19,888	8,554	2,786	5,768	831	1,137	9,166			
Total	20,854	9,065	2,952	6,113	876	1,200	9,713			
			ALL PRODUCTS							
Softwood	60,806	56,950	39,517	17,433	742	159	2,955			
Hardwood	96,653	78,085	48,759	29,326	5,977	2,171	10,420			
Total	157,459	135,035	88,276	46,759	6,719	2,330	13,375			

Table 67.--Forest products harvested by ownership class and product,
Minnesota, 1975

FEDERAL

Ownership class	Pulpwood <u>1/</u> Cords	Saw logs <u>2/</u> Thousand board feet	Fuelwood <u>1/</u> Cords	Posts Thousand pieces	Poles Pieces	Other Thousand cubic feet
National Forest:						
Softwoods	78,181	9,212	3,439	--	700	27
Hardwoods	70,625	3,684	34,096	--	--	1,004
Subtotal	148,806	12,896	37,535	--	700	1,031
Other Federal:						
Softwoods	24,320	2,538	165	108	4,700	3
Hardwoods	15,887	2,972	1,995	--	--	38
Subtotal	40,207	5,510	2,160	108	4,700	41
Total	189,013	18,406	39,695	108	5,400	1,072

STATE

Softwoods	172,785	23,420	710	715	29,142	33
Hardwoods	122,153	17,275	7,001	2	--	508
Total	294,938	40,695	7,711	717	29,142	541

COUNTY

Hardwoods	122,470	9,608	8,713	--	--	1,016
Total	178,320	14,843	9,374	80	485	1,029

PRIVATE

Forest industry:						
Softwoods	86,840	2,581	153	341	--	16
Hardwoods	85,748	3,192	499	--	--	350
Subtotal	172,588	5,773	652	341	--	366
Farm and other:						
Softwoods	160,309	17,937	12,100	1,116	68,378	98
Hardwoods	256,086	58,469	232,516	419	--	3,515
Subtotal	416,395	76,406	244,616	1,535	68,378	3,613
Total	588,983	82,179	245,268	1,876	68,378	3,979

ALL OWNERS

Softwoods	578,285	60,923	17,228	2,360	103,405	190
Hardwoods	672,969	95,200	284,820	421	--	6,431
Total	1,251,254	156,123	302,048	2,781	103,405	6,621

1/ Rough-wood, 128 cubic foot basis.

2/ International 1/4-inch rule.

Table 68.--Timber products from roundwood by species group and product,
Minnesota, 1975

Species	All Products		Saw logs		Veneer logs		Pulpwood	
	1/ Thousand cubic feet	2/ Thousand board feet	1/ Thousand cubic feet	2/ Thousand board feet	Thousand cubic feet	Thousand cords	1/ Thousand cubic feet	
SOFTWOODS:								
White pine	2,541	11,272	1,943	--	--	7,386	584	
Red pine	3,519	10,680	1,840	--	--	10,790	850	
Jack pine	21,922	29,058	5,579	--	--	180,543	14,260	
Spruce	16566	3,145	605	--	--	202,004	15,956	
Balsam fir	10,073	2,100	400	--	--	121,296	9,583	
Tamarack	4,620	79	14	--	--	56,266	4,442	
Northern white-cedar	1,565	4,589	880	--	--	--	--	
Total	60,806	60,923	11,261	--	--	578,285	45,675	
HARDWOODS:								
White oak	2,498	4,187	695	29	3	--	--	
Red oak	7,917	14,355	2,404	751	118	9,703	769	
Hickory	29	78	13	--	--	--	--	
Yellow birch	23	--	--	20	3	3	--	
Hard maple	747	934	153	290	45	200	13	
Soft maple	546	781	130	168	25	79	3	
Ash	2,639	3,954	683	17	2	55	5	
Balsam poplar	1,210	1,269	222	--	--	10,725	848	
Paper birch	8,294	2,728	473	190	29	35,474	2,804	
Aspen	66,831	49,501	9,166	443	72	615,995	48,660	
Basswood	1,042	4,369	758	417	66	--	--	
Elm	3,810	9,508	1,665	376	59	733	57	
Black walnut	61	236	37	151	24	--	--	
Cottonwood	778	3,196	556	358	56	--	--	
Other hardwoods	228	104	17	6	1	2	--	
Total	96,653	95,200	16,972	3,216	503	672,969	53,159	
All species	157,459	156,123	28,233	3,216	503	1,251,254	98,834	

1/Small quantities may round off to less than 500 cubic feet and will be shown as a dash in columns showing thousand cubic feet.

2/International 1/4-inch rule.

(Table 68 continued)

Species	Fuelwood		Poles		Posts		Other Products
	Cords	1/Thousand cubic feet	Pieces	1/Thousand cubic feet	Thousands pieces	1/Thousand cubic feet	
SOFTWOODS:							
White pine	360	14	--	--	--	--	--
Red pine	519	27	57,284	343	523	419	40
Jack pine	12,353	865	46,121	275	1110	893	50
Spruce	125	5	--	--	--	--	--
Balsam fir	1,338	90	--	--	--	--	--
Tamarack	1,919	126	--	--	49	38	--
Northern white-cedar	614	39	--	--	678	546	100
Total	17,228	1,166	103,405	618	2,360	1,896	190
HARDWOODS:							
White oak	21,759	1,509	--	--	233	231	60
Red oak	63,515	4,436	--	--	139	140	50
Hickory	410	16	--	--	--	--	--
Yellow birch	364	20	--	--	--	--	--
Hard maple	7,820	521	--	--	--	--	15
Soft maple	5,805	388	--	--	--	--	--
Ash	28,206	1,945	--	--	11	4	--
Balsam poplar	2,101	140	--	--	3	--	--
Paper birch	61,335	4,276	--	--	--	--	712
Aspen	56,326	3,937	--	--	35	28	4,968
Basswood	2,652	149	--	--	--	--	69
Elm	28,280	1,975	--	--	--	--	54
Black walnut	--	--	--	--	--	--	--
Cottonwood	2,811	166	--	--	--	--	--
Other hardwoods	3,436	210	--	--	--	--	--
Total	284,820	19,688	--	--	421	403	5,928
All species	302,048	20,854	103,405	618	2,781	2,299	6,118

Table 69.--Volume of primary plant residue by kind of material and type of use, Minnesota, 1975

(In thousand cubic feet)

Type of use	Kind of wood residue									
	Total		Coarse ^{1/}		Fine ^{2/}		Bark ^{3/}		Softwood	Hardwood
	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood	Softwood	Hardwood		
Fiber products ^{4/}	1,127.1	2,968.2	1,015.1	2,797.1	112.0	171.1	--	--	76.6	
Charcoal	57.6	216.2	57.6	216.2	--	--	35.9	100.2		
Industrial fuel	1,292.9	161.4	800.7	28.1	492.2	133.3	694.1	404.5		
Domestic fuel	368.4	1,034.9	354.4	851.5	14.0	183.4	167.8	423.5		
Miscellaneous ^{5/}	167.9	600.9	89.7	51.1	78.2	549.8	14.0	459.2		
Not used ^{6/}	1,430.0	2,155.8	494.0	508.1	936.0	1,647.7	1,109.7	2,136.1		
Total	4,443.9	7,137.4	2,811.5	4,452.1	1,632.4	2,685.3	2,021.5	3,600.1		

^{1/}Suitable for chipping such as slabs, edgings, veneer cores, etc.

^{2/}Not suitable for chipping such as sawdust, veneer clippings, etc.

^{3/}Does not include bark disposal at pulpmills.

^{4/}For manufacture of pulp, hardboard or roofing felt.

^{5/}Livestock bedding, mulch, small dimension, and specialty items.

^{6/}Includes residue burned as waste.

Table 70.--Sampling errors^{1/} for estimates smaller than the State totals of volume, net growth, removals, and area of commercial forest land, Minnesota, 1977

Sampling error	Commercial forest area Thousand acres	Growing Stock			Sawtimber		
		Inventory	Growth	Removals	Inventory	Growth	Removals
- - - - - Million cubic feet - - - - -							
Percent	Percent	- - - - - Million cubic feet - - - - -			- - - - - 2/Million board feet - - - - -		
1	2,131.6	12,460.9	705.6	5,500.0	84,456.1	3,312.4	8,750.1
2	532.9	3,115.2	176.4	1,375.0	21,114.0	828.1	2,187.5
3	237.2	1,385.3	78.4	611.0	9,382.0	368.5	972.2
4	133.2	779.7	44.1	343.7	5,280.8	207.0	546.9
5	85.3	498.4	28.2	220.0	3,378.2	132.5	350.0
10	21.3	124.6	7.1	55.0	844.6	33.1	87.5
15	9.4	55.2	3.1	24.4	375.8	14.6	38.9
20	5.3	31.3	1.8	13.7	211.6	8.3	21.9
25	3.4	19.9	1.2	8.8	135.4	5.3	14.0
50	0.8	5.0	0.3	2.2	33.9	1.3	3.5
100	0.2	1.2	0.1	0.5	8.5	0.3	0.9

^{1/}At the 68-percent probability level.

^{2/}International 1/4-inch rule.

Jakes, Pamela J.

1980. Minnesota forest statistics, 1977. U.S. Department of Agriculture Forest Service, Resource Bulletin NC-53, 85 p. U.S. Department of Agriculture Forest Service, North Central Forest Experiment Station, St. Paul, Minnesota.

Presents highlights and statistics from the Fourth Minnesota Forest Inventory. Includes detailed tables of forest area, timber volume, net annual growth, timber removals, mortality, and timber products output.

KEY WORDS: forest inventory, forest area, timber volume, timber growth, timber removals.

Jakes, Pamela J.

1980. Minnesota forest statistics, 1977. U.S. Department of Agriculture Forest Service, Resource Bulletin NC-53, 85 p. U.S. Department of Agriculture Forest Service, North Central Forest Experiment Station, St. Paul, Minnesota.

Presents highlights and statistics from the Fourth Minnesota Forest Inventory. Includes detailed tables of forest area, timber volume, net annual growth, timber removals, mortality, and timber products output.

KEY WORDS: forest inventory, forest area, timber volume, timber growth, timber removals.