



United States  
Department of  
Agriculture

Forest  
Service


North Central  
Forest Experiment  
Station

Resource  
Bulletin NC-94



# Wisconsin Forest Statistics, 1983

Gerhard K. Raile



Information contained in this report includes the most commonly used Forest Inventory and Analysis statistics. However, additional forest resource data can be provided to interested users. Persons requesting additional information that can be provided from the raw inventory data are expected to pay for the retrieval costs. These costs will vary depending on the complexity of the request, from less than \$100 for a relatively simple request to \$2,000 for a complex retrieval involving the services of a Forest Inventory and Analysis computer programmer. If requests for data conflict with ongoing Forest Inventory and Analysis work, they will be scheduled so as to minimize the impact on the work unit.

Requests for unpublished information may be directed to:

Burton L. Essex  
Forest Inventory and Analysis Project  
North Central Forest Experiment Station  
1992 Folwell Avenue  
St. Paul, Minnesota 55108  
Phone: (612) 642-5275

Area served: Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota,  
Missouri, Nebraska, North Dakota, South Dakota, Wisconsin.

**North Central Forest Experiment Station  
Forest Service—U.S. Department of Agriculture  
1992 Folwell Avenue  
St. Paul, Minnesota 55108**

**Manuscript approved for publication October 24, 1985**

## FOREWORD

Forest Inventory and Analysis (FIA) is a continuing endeavor as mandated by the Forest and Rangeland Renewable Resources Planning Act of 1974 and the earlier McSweeney-McNary Forest Research Act of 1928. Its objective is to periodically determine the extent, condition, and volume of timber, growth, and depletions of the Nation's forest land. This kind of up-to-date information is essential to frame realistic forest policies and programs. USDA Forest Service regional experiment stations are responsible for conducting these inventories and publishing summary reports for individual states. The North Central Forest Experiment Station covers Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, South Dakota, and Wisconsin.

Fieldwork for the 1983 Wisconsin forest inventory was begun in the summer of 1981 and was completed in late 1983. Reports on the three previous surveys of Wisconsin's timber resource are dated 1936, 1956, and 1968.

Similar Resource Bulletins reporting statistical highlights and detailed tables of the Survey Units in Wisconsin (fig 1.) are available. In addition to these statistical reports, a series of analytical reports will also be published that will analyze the State's timber resource.




Figure 1.—Wisconsin Survey Units.

More accurate survey information was obtained during the 1983 survey than otherwise would have been feasible because of intensified field sampling. Such sampling was made possible by additional funding and manpower provided by the Wisconsin State Legislature through the Department of Natural Resources. Data from the Department's canvass of all primary wood-using plants in the State were used to help estimate the quantity of timber products harvested in Wisconsin.

Aerial photos used in the Forest Inventory were furnished by the Wisconsin Department of Natural Resources, the USDA Agricultural Stabilization and Conservation Service, and the National Forests.

## CONTENTS

	<i>Page</i>
Highlights .....	1
Appendix .....	2
Accuracy of Survey .....	2
Survey Procedures .....	2
Comparing Wisconsin's Fourth Inventory with the Third Inventory	3
Log Grade .....	4
Tree Species Groups in Wisconsin .....	8
Metric Equivalents of Units used in this Report .....	8
Definition of Terms .....	8
Tables .....	13

# Wisconsin Forest Statistics, 1983

Gerhard K. Raile, *Mensurationalist*

## HIGHLIGHTS

### Forest Area

- Forest land accounted for 15.4 million acres (44 percent of the State's land area) in 1983, compared with 14.9 million acres (43 percent) in 1968.
- Commercial forest land occupied 14.8 million acres (96 percent of the forest land) in 1983, compared with 14.5 million acres (97 percent) in 1968.
- Productive-reserved forest land totaled 260,900 acres in 1983, compared with 34,200 acres in 1968. Additions since 1968 include Apostle Islands National Lakeshore, Wild and Scenic Riverways, National Forest Wilderness Areas, state game management areas and state parks.
- Farmers and miscellaneous private individuals owned 9.1 million acres, 62 percent of the commercial forest in 1983.
- The maple-birch (4.0 million acres), aspen (3.3 million acres), and oak-hickory (2.9 million acres) forest types accounted for 69 percent of the commercial forest area.
- Poletimber stands accounted for 42 percent of the commercial forest area, followed by sawtimber stands (32 percent), sapling and seedling stands (25 percent), and nonstocked areas (1 percent).

### Timber Volume

- The volume of growing stock in 1983 was 15.5 billion cubic feet, 39 percent greater than the 11.2 billion in 1968.
- Hardwoods made up 77 percent of the growing-stock volume (11.9 billion cubic feet).
- Average growing-stock volume per acre in 1983 was 1,050 cubic feet compared with 768 cubic feet in 1968.
- Fifty-eight percent of the growing-stock volume was in trees less than 11 inches in diameter at breast height (d.b.h.).

- Sawtimber amounted to 35 billion board feet<sup>1</sup> in 1983.
- Thirty-seven percent of the growing-stock volume was in stands 41 to 60 years old.

### Net Growth

- Net annual growth rate of growing stock was 3.2 percent of inventory. Softwoods grew faster (3.9 percent) than hardwoods (2.9 percent).
- Net annual growth per acre increased from 28.9 cubic feet in 1967 to 33.3 cubic feet in 1982.
- Mortality of growing-stock trees averaged 0.9 percent of inventory in 1982 (136.8 million cubic feet).
- Disease accounted for 23 percent of growing-stock mortality.

### Timber Use

- Timber removals from growing stock totaled 285.0 million cubic feet in 1982: 247.2 million for timber products, 21.4 million for other removals, and 16.4 million for logging residue.
- The aspens made up 34 percent of the 1982 growing-stock removals.
- Output of timber products from roundwood totaled 395.3 million cubic feet in 1981, 42 percent of which was pulpwood.
- Wood residue from primary plants totaled 43.6 million cubic feet in 1981, of which 0.8 million were not used.

### Biomass

- Live shrub biomass yield (including trees less than 1 inch d.b.h.) was highest in the tamarack forest type—8,085 pounds per acre.
- Live tree biomass (trees greater than 1 inch d.b.h.) totaled 993.3 million green tons, nearly half in the boles of growing-stock trees.

<sup>1</sup>International 1/4-inch rule.

## APPENDIX

### ACCURACY OF SURVEY

Forest Inventory and Analysis information is based on a sampling procedure designed to provide reliable statistics at the State and Survey Unit level. Consequently, the reported figures are estimates only. A measure of reliability of these figures is given by sampling errors. These sampling errors mean the chances are two out of three that the true inventory value is within the limits indicated.

For example, the estimated growing-stock volume in Wisconsin in 1983, 15,498.2 million cubic feet, has a sampling error of  $\pm 1.05$  percent ( $\pm 162.7$  million cubic feet). Therefore, the growing-stock volume from a 100-percent inventory, would have a two in three chance of falling between 15,335.5 and 15,660.9 million cubic feet.

The following tabulation shows the sampling errors for the 1983 Wisconsin Inventory:

Item	Sampling	
	State totals (Million cubic feet)	error (Percent)
Growing stock		
Volume	15,498.2	1.05
Growth	491.2	1.68
Removals	285.0	10.09
Sawtimber	(Million board feet)	
Volume	35,035.4	1.59
Growth	1,443.0	2.38
Removals	826.3	11.23
Commercial forest	(Thousand acres)	
Area	14,759.4	0.22

As survey data are broken down into sections smaller than State or Survey Unit totals, the sampling error increases. The smaller the breakdown, the larger the sampling error. For example, the sampling error for growing-stock volume in a particular Unit or county is higher than that for total growing-stock volume in the State (table 75 shows the sampling errors for estimates smaller than State totals).

### SURVEY PROCEDURES

We used a two-phase sampling design for the 1983 Wisconsin survey. This sampling scheme and associated estimators are similar to sampling with partial replacement (SPR) in that a set of randomly located plots was available for remeasurement and a set of new randomly located plots were established and measured. Major enhancements in the new Wisconsin design were stratification for disturbance on the old sample and use of a growth model to improve regression estimates made on the old undisturbed forest plots. The growth model used was the Stand

and Tree Evaluation and Modeling System (STEMS).<sup>2</sup>

The major steps in the new survey design were as follows:

1. The first phase of the survey was to interpret aerial photos. In this phase two sets of random points were located on current aerial photographs. The first was a set of new photo points and the second was a set of relocated old photo points (ground plot locations from the previous inventory). A total of 195,220 1-acre points, including old ground sample locations, were systematically distributed across aerial photos of the entire State, except the National Forests. These points were classified into land classes as shown below to make a preliminary estimate of forest area. Next, 89,420 of these points were stereoclassified as to stand-size class and density. Finally, a total of 15,535 points were examined on the ground to correct the preliminary area estimate for errors in classification and for actual changes in land use since the photos were taken.

Land class	Photo		Inventory
	points classified	stereo- classified	
Forest land	85,183	85,183	6,999
Unproductive/ reserved			
forest land	1,321	1,321	156
Nonforest land	102,312	2,916	7,914
Water	6,404	0	466
Total	195,220	89,420	15,535

2. The second phase of the survey was to sample ground plots. The plot selection and measurement procedures of phase two of the new Wisconsin survey design are outlined in figure 2.

From the new photo points, a random sample of ground plots were established and land use, volume, mortality and cutting were recorded. At each forest ground plot location, variable-radius plots (basal area factor 37.5) were established at 10 points uniformly placed over the sample acre. These locations were monumented for future remeasurement.

On the old inventory photo points (old plot locations), we used a somewhat different procedure. Old plots were either remeasurable (monumented) or

<sup>2</sup>For more information on STEMS, see: Belcher, D. L.; Holdaway, M. R.; Brand, G. J. A description of STEMS: The stand and tree evaluation and modeling system. Gen. Tech. Rep. NC-79. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station; 1981. 18 p.




Figure 2.—Logic structure for the 1983 Wisconsin sample design.

nonremovable (not monumented and thus difficult to relocate). Within both of these groups, old plots were additionally identified as undisturbed or disturbed. The remeasurable old inventory photo points which are classified as forest undisturbed were remeasured on the ground to obtain current land use, volume, growth, and removals data. Additionally, all forest undisturbed remeasurable plots were projected to the current time using STEMS to provide estimates of current volume and growth. The comparison of the projected and observed values on these plots provided regression estimators to adjust the projected values of the undisturbed nonremovable plots. All disturbed remeasurable plots were remeasured on the ground to assess changes since the last inventory.

Disturbance as used here refers to any change on a plot that can be detected on aerial photos and that the STEMS growth processor cannot predict, such as catastrophic mortality, cutting, seedling stands, and land use change.

The nonremovable forest points are those that were not monumented during the 1968 inventory. STEMS updated these old undisturbed plots, producing an estimate of current data. Thus these points became ground plots even though the information was obtained without actually visiting the plot. For points classified as disturbed, a new ground plot was established as close to the old location as possible. This allowed information about land use trends to be recorded even though the old plot could not be exactly relocated for remeasurement.

The estimation procedure for computing statistics from this sampling design was more complicated than the simple two-phase estimation procedure

used in the past. In fact, this procedure yielded two independent samples, one coming from the new photo points and the other from the old photo points that were remeasured or projected. A more detailed description of the sampling design is available in a separate publication.<sup>3</sup>

3. Statistics on timber utilization during 1981 were obtained from mill surveys. The Wisconsin Department of Natural Resources canvassed resident sawmills, veneer mills, and other primary wood-using plants. The North Central Forest Experiment Station canvassed out-of-State sawmills, pulpmills, and veneer mills to determine their use of Wisconsin timber. Fuelwood and fencepost output was based on a sample of public and private landowners to determine their production of fuelwood and fenceposts. Estimates of primary mill residue used for fuelwood were obtained from the canvass of Wisconsin primary wood-using plants.

4. A total of 2,568 felled trees on 133 active logging operations were measured throughout the State during 1981-1982 to develop wood utilization factors for converting timber products output to timber removals for saw logs and pulpwood. Factors for all other products were obtained during the 1966-1967 Wisconsin utilization study.

5. Field data were sent to St. Paul, Minnesota, to be processed and analyzed.

## COMPARING WISCONSIN'S FOURTH INVENTORY WITH THE THIRD INVENTORY

Data from new forest inventories are often compared with data from earlier inventories to determine trends in forest resources. However, changes in procedures and definitions between surveys often make it necessary to adjust earlier survey data so that they are comparable to data from the new survey. A consistency check was made for each Unit to ensure that the changes observed between inventories reflect actual changes in the resource and not changes in definitions or procedures.

Between the 1968 and 1983 inventories of Wisconsin some procedural changes were made in the method of deriving annual mortality estimates, computing volume, and determining forest type.

Mortality figures for the 1968 inventory were based on field estimates from nonremoval plots. Information gathered on remeasurement plots during the current inventory was used to adjust the 1968 mortality figures. This adjustment also

<sup>3</sup>Hahn, J. T.; Hansen, M. H.; Fairweather, S. E. A sampling procedure incorporating a growth simulator. St. Paul, MN: U.S. Department of Agriculture, Forest Service, North Central Forest Experiment Station. (Manuscript in process).

changed the estimate of net growth for the 1968 inventory. Additionally, the old spruce-fir forest type was separated into two distinct types for the new inventory—white spruce and balsam fir. Comparisons with old data may be made by adding the two new types together. The 1968 volumes for hard and soft maple in Northeast Wisconsin were adjusted upward by 17 percent due to the discovery that the volume equations used for these species in 1968 were in error. Ownership class definitions also changed between the two inventories. A new definition of Indian ownership shifted a large area reported in 1968 as forest industry to the Indian ownership class in this report. Also, a change in the definition of farm ownership shifted area reported in 1968 as farmer to the miscellaneous private ownership class in this report.

Except for the net growth and mortality information, volumes of hard and soft maple, and some ownership classes, the old and new inventories of this region may be directly compared.

### Checking for Consistency

A test was made to ensure that it was possible to move from the 1968 resource statistics to the 1983 values by means of Timber Resource Analysis System (TRAS), a USDA Forest Service computer program for updating, backdating, and projecting timber volume, growth, mortality, and removals. Using growth rates, mortality rates, and removals rates for the period between the two surveys, TRAS projected the inventory from 1968 to 1983. The program prints out volumes by diameter class for softwoods and hardwoods for selected years in the period. Thus, any inconsistencies in volume, growth, mortality, and removals were identified and resolved.

TRAS generates an estimate of what total removals had to be for the inventory to have changed as it did between surveys, given the volume, growth,

and mortality data. Estimates of removals for products and for logging residues, two of the three components of total timber removals, were available from an independent utilization study. An estimate of "other" removals (see Definition of Terms in Appendix), the third component of total removals, was made by subtracting the first two removals components from the TRAS-generated total removals estimate. This estimate of "other" removals was compared with findings from remeasurement plots and new plots (stump counts and land use change) to check its validity. Total removals were average annual removals because the estimate of "other" removals was based on a removals trend line from 1968 to 1983.

### LOG GRADE

In Wisconsin the butt log of every sawtimber tree on every full permanent sample plot was graded for quality. Additionally, all of the logs in a smaller sample of trees throughout the State were graded. The volume yield by log grade for each tree in the latter sample was used to distribute the volume of trees in the former sample into log-grade classes. The resulting volumes by log-grade classes were expanded to provide an estimate for the entire State.

Logs were graded on the basis of external characteristics as indicators of quality. Hardwood species were graded according to "Hardwood Log Grades for Standard Lumber."<sup>4</sup> The best 12-foot section of the lowest 16-foot hardwood log, or the best 12-foot upper section if the butt log did not meet minimum log-grade standards, was graded as follows:

---

<sup>4</sup>Vaughn, C. L.; Wollin, C. A.; McDonald, K. A.; Bulgrin, E. H. Hardwood log grades for standard lumber. Res. Pap. FPL-63. Madison, WI: U.S. Department of Agriculture, Forest Service, Forest Products Laboratory; 1966. 52 p.

# Forest Service standard grades for hardwood factory saw logs

Grading factors	Specifications								
	Log grade 1		Log grade 2			Log grade 3			
Position in tree	Butts only	Butts and uppers	Butts and uppers			Butts and uppers		Butts and uppers	
Scaling diameter, inches	13-15	16-19	20+	21+	22+	23+	24+	25+	
Length without trim, feet		10+		10+	8-9	10-11	12+	8+	
	Min. length, feet	7	5	3	3	3	3	2	
Required clear cuttings <sup>3</sup> of each of three best faces <sup>4</sup>	Max. number	2	2	2	2	2	3	No Limit	
	Min. proportion of log length required in clear cutting	5/6	5/6	5/6	2/3	3/4	2/3	2/3	
	For logs with less than one-fourth of end in sound defects		15 percent			30 percent		50 percent	
Maximum sweep and crook allowance	For logs with more than one-fourth of end in sound defects		10 percent	-		20 percent		35 percent	
Maximum scaling deduction		40 percent <sup>5</sup>			50 percent <sup>6</sup>		50 percent		

<sup>1</sup>Ash and basswood butts can be 12 inches if they otherwise meet requirements for small #1's.

<sup>2</sup>Ten-inch logs of all species can be #2 if they otherwise meet requirements for small #1's.

<sup>3</sup>A clear cutting is a portion of a face, extending the width of the face, that is free of defects.

<sup>4</sup>A face is one-fourth of the surface of the log as divided lengthwise.

<sup>5</sup>Otherwise #1 logs with 41-60 percent deductions can be #2.

<sup>6</sup>Otherwise #2 logs with 51-60 percent deductions can be #3.

## Forest Service standard specifications for hardwood construction logs (tie and timber logs)<sup>1</sup>

Position in tree	Butt and upper	
Min. diameter, small end	8 inches +	
Min. length, without trim	8 feet	
Clear cuttings	No requirements.	
Sweep allowance, absolute	One-fourth of the diameter at the small end for each 8 feet of length.	
	Single knots	Any number, if no one knot has an average diameter above the callus in excess of one-third of the log diameter at point of occurrence.
Sound surface defects	Whorled knots	Any number if sum of knot diameters above the callus does not exceed one-third of the log diameter at point of occurrence.
	Holes	Any number provided none has a diameter over one-third of the log diameter at point of occurrence, and none extends more than 3 inches into included timber. <sup>2</sup>
Unsound surface defects		Same requirements as for sound defects if they extend into included timber. <sup>2</sup> No limit if they do not.
	Sound	No requirements.
End defects	Unsound	None allowed; log must be sound internally, but will admit one shake not to exceed one-fourth the scaling diameter and will admit a longitudinal split not extending more than 5 inches into the contained timber.

<sup>1</sup>These specifications are minimum for the class. If, from a group of logs, factory logs are selected first, thus leaving only nonfactory logs from which to select construction logs, then the quality range of the construction logs so selected is limited, and the class may be considered a grade. If selection for construction logs is given first priority, it may be necessary to subdivide the class into grades.

<sup>2</sup>Included timber is always square, and dimension is judged from small end.

Softwood species were graded according to the following specifications on the following page.

## Log Grades for Eastern White Pine

Log grade	Minimum size		Sweep or crook allowance	Total cull allowance including sweep	Maximum weevil injury	Allowable knot size (inches) <sup>2</sup> on three best faces or minimum clearness of four faces
	Diameter	Length <sup>1</sup>				
1	Inches 12 & 13	Feet 8-16	Percent 20	50	Number 0	Four faces clear full length
	14 +	10-16				Two faces clear full length, or four faces clear 50 percent length (6 feet min. length) <sup>3</sup>
2	6 +	8-16	30	50	0	Sound knots i.e. <sup>4</sup> D/6 and less than 3 inches <sup>5</sup> Unsound knots: i.e. 1½ inches and for: butt, lots i.e. D/12 upper logs i.e. D/10 or four faces clear 50 percent of length
3	6 +	8-16	40	50	8-foot logs 1 weevil 10-foot + logs: 2 weevil	Sound knots i.e. D/3 and less than 5 inches. Unsound knots i.e. D/6 and less than 2½ inches.
4	6 +	8-16	50	50	No limit	No limit

<sup>1</sup>Plus trim.

<sup>2</sup>Disregard all knots less than ½-inch diameter in all grades.

<sup>3</sup>The sum of the diameter of sound knots plus twice the sum of the diameter of unsound knots (in inches) is less than or equal to ½ of the diameter of the log (inches).

<sup>4</sup>i.e. means less than or equal to.

<sup>5</sup>D means d.i.b. of log at location of knot.

## LOG GRADES FOR JACK PINE AND RED PINE

*Grade 1:* logs with three or four clear faces.<sup>5</sup>

*Grade 2:* logs with one or two clear faces.

*Grade 3:* logs with no clear faces.

After the tentative log grade is established from above, the log will be degraded one grade for each of the following, except that no log can be degraded below grade 3. Net scale after deduction for defect must be at least 50 percent of the gross contents of the log.

1. *Sweep.* Degrade any tentative 1 or 2 log one grade if sweep amounts to 3 or more inches and equals or exceeds one-third the diameter inside bark at small end.

2. *Heart rot.* Degrade any tentative 1 or 2 log grade if conk, massed hyphae, or other evidence of advance heart rot is found anywhere in it.

<sup>5</sup>A face is one-fourth of the circumference in width extending full length of the log. Clear faces are those free of: knots measuring more than ½ inches in diameter, overgrown knots of any size, and holes more than ¼ inches in diameter. Faces may be rotated to obtain the maximum number of clear ones.

## LOG GRADES FOR ALL OTHER SOFTWOOD LOGS

### Grade 1

1. Logs must be 16 inches in diameter or larger, 10 feet or longer, and with deduction for defect not more than 30 percent of gross scale.

2. Logs must be at least 75 percent clear on each of three faces.

3. All knots outside clear cutting must be sound and not over 2½-inches in size.

### Grade 2

1. Logs must be 12 inches in diameter or larger, 10 feet or longer, and with a net scale after deduction for defect of at least 50 percent of the gross contents of the log.

2. Logs must be at least 50 percent clear on each of three faces or 75 percent clear on two faces.

### Grade 3

1. Lots must be 6 inches in diameter or larger, 8 feet or longer, and with a net scale after deduction for defect or at least 50 percent of the gross contents of the log.

Note: (A) Diameters are diameter inside bark (d.i.b.) at small end of log.  
 (B) Percent clear refers to percent clear in one continuous section.

## TREE SPECIES GROUPS IN WISCONSIN<sup>6</sup>

### SOFTWOODS

Jack pine	<i>Pinus banksiana</i>
Red pine	<i>Pinus resinosa</i>
Eastern white pine	<i>Pinus strobus</i>
White spruce	<i>Picea glauca</i>
Black spruce	<i>Picea mariana</i>
Balsam fir	<i>Abies balsamea</i>
Eastern hemlock	<i>Tsuga canadensis</i>
Tamarack	<i>Larix laricina</i>
Eastern redcedar	<i>Juniperus virginiana</i>
Northern white-cedar	<i>Thuja occidentalis</i>
Other softwoods	
Norway spruce	<i>Picea abies</i>
Scotch pine	<i>Pinus sylvestris</i>

### HARDWOODS

White oaks	
White oak	<i>Quercus alba</i>
Swamp white oak	<i>Quercus bicolor</i>
Bur oak	<i>Quercus macrocarpa</i>
Select red oak	
Northern red oak	<i>Quercus rubra</i>
Other red oaks	
Northern pin oak	<i>Quercus ellipsoidalis</i>
Black oak	<i>Quercus velutina</i>
Select hickory	
Shagbark hickory	<i>Carya ovata</i>
Other hickory	
Pignut hickory	<i>Carya glabra</i>
Bitternut hickory	<i>Carya cordiformis</i>
American basswood	<i>Tilia americana</i>
Beech	<i>Fagus grandifolia</i>
Yellow birch	<i>Betula alleghaniensis</i>
Hard maple	
Sugar maple	<i>Acer saccharum</i>
Black maple	<i>Acer nigrum</i>
Soft maple	
Red maple	<i>Acer rubrum</i>
Silver maple	<i>Acer saccharinum</i>
Elm	
American elm	<i>Ulmus americana</i>
Slippery elm	<i>Ulmus rubra</i>
Rock elm	<i>Ulmus thomasii</i>
Black ash	<i>Fraxinus nigra</i>

<sup>6</sup>The common and scientific names are based on: Little, Elbert L. Checklist of native and naturalized trees of the United States. Agric. Handb. 541. Washington, D.C.: U.S. Department of Agriculture, Forest Service; 1979. 375 p.

### White and green ash

White ash	<i>Fraxinus americana</i>
Green ash	<i>Fraxinus pennsylvanica</i>
Eastern cottonwood	<i>Populus deltoides</i>
Black willow	<i>Salix nigra</i>
Hackberry	<i>Celtis occidentalis</i>
Balsam poplar	<i>Populus balsamifera</i>
Bigtooth aspen	<i>Populus grandidentata</i>
Quaking aspen	<i>Populus tremuloides</i>
Paper birch	<i>Betula papyrifera</i>
River birch	<i>Betula nigra</i>
Black cherry	<i>Prunus serotina</i>
Black walnut	<i>Juglans nigra</i>
Butternut	<i>Juglans cinerea</i>
Other hardwoods	
Boxelder	<i>Acer negundo</i>
Black locust	<i>Robinia pseudoacacia</i>
Honeylocust	<i>Gleditsia triacanthos</i>
Red mulberry	<i>Morus rubra</i>
Northern catalpa	<i>Catalpa speciosa</i>
Noncommercial species	
Mountain maple	<i>Acer spicatum</i>
Eastern hop hornbeam	<i>Ostrya virginiana</i>
Peachleaf willow	<i>Salix amygdaloides</i>
American hornbeam	<i>Carpinus caroliniana</i>
Hawthorn	<i>Crataegus</i> spp.
Striped maple	<i>Acer pensylvanicum</i>
Mountain-ash	<i>Sorbus</i> spp.
Pin cherry	<i>Prunus pensylvanica</i>
Chokecherry	<i>Prunus virginiana</i>

## METRIC EQUIVALENTS OF UNITS USED IN THIS REPORT

1 acre = 4,046.86 square meters or 0.405 hectare.
1,000 acres = 405 hectares.
1 cubic foot = 0.0283 cubic meter.
1 foot = 30.48 centimeters or 0.3048 meter.
1 inch = 25.4 millimeters, 2.54 centimeters, or 0.0254 meter.
1 pound = 0.454 kilograms.
1 ton = 0.907 metric tons.

## DEFINITION OF TERMS

**Acceptable trees.**—Growing-stock trees of commercial species that meet specified standards of size, quality, and merchantability.

**Basal area.**—The area in square feet of the cross section at breast height of a single tree. When the basal areas of all live trees in a stand are summed, the result is usually expressed as square feet of basal area per acre.

**Biomass.**—The total above-ground weight, excluding foliage, of all live trees reported in green tons. Biomass is made up of 4 components:

**Stumps.**—Biomass of a tree from ground level to a height of 1-foot.

**Boles.**—Biomass of a tree from the stump to a 4-inch top.

**Tops and limbs.**—Biomass of a tree above a 4-inch top and all limbs.

**1- to 5-inch trees.**—Above ground biomass of all live trees 1- to 5-inches in diameter at breast height.

**Commercial forest land.**—Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization. (Note: Areas qualifying as commercial forest land have the capability of producing in excess of 20 cubic feet per acre per year of annual growth under management. Currently inaccessible and inoperable areas are included, except when the areas involved are small and unlikely to become suitable for production of industrial wood in the foreseeable future.)

**Commercial species.**—Tree species presently or prospectively suitable for industrial wood products. (Note: Excludes species of typically small size, poor form, or inferior quality such as hophornbeam and hawthorn.)

**County and municipal land.**—Lands owned by counties and local public agencies or municipalities, or lands leased to these governmental units for 50 years or more.

**Cropland.**—Land under cultivation within the past 24 months; including cropland harvested, crop failures, cultivated summer fallow, idle cropland used only for pasture, orchards, and land in soil improvement crops, but excluding land cultivated in developing improved pasture.

**Cull.**—Portions of a tree that are unusable for industrial wood products, because of rot, form, or other defect.

**Diameter classes.**—A classification of trees based on diameter outside bark, measured at breast height (4.5 feet above the ground). (Note: d.b.h. is the common abbreviation for diameter at breast height. Two-inch diameter classes are commonly used in Forest Survey, with the even inch the approximate midpoint for a class. For example, the 6-inch class includes trees 5.0 through 6.9 inches d.b.h. inclusive.)

**Farm.**—Any place from which \$1,000 or more of agricultural products were produced and sold during the year.

**Farmer-owned land.**—Land owned by farm operators. (Note: Excludes land leased by farm operators from nonfarm owners, such as railroad companies and States.)

**Forest industry land.**—Land owned by companies or individuals operating primary wood-using plants.

**Forest land.**—Land at least 16.7 percent stocked by forest trees of any size, or formerly having had such tree cover, and not currently developed for nonforest use. (Note: Stocking is measured by comparison of basal area and/or number of trees, by age or size and spacing with specified standards.) The minimum area for classification of forest land is 1 acre. Roadside, streamside, and shelterbelt strips of timber must have a crown width of at least 120 feet to qualify as forest land. Unimproved roads and trails, streams, or other bodies of water or clearings in forest areas shall be classed as forest if less than 120 feet wide. Also see definitions for land area, commercial forest land, noncommercial forest land, productive-reserved forest land, stocking, unproductive forest land, and water.

**Forest trees.**—Woody plants having a well-developed stem and usually more than 12 feet in height at maturity.

**Forest type.**—A classification of forest land based upon the species forming a plurality of live tree stocking. Major forest types in Wisconsin are:

**Jack pine.**—Forests in which jack pine comprises a plurality of the stocking. (Common associates include eastern white pine, red pine, aspen, birch, and oak.)

**Red pine.**—Forests in which red pine comprises a plurality of the stocking. (Common associates include eastern white pine, jack pine, aspen, birch, and oak.)

**White pine.**—Forests in which eastern white pine comprises a plurality of the stocking. (Common associates include red pine, jack pine, aspen, birch, and maple.)

**Balsam fir.**—Forests in which balsam fir and white spruce comprise a plurality of stocking with balsam fir the most common. (Common associates include aspen, maple, birch, northern white-cedar, and tamarack.)

**White spruce.**—Forests in which white spruce and balsam fir comprise a plurality of the stocking with white spruce the most common. (Common associates include aspen, maple, birch, northern white-cedar, and tamarack.)

**Black spruce.**—Forests in which swamp conifers comprise a plurality of the stocking with black spruce the most common. (Common associates include balsam fir, tamarack, and northern white-cedar.)

**Northern white-cedar.**—Forests in which swamp conifers comprise a plurality of the stocking with northern white-cedar the most common. (Common associates include balsam fir, tamarack, and black spruce.)

**Tamarack.**—Forests in which swamp conifers comprise a plurality of the stocking with tamarack the most common. (Common associates include black spruce, balsam fir, and northern white-cedar.)

**Oak-hickory.**—Forests in which northern red oak, white oak, bur oak, or hickories, singly or in combination, comprise a plurality of the stocking. (Common associates include jack pine, elm, and maple.)

**Elm-ash-soft maple.**—Forests in which lowland elm, ash, cottonwood, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include birch, aspen, and balsam fir.)

**Maple-birch.**—Forests in which sugar maple, basswood, yellow birch, upland American elm, and red maple, singly or in combination, comprise a plurality of the stocking. (Common associates include white pine, elm, hemlock, and basswood.)

**Aspen.**—Forests in which quaking aspen or big-tooth aspen, singly or in combination, comprise a plurality of the stocking. (Common associates include oak, pines, balsam fir, and paper birch.)

**Paper birch.**—Forests in which paper birch comprises a plurality of the stocking. (Common associates include maple, aspen, and balsam fir.)

**Exotic.**—Forests in which species not native to Wisconsin comprise a plurality of the stocking. (Mostly Scotch pine plantations.)

**Gross area.**—The entire area of land and water as determined by the Bureau of the Census, 1980.

**Growing-stock trees.**—Live trees of commercial species qualifying as acceptable trees. (Note: Excludes rough, rotten, and dead trees.)

**Growing-stock volume.**—Net volume in cubic feet of growing-stock trees 5 inches d.b.h. and over, from a 1-foot stump to a minimum 4-inch top diameter outside bark of the central stem or to the point where the central stem breaks into limbs. Cubic feet can be converted to cords by dividing by 79 cubic feet per solid wood cord.

**Hardwoods.**—Dicotyledonous trees, usually broad-leaved and deciduous.

**Idle farmland.**—Includes former croplands, orchards, improved pastures, and farm sites not tended within the past 2 years and presently less than 16.7 percent stocked with trees.

**Improved pasture.**—Land currently improved for grazing, by cultivation, seeding, irrigation, or clearing of trees or brush and less than 16.7 percent stocked with trees.

**Indian land.**—All lands held in trust by the United States for individual Indians or tribes, or all lands, titles to which are held by individual Indians or tribes, subject to Federal restrictions against alienation.

**Land area.**—A. *Bureau of the Census*. The area of dry land and land temporarily or partly covered by

water, such as marshes, swamps, and river flood plains (omitting tidal flats below mean high tide); streams, sloughs, estuaries, and canals less than one-eighth of a statute mile wide; and lakes, reservoirs, and ponds less than 40 acres in area.

**B. Forest Inventory and Analysis.** The same as the Bureau of the Census, except minimum width of streams, etc. is 120 feet and minimum size of lakes, etc. is 1 acre.

**Live trees.**—Growing-stock, rough and rotten trees 1 inch d.b.h. and larger.

**Log grades.**—A classification of logs based on external characteristics as indicators of quality or value. (See Appendix for specific grading factors used.)

**Logging residues.**—The unused portions of growing-stock trees cut or killed by logging.

**Maintained road.**—Any road, hard-topped or other surfaces, that is plowed or graded at least once a year. Includes rights-of-way that are cut or treated to limit herbaceous growth.

**Marsh.**—Nonforest land that characteristically supports low, generally herbaceous or shrubby vegetation and that is intermittently covered with water.

**Merchantable.**—Refers to a pulpwood or saw log section that meets pulpwood or saw log specifications, respectively.

**Miscellaneous federal land.**—Federal land other than National Forest.

**Miscellaneous private land.**—Privately owned land other than forest-industry and farmer-owned land.

**Mortality.**—The volume of sound wood in growing-stock and sawtimber trees that die annually.

**National Forest land.**—Federal lands that have been legally designated as National Forest or purchase units, and other land under the administration of the USDA Forest Service.

**Net annual growth of growing stock.**—The annual change in volume of sound wood in live sawtimber and poletimber trees and the total volume of trees entering these classes through ingrowth, less volume losses resulting from natural causes.

**Net annual growth of sawtimber.**—The annual change in the volume of live sawtimber trees and the total volume of trees reaching sawtimber size, less volume losses resulting from natural causes.

**Net volume.**—Gross volume less deductions for rot, sweep, or other defect affecting use for timber products.

**Noncommercial forest land.**—(a) Unproductive forest land and (b) productive-reserved forest land.

**Noncommercial species.**—Tree species of typically small size, poor form, or inferior quality which normally do not develop into trees suitable for industrial wood products.

**Nonforest land.**—Land that has never supported forests, and land formerly forested where use for timber management is precluded by development for other uses. (Note: Includes areas used for crops, improved pasture, residential areas, city parks, improved roads of any width and adjoining clearings, powerline clearings of any width, and 1- to 40-acre areas of water classified by the Bureau of the Census as land. If intermingled in forest areas, unimproved roads and nonforest strips must be more than 120 feet wide and more than 1 acre in area, to qualify as nonforest land.)

a. *Nonforest land without trees.*—Nonforest land with no live trees present.

b. *Nonforest land with trees.*—Nonforest land with one or more trees per acre at least 5 inches d.b.h.

**Nonstocked land.**—Commercial forest land less than 16.7 percent stocked with growing-stock trees.

**Other removals.**—Growing-stock trees removed but not utilized for products, or trees left standing but “removed” from the commercial forest land classification by land use change. Examples are removals from cultural operations such as timber stand improvement work, land clearing, and changes in land use.

**Ownership.**—Property owned by one owner, regardless of the number of parcels in a specified area.

**Ownership size class.**—The amount of commercial forest land owned by one owner, regardless of the number of parcels.

**Owner tenure.**—The length of time a property has been held by the owner.

**Pasture and range.**—Land which is currently improved for grazing by cultivation seeding or irrigation plus land on which the natural plant cover is composed principally of native grasses, forbs, or shrubs valuable for forage.

**Physiographic class.**—A measure of soil and water conditions that affect tree growth on a site. The physiographic classes are:

*Xeric sites.*—Very dry soils where excessive drainage seriously limits both growth and species occurrence. Example: sandy jack pine plains.

*Xeromesic sites.*—Moderately dry soils where excessive drainage limits growth and species occurrence to some extent. Example: dry oak ridge.

*Mesic sites.*—Deep, well-drained soils. Growth and species occurrence are limited only by climate.

*Hydromesic sites.*—Moderately wet soils where insufficient drainage or infrequent flooding limits growth and species occurrence to some extent. Example: better drained bottomland hardwood sites.

*Hydric sites.*—Very wet sites where excess water seriously limits both growth and species occurrence. Example: wet, frequently flooded river bottoms and spruce bogs.

**Plant byproducts.**—Plant residues used for products such as mulch, pulp chips, and fuelwood.

**Plant residues.**—Wood and bark materials generated at manufacturing plants during production of other products.

**Poletimber stands.**—(See stand-size class.)

**Poletimber trees.**—Growing-stock trees of commercial species at least 5 inches d.b.h., but smaller than sawtimber size.

**Productive-deferred.**—Forest land sufficiently productive to qualify as commercial forest land but presently withdrawn from timber utilization because it is being considered for possible inclusion into the Wilderness system.

**Productive-reserved forest land.**—Forest land sufficiently productive to qualify as commercial forest land but withdrawn from timber utilization through statute, administrative regulation, designation, or exclusive use for Christmas tree production, as indicated by annual shearing.

**Rotten trees.**—Live trees of commercial species that do not contain at least one 12-foot saw log or two saw logs 8 feet or longer, now or prospectively, and/or do not meet Regional specifications for freedom from defect primarily because of rot; that is, when more than 50 percent of the cull volume in a tree is rotten.

**Rough trees.**—(a) Live trees of commercial species that do not contain at least one merchantable 12-foot saw log or two saw logs 8 feet or longer, now or prospectively, and/or do not meet Regional specifications for freedom from defect primarily because of roughness or poor form, and (b) all live trees of noncommercial species.

**Roundwood products.**—Logs, bolts, or other round sections (including chips from roundwood) cut from trees for industrial or consumer uses. (Note: Includes saw logs, veneer logs and bolts; cooperage logs and bolts; pulpwood; fuelwood; piling; poles; posts; hewn ties; mine timbers; and various other round, split, or hewn products.)

**Salvable dead trees.**—Standing or down dead trees that are considered merchantable by Regional standards.

**Saplings.**—Live trees 1 to 5 inches d.b.h.

**Sapling-seedling stands.**—(See stand-size class.)

**Saw log.**—A log meeting minimum standards of diameter, length, and defect, including logs at least 8 feet long, sound and straight and with a minimum diameter outside bark (d.o.b.) for softwoods of 7 inches (9 inches for hardwoods) or other combinations of size and defect specified by Regional standards.

**Saw log portion.**—That part of the bole of sawtimber trees between the stump and the saw log top.

**Saw log top.**—The point on the bole of sawtimber trees above which a saw log cannot be produced. The minimum saw log top is 7 inches d.o.b. for softwoods and 9 inches d.o.b. for hardwoods.

**Sawtimber stands.**—(See stand-size class.)

**Sawtimber trees.**—Growing-stock trees of commercial species containing at least a 12-foot saw log or two noncontiguous saw logs 8 feet or longer, and meeting Regional specifications for freedom from defect. Softwoods must be at least 9 inches d.b.h. Hardwoods must be at least 11 inches d.b.h.

**Sawtimber volume.**—Net volume of the saw log portion of live sawtimber in board feet, International 1/4-inch rule, from stump to a minimum 7 inches top diameter outside bark (d.o.b.) for softwoods and a minimum 9 inches top d.o.b. for hardwoods.

**Seedlings.**—Live trees less than 1 inch d.b.h. that are expected to survive. Only softwood seedlings more than 6 inches tall and hardwood seedlings more than 1 foot tall are counted.

**Short-log (rough tree).**—Sawtimber-size trees of commercial species that contain at least one merchantable 8- to 11-foot saw log but not a 12-foot saw log.

**Shrub.**—A woody, perennial plant differing from a perennial herb in its persistent and woody stem(s), and less definitely from a tree in its lower stature and/or the general absence of a well-defined main stem. For this report shrubs were separated somewhat arbitrarily into tall and low shrubs as follows:

*Tall shrubs.*—Shrubs normally taller than 1.6 to 3.2 feet (0.5 to 1.0 meter).

*Low shrubs.*—Shrubs normally shorter than 1.6 to 3.2 feet (0.5 to 1.0 meter). (Woody perennial vines, such as grape, were included with low shrubs.)

**Shrub biomass.**—The total above-ground weight (including the bark) of selected species of shrubs and trees less than 1 inch d.b.h.

**Site class.**—A classification of forest land in terms of inherent capacity to grow crops of industrial wood based on fully stocked natural stands.

**Site index.**—An expression of forest site quality based on the height of a free-growing dominant or codominant tree of a representative species in the forest type at age 50.

**Softwoods.**—Coniferous trees, usually evergreen, having needles or scale-like leaves.

**Stand.**—A growth of trees on a minimum of 1 acre of forest land that is stocked by forest trees of any size.

**Stand-age class.**—Age of the main stand. Main stand refers to trees of the dominant forest type and stand-size class.

**Stand-area class.**—The extent of a continuous forested area of the same forest type, stand-size class, and stand-density class.

**Stand-size class.**—A classification of forest land based on the size class of growing-stock trees on the area; that is, sawtimber, poletimber or seedlings and saplings.

**Sawtimber stands.**—Stands at least 16.7 percent stocked with growing-stock trees, with half or more of total stocking in sawtimber or poletimber trees, and with sawtimber stocking at least equal to poletimber stocking.

**Poletimber stands.**—Stands at least 16.7 percent stocked with growing-stock trees of which half or more of this stocking is in poletimber and/or sawtimber trees, and with poletimber stocking exceeding that of sawtimber.

**Sapling-seedling stands.**—Stands at least 16.7 percent stocked with growing-stock trees of which more than half of the stocking is saplings and/or seedlings.

**Nonstocked stands.**—Stands in which stocking of growing-stock trees is less than 16.7 percent.

**State land.**—Land owned by States, or land leased to these governmental units for 50 years or more.

**Stocking.**—The degree of occupancy of land by trees, measured by basal area and/or the number of trees in a stand by size or age and spacing, compared to the basal area and/or number of trees required to fully utilize the growth potential of the land; that is, the stocking standard.

A stocking percent of 100 indicates full utilization of the site and is equivalent to 80 square feet of basal area per acre in trees 5 inches d.b.h. and larger. In a stand of trees less than 5 inches d.b.h., a stocking per cent of 100 would indicate that the present number of trees is sufficient to produce 80 square feet of basal area per acre when the trees reach 5 inches d.b.h.

Stands are grouped into the following stocking classes:

**Overstocked stands.**—Stands in which stocking of trees is 134.0 percent or more.

**Fully stocked stands.**—Stands in which stocking of trees is from 101.0 to 133.9 percent.

**Medium stocked stands.**—Stands in which stocking of trees is from 61.0 to 100.9 percent.

**Poorly stocked stands.**—Stands in which stocking of trees is from 16.7 to 60.9 percent.

**Nonstocked areas.**—Commercial forest land on which stocking of trees is less than 16.7 percent.

**Timber removals from growing stock.**—The volume of sound wood in live sawtimber and poletimber trees removed annually for forest products (including roundwood products and logging residues) and for other removals. Roundwood products are logs, bolts, or other round sections cut from trees. Logging residues are the unused portions of cut trees plus unused trees killed by logging. Other removals are growing-stock trees removed by cultural operations such as timber stand improvement work, and by land clearing and changes in land use.

**Timber removals from sawtimber.**—The net board-foot volume of live sawtimber trees removed

for forest products annually (including roundwood products and logging residues) and for other removals.

**Timber products output.**—All timber products cut from roundwood and byproducts of wood manufacturing plants. Roundwood products include logs, bolts, or other round sections cut from growing-stock trees, cull trees, salvable dead trees, trees on nonforest land, noncommercial species, sapling-size trees, and limbwood. Byproducts from primary manufacturing plants include slabs, edging, trimmings, miscuts, sawdust, shavings, veneer cores and clippings, and screenings of pulpmills that are used as pulpwood chips or other products.

**Tree biomass.**—The total aboveground weight (including the bark) of all live trees.

**Tree size class.**—A classification of trees based on diameter at breast height, including sawtimber trees, poletimber trees, saplings, and seedlings.

**Unproductive forest land**—Forest land incapable of producing 20 cubic feet per acre of annual growth or of yielding crops of industrial wood under natural conditions because of adverse site conditions. (Note: Adverse conditions include shallow soils, dry climate, poor drainage, high elevation, steepness, and rockiness.)

**Upper stem portion.**—That part of the bole of sawtimber trees above the saw log top to a minimum

top diameter of 4 inches outside bark or to the point where the central stem breaks into limbs.

**Urban and other areas.**—Areas within the legal boundaries of cities and towns; suburban areas developed for residential, industrial, or recreational purposes; schoolyards, cemeteries, roads; railroads; airports; beaches; powerlines; and other rights-of-way; or other nonforest land not included in any other specified land use class.

**Water.**—(a) *Bureau of the Census*.—Permanent inland water surfaces, such as lakes, reservoirs, and ponds having 40 acres or more of area; streams, sloughs, estuaries, and canals one-eighth of a statute mile or more in width.

(b) *Noncensus*.—Permanent inland water surfaces, such as lakes, reservoirs, and ponds having 1-39.9 acres of area; streams, sloughs, estuaries, and canals 120 feet to one-eighth of a statute mile in width.

**Wooded pasture.**—Improved pasture with more than 16.7 percent stocking in live trees but less than 25 percent stocking in growing-stock trees. Area is currently improved for grazing or there is other evidence of grazing.

**Wooded strip.**—An acre or more of natural continuous forest land that would otherwise meet survey standards for commercial forest land except that it is less than 120 feet wide.

## TABLES

### AREA

Table 1.—Area of land by land class, 1968 and 1983

Table 2.—Area of land by land use class and Forest Survey Unit

Table 3.—Area of commercial forest land by ownership class and Forest Survey Unit

Table 4.—Area of land and forest land by county and Forest Survey Unit

Table 5.—Area of commercial forest land by ownership class and site class

Table 6.—Area of commercial forest land by ownership class and stand-volume class

Table 7.—Area of privately owned commercial forest land by ownership class, owner tenure, and size of holding

Table 8.—Area of commercial forest land by forest type, stand-size class, and ownership class

Table 9.—Area of commercial forest land by forest type and Forest Survey Unit

Table 10.—Area of commercial forest land by county, stand-size class, and Forest Survey Unit

Table 11.—Area of commercial forest land by forest type, stand-size class, and site class

Table 12.—Area of commercial forest land by forest type and stand-age class

Table 13.—Area of commercial forest land by forest type, site-index class, and Forest Survey Unit

Table 14.—Area of commercial forest land by forest type, stand-size class, and basal-area class

Table 15.—Area of commercial forest land by stocking class of growing-stock trees and stand-size class

Table 16.—Area of commercial forest land by stocking class based on selected stand components by Forest Survey Unit

Table 17.—Area of noncommercial forest land by ownership class

Table 18.—Area of noncommercial forest land by forest type

Table 19.—Area of nonforest land with trees by forest type and land use

### NUMBER OF TREES

Table 20.—Number of all live trees on commercial forest land by species group and diameter class

Table 21.—Number of growing-stock trees on commercial forest land by species group and diameter class

## VOLUME

- Table 22.—Net volume of growing stock on commercial forest land by species, 1968 and 1983
- Table 23. Net volume of all live trees on commercial forest land by species group and diameter class
- Table 24.—Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods
- Table 25.—Net volume of growing-stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species
- Table 26.—Net volume of noncommercial species on commercial forest land by individual species
- Table 27.—Net volume of growing stock on commercial forest land by species group and Forest Survey Unit
- Table 28.—Net volume of sawtimber on commercial forest land by species group and Forest Survey Unit
- Table 29.—Net volume of growing stock on commercial forest land by species group and diameter class
- Table 30.—Net volume of sawtimber on commercial forest land by species group and diameter class
- Table 31.—Net volume of growing stock on commercial forest land by species group and forest type
- Table 32.—Net volume of sawtimber on commercial forest land by species group and forest type
- Table 33.—Net volume of growing stock on commercial forest land by species group and ownership class
- Table 34.—Net volume of sawtimber on commercial forest land by species group and ownership class
- Table 35.—Net volume of growing stock on commercial forest land by forest type and stand-age class
- Table 36.—Net volume of sawtimber on commercial forest land by forest type and stand-age class
- Table 37.—Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 38.—Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class
- Table 39.—Net volume of sawtimber on commercial forest land by species group, diameter class, and log grade

- Table 40.—Net volume of short-log trees on commercial forest land by species group and diameter class
- Table 41.—Net volume of short-log trees on commercial forest land by species group and diameter class

## GROWTH

- Table 42.—Net annual growth of growing stock on commercial forest land by softwoods and hardwoods, 1967 and 1982
- Table 43.—Net annual growth of growing stock on commercial forest land by species group and Forest Survey Unit
- Table 44.—Net annual growth of sawtimber on commercial forest land by species group and Forest Survey Unit
- Table 45.—Net annual growth of growing stock on commercial forest land by species group and ownership class
- Table 46.—Net annual growth of sawtimber on commercial forest land by species group and ownership class
- Table 47.—Net annual growth of growing stock on commercial forest land by species group and forest type
- Table 48.—Net annual growth of sawtimber on commercial forest land by species group and forest type
- Table 49.—Net annual growth of growing stock on commercial forest land by forest type and stand-age class
- Table 50.—Net annual growth of sawtimber on commercial forest land by forest type and stand-age class
- Table 51.—Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class
- Table 52.—Net annual growth of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class

## REMOVALS

- Table 53.—Timber removals from growing-stock on commercial forest land by species group and Forest Survey Unit
- Table 54.—Timber removals from sawtimber on commercial forest land by species group and Forest Survey Unit
- Table 55.—Average annual timber removals from growing stock on commercial forest land by species group and county, 1968-1982
- Table 56.—Average annual timber removals from sawtimber on commercial forest land by species group and county, 1968-1982

Table 57.—Timber removals from growing stock and sawtimber on commercial forest land by species group, 1967 and 1982

Table 58.—Timber removals from growing stock and sawtimber on commercial forest land by item and species category

Table 59.—Net annual growth and removals of growing stock and sawtimber on commercial forest land by species group

Table 60.—Net annual growth and removals of growing stock on commercial forest land by ownership class and softwoods and hardwoods

Table 61.—Net annual growth and removals of sawtimber on commercial forest land by ownership class and softwoods and hardwoods

## MORTALITY

Table 62.—Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, 1967 and 1982

Table 63.—Annual mortality of growing stock on commercial forest land by species group and cause of death

Table 64.—Annual mortality of sawtimber on commercial forest land by species group and cause of death

Table 65.—Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods

## UTILIZATION

Table 66.—Output of timber products by product, softwoods and hardwoods, and source of material

Table 67.—Output of roundwood products by product, softwoods and hardwoods, and source of material

Table 68.—Timber products from roundwood by species group and product

Table 69.—Volume of primary plant residue by use and type of residue

## BIOMASS

Table 70.—All live shrub biomass yields on commercial forest land by shrub species group and forest type

Table 71.—All live tree biomass yields on commercial forest land by species group and forest type

Table 72.—All live tree biomass on commercial forest land by species group and forest type

Table 73.—All live tree biomass by species group and tree biomass component in green tons

Table 74.—All live tree biomass by species group and tree biomass component in cubic feet

## SAMPLING ERROR

Table 75.—Sampling errors for estimates smaller than the Unit totals of volume, net growth, removals, and area of commercial forest land

Table 1.--Area of land by land class, Wisconsin, 1968 and 1983

(In thousand acres)

Land class	1968	1983
<b>Forest land</b>		
Commercial forest land		
Jack pine	727.6	546.5
Red pine	310.2	478.2
White pine	177.6	225.6
Balsam fir	552.8	419.4
White spruce	75.2	61.4
Black spruce	235.9	273.0
Northern white-cedar	302.4	370.7
Tamarack	222.2	222.7
Oak-hickory	2,664.9	2,858.7
Elm-ash-soft maple	1,157.6	1,240.6
Maple-birch	3,521.6	3,996.9
Aspen	3,664.6	3,261.5
Paper birch	554.4	641.6
Exotic	--	2.2
Nonstocked	369.8	160.4
Subtotal	<u>14,536.8</u>	<u>14,759.4</u>
Noncommercial forest land		
Unproductive	374.4	331.0
Productive-reserved	34.2	260.9
Subtotal	<u>408.6</u>	<u>591.9</u>
<b>Total</b>	<b>14,945.4</b>	<b>15,351.3</b>
<b>Nonforest land</b>		
Cropland	12,043.3	12,712.4
Pasture and range	1,845.1	2,128.7
Other	6,024.7	4,640.4
<b>Total</b>	<b>19,913.1</b>	<b>19,481.5</b>
<b>Total land</b>	<b>34,858.5</b>	<b>34,832.8</b>
<b>Water (Bureau of the Census)</b>	<b>1,080.1<sup>1/</sup></b>	<b>1,115.6<sup>2/</sup></b>
<b>Total land and water</b>	<b>35,938.6<sup>1/</sup></b>	<b>35,948.4<sup>2/</sup></b>

<sup>1/</sup>U.S. Department of Commerce, Bureau of Census, 1960.<sup>2/</sup>U.S. Department of Commerce, Bureau of Census, 1980.

Table 2.--Area of land by land use class and Forest Survey Unit, Wisconsin, 1983  
(In thousand acres)

Land use class	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
Forest land						
Commercial forest	14,759.4	3,828.5	5,150.8	2,950.9	1,920.0	909.2
Unproductive forest	331.0	140.8	165.8	21.5	--	2.9
Productive reserved	260.9	52.0	114.6	30.1	38.8	25.4
Total	15,351.3	4,021.3	5,431.2	3,002.5	1,958.8	937.5
Nonforest land						
Nonforest with trees						
Cropland with trees	54.1	3.9	12.6	9.9	7.4	20.3
Improved pasture with trees	322.3	34.7	60.1	99.4	115.9	12.2
Wooded strips	45.0	5.8	8.1	20.9	10.2	--
Idle farmland with trees	110.5	21.5	16.0	60.5	12.5	--
Marsh with trees	312.6	40.1	90.6	149.4	12.7	19.8
Urban and other with trees	244.3	56.4	56.9	69.1	8.7	53.2
Windbreaks	40.8	5.0	10.6	2.6	12.2	10.4
Wooded pasture	112.1	--	30.3	32.0	47.4	2.4
Subtotal	1,241.7	167.4	285.2	443.8	227.0	118.3
Nonforest without trees						
Cropland without trees	12,658.3	744.7	1,259.7	2,431.1	2,895.2	5,327.6
Improved pasture without trees	1,694.3	174.6	255.0	407.3	549.2	308.2
Idle farm without trees	195.2	55.8	14.6	60.3	20.5	44.0
Marsh without trees	1,206.0	215.2	374.2	259.6	55.1	301.9
Other farm-farmstead	364.2	36.4	23.2	88.8	66.0	149.8
Urban and other	2,028.7	244.9	269.2	449.4	372.1	693.1
Noncensus water	93.1	39.9	13.1	27.4	6.6	6.1
Subtotal	18,239.8	1,511.5	2,209.0	3,723.9	3,964.7	6,830.7
Total	19,481.5	1,678.9	2,494.2	4,167.7	4,191.7	6,949.0
Total land	34,832.8	5,700.2	7,925.4	7,170.2	6,150.5	7,886.5
Water (Bureau of the Census) <sup>1/</sup>	1,115.6	262.8	290.3	114.6	136.6	311.3
Total land and water <sup>1/</sup>	35,948.4	5,963.0	8,215.7	7,284.8	6,287.1	8,197.8

Table 3.--Area of commercial forest land by ownership class and Forest Survey Unit, Wisconsin, 1983  
(In thousand acres)

Ownership class	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
National Forest	1,242.3	548.8	693.5	--	--	--
Miscellaneous federal	176.2	3.9	7.3	130.6	29.8	4.6
State	569.4	193.7	176.8	96.6	34.8	67.5
County and municipal	2,179.8	646.9	1,109.8	399.3	10.9	12.9
Indian	353.7	254.5	94.6	4.6	--	--
Forest industry	1,156.0	485.3	529.2	126.0	--	15.5
Farmer	3,513.7	381.6	450.2	996.7	1,255.9	429.3
Misc. private-corp.	665.9	163.1	224.0	129.5	92.8	56.5
Misc. private-indiv.	4,902.4	1,150.7	1,865.4	1,067.6	495.8	322.9
All owners	14,759.4	3,828.5	5,150.8	2,950.9	1,920.0	909.2

Table 4.--Area of land and forest land by county, Wisconsin, 1983

## NORTHEAST UNIT

County	All land <sup>1/</sup>	Forest Land <sup>2/</sup>			Commercial forest as a percent of land area	All forest as a percent of land area	Sampling error for commercial forest land (percent)
		All forest	Noncommercial <sup>3/</sup>	Commercial <sup>4/</sup>			
Florence	310.8	254.2	10.2	244.0	79	82	1.74
Forest	647.1	543.9	51.2	492.7	76	84	1.22
Langlade	559.0	391.7	17.2	374.5	67	70	1.40
Lincoln	567.1	411.2	17.4	393.8	69	73	1.37
Menominee	229.7	213.1	--	213.1	93	93	1.86
Marinette	893.1	661.0	21.3	639.7	72	74	1.07
Oconto	641.4	357.4	10.3	347.1	54	56	1.46
Oneida	723.2	531.1	34.0	497.1	69	73	1.22
Shawano	574.0	259.2	4.0	255.2	45	45	1.70
Vilas	554.8	398.5	27.2	371.3	67	72	1.41
All counties	5,700.2	4,021.3	192.8	3,828.5	67	71	0.44
NORTHWEST UNIT							
Ashland	670.9	569.1	65.3	503.8	75	85	1.16
Barron	553.4	165.7	7.0	158.7	29	30	2.07
Bayfield	935.8	780.1	39.6	740.5	79	83	0.96
Burnett	523.3	335.9	18.8	317.1	61	64	1.46
Douglas	835.5	640.3	12.4	627.9	75	77	1.04
Iron	481.0	400.1	22.2	377.9	79	83	1.34
Polk	588.4	230.0	9.2	220.8	38	39	1.75
Price	803.8	598.4	47.6	550.8	69	74	1.11
Rusk	584.4	373.2	10.1	363.1	62	64	1.37
Sawyer	803.3	638.9	31.2	607.7	76	80	1.06
Taylor	624.2	368.0	13.6	354.4	57	59	1.38
Washburn	521.4	331.5	3.4	328.1	63	64	1.44
All counties	7,925.4	5,431.2	280.4	5,150.8	65	69	0.36
CENTRAL UNIT							
Adams	414.7	236.7	2.4	234.3	57	57	1.24
Chippewa	650.9	232.4	6.7	225.7	35	36	1.26
Clark	779.6	316.1	--	316.1	41	41	1.07
Eau Claire	408.3	156.3	1.8	154.5	38	38	1.53
Jackson	638.6	378.9	7.5	371.4	58	59	0.98
Juneau	495.5	256.0	3.9	252.1	51	52	1.19
Marathon	997.9	365.4	6.9	358.5	36	37	1.00
Marquette	290.9	94.3	--	94.3	32	32	1.95
Monroe	578.3	247.3	2.3	245.0	42	43	1.21
Portage	518.5	174.3	--	174.3	34	34	1.44
Waupaca	482.8	181.1	8.5	172.6	36	38	1.44
Waushara	401.7	157.2	11.6	145.6	36	39	1.57
Wood	512.5	206.5	--	206.5	40	40	1.32
All counties	7,170.2	3,002.5	51.6	2,950.9	41	42	0.35

(Table 4 continued on next page)

<sup>1/</sup>1980 Bureau of the Census estimates.<sup>2/</sup>Land at least 16.7 percent stocked by forest trees of any size, or formerly having such tree cover; excludes land currently developed for nonforest use such as urban or heavily settled residential or resort areas, city parks, orchards, improved roads, or improved pasture land. The minimum forest area classified was 1 acre. Classified as forest were roadside, streamside, and shelterbelt strips of timber with a crown width of at least 120 feet and unimproved roads and trails, streams, and clearings in forested areas if less than 120 feet wide.<sup>3/</sup>Unproductive forest land incapable of yielding crops of industrial wood because of adverse site conditions, and productive public forest land withdrawn from commercial timber production through statute or administrative regulation.<sup>4/</sup>Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization by statute or administrative regulation.

(Table 4 continued)

County	All land <sup>1/</sup>	Forest land <sup>2/</sup>			Commercial forest as a percent of land area	All forest as a percent of land area	Sampling error for commercial forest land (percent)
		All forest	Noncommercial <sup>3/</sup>	Commercial <sup>4/</sup>			
Buffalo	447.6	193.4	5.5	187.9	42	43	1.26
Crawford	362.1	168.8	1.0	167.8	46	47	1.34
Dunn	546.2	171.1	1.1	170.0	31	31	1.33
Grant	732.2	186.4	1.9	184.5	25	26	1.27
Iowa	486.5	140.7	4.7	136.0	28	29	1.48
La Crosse	292.6	121.6	--	121.6	42	42	1.57
Lafayette	405.9	38.2	0.6	37.6	9	9	2.82
Pepin	147.8	53.9	0.5	53.4	36	37	2.37
Pierce	369.0	102.1	1.5	100.6	27	28	1.72
Richland	374.1	159.4	0.7	158.7	42	43	1.37
St.Croix	462.5	77.7	4.8	72.9	16	17	2.03
Sauk	536.2	192.0	10.3	181.7	34	36	1.28
Tempealeau	470.9	151.1	4.1	147.0	31	32	1.43
Vernon	516.9	202.4	2.1	200.3	39	39	1.22
All counties	6,150.5	1,958.8	38.8	1,920.0	31	32	0.39
<b>SOUTHEAST UNIT</b>							
Brown	335.5	49.1	1.7	47.4	14	15	1.83
Calumet	208.9	25.1	0.4	24.7	12	12	2.54
Columbia	493.5	84.4	0.2	84.2	17	17	1.37
Dane	770.9	91.1	0.9	90.2	12	12	1.32
Dodge	567.9	27.8	0.2	27.6	5	5	2.39
Door	314.5	120.0	13.7	106.3	34	38	1.22
Fond du Lac	463.8	35.1	1.2	33.9	7	8	2.16
Green	373.3	30.9	--	30.9	8	8	2.26
Green Lake	228.2	21.0	--	21.0	9	9	2.74
Jefferson	359.6	29.3	0.3	29.0	8	8	2.34
Kenosha	174.5	11.7	0.9	10.8	6	7	3.83
Kewaunee	219.5	36.8	--	36.8	17	17	2.07
Manitowoc	380.1	57.4	0.9	56.5	15	15	1.67
Milwaukee	154.6	--	--	--	--	--	5/
Outagamie	411.0	70.7	--	70.7	17	17	1.49
Ozaukee	150.3	16.3	--	16.3	11	11	3.12
Racine	214.1	17.7	0.8	16.9	8	8	3.06
Rock	463.0	28.1	1.2	26.9	6	6	2.43
Sheboygan	329.8	52.6	1.1	51.5	16	16	1.74
Walworth	355.6	35.8	0.2	35.6	10	10	2.10
Washington	275.5	45.8	0.1	45.7	17	17	1.85
Waukesha	354.8	36.6	4.5	32.1	9	10	2.22
Winnebago	287.6	14.2	--	14.2	5	5	3.34
All counties	7,886.5	937.5	28.3	909.2	12	12	0.42
<b>State total</b>	<b>34,832.8</b>	<b>15,351.3</b>	<b>591.9</b>	<b>14,759.4</b>	<b>42</b>	<b>44</b>	<b>0.22</b>

<sup>1/</sup> 1980 Bureau of the Census estimates.<sup>2/</sup> Land at least 16.7 percent stocked by forest trees of any size, or formerly having such tree cover; excludes land currently developed for nonforest use such as urban or heavily settled residential or resort areas, city parks, orchards, improved roads, or improved pasture land. The minimum forest area classified was 1 acre. Classified as forest were roadside, streamside, and shelterbelt strips of timber with a crown width of at least 120 feet and unimproved roads and trails, streams, and clearings in forested areas if less than 120 feet wide.<sup>3/</sup> Unproductive forest land incapable of yielding crops of industrial wood because of adverse site conditions, and productive public forest land withdrawn from commercial timber production through statute or administrative regulation.<sup>4/</sup> Forest land producing or capable of producing crops of industrial wood and not withdrawn from timber utilization by statute or administrative regulation.<sup>5/</sup> There was no data in this cell.

Table 5.--Area of commercial forest land by ownership class and site class, Wisconsin, 1983  
 (In thousand acres)

Ownership class	All classes	Site class (cubic feet of growth per acre per year)					
		225+	165-224	120-164	85-119	50-84	20-49
National Forest	1,242.3	--	--	65.2	376.9	575.0	225.2
Miscellaneous federal	176.2	--	--	--	32.9	70.6	72.7
State	569.4	--	--	17.4	98.1	241.1	212.8
County and municipal	2,179.8	--	--	41.0	434.1	1,029.9	674.8
Indian	353.7	--	--	10.9	81.6	190.7	70.5
Forest industry	1,156.0	--	--	24.9	229.2	486.9	415.0
Farmer	3,513.7	--	--	117.4	833.3	1,450.1	1,112.9
Misc. private-corp.	665.9	--	2.2	15.6	136.8	295.4	215.9
Misc. private-indiv.	4,902.4	--	4.2	161.9	1,042.7	2,166.3	1,527.3
All owners	14,759.4	--	6.4	454.3	3,265.6	6,506.0	4,527.1

Table 6.--Area of commercial forest land by ownership class and stand-volume class, Wisconsin, 1983

(In thousand acres)

Ownership class	All classes	Stand-volume class (board feet <sup>1/</sup> )		
		Less than 1,500	1,500 to 5,000	5,000+
National Forest	1,242.3	480.3	599.3	162.7
Miscellaneous federal	176.2	104.9	52.4	18.9
State	569.4	275.3	216.5	77.6
County and municipal	2,179.8	1,187.7	812.2	179.9
Indian	353.7	71.7	118.7	163.3
Forest industry	1,156.0	538.2	422.9	194.9
Farmer	3,513.7	1,406.4	1,468.8	638.5
Misc. private-corp.	665.9	284.4	301.7	79.8
Misc. private-indiv.	4,902.4	2,338.1	1,938.8	625.5
All owners	14,759.4	6,687.0	5,931.3	2,141.1

<sup>1/</sup> International 1/4-inch rule.

Table 7.--Area of privately owned commercial forest land by ownership class, owner tenure, and size of holding, Wisconsin, 1983

(In thousand acres)

Ownership class and owner tenure class	All sizes	Size of holding (acres)							
		1-4	5-10	11-20	21-50	51-100	101- 500	501- 1,500	2,501- 5,000
<b>Forest Industry</b>									
1-4 years	78.6	--	--	--	--	3.5	1.9	11.2	1.8
5-9 years	134.1	--	--	--	--	4.2	2.0	9.2	1.7
10-19 years	331.1	--	--	--	5.0	--	2.0	14.4	7.1
20+ years	612.2	--	--	--	--	2.3	2.3	3.6	5.3
All classes	1,156.0	--	--	--	5.0	10.0	8.2	38.4	15.9
<b>Farmer</b>									
1-4 years	644.3	2.5	11.1	69.6	156.8	171.2	219.7	10.2	3.2
5-9 years	688.5	15.8	16.3	71.0	186.3	184.5	200.7	13.9	--
10-19 years	1,141.2	17.2	33.5	103.1	294.1	309.6	369.2	12.7	1.8
20+ years	1,039.7	16.6	40.5	103.6	264.4	289.2	312.6	11.1	1.7
All classes	3,513.7	52.1	101.4	347.3	901.6	954.5	1,102.2	47.9	6.7
<b>Miscellaneous private corporation</b>									
1-4 years	135.7	3.2	2.4	--	33.7	22.9	37.8	11.2	1.8
5-9 years	101.7	--	--	--	16.9	16.5	35.5	18.9	4.1
10-19 years	155.9	2.5	4.8	--	14.8	34.4	44.6	32.0	7.0
20+ years	272.6	--	--	3.9	15.1	21.6	62.9	78.3	24.9
All classes	665.9	5.7	7.2	3.9	80.5	95.4	180.8	140.4	37.8
<b>Miscellaneous private individual</b>									
1-4 years	1,260.6	30.3	60.3	98.7	452.7	314.3	286.9	13.7	1.8
5-9 years	1,186.5	38.0	66.2	96.9	389.1	293.8	279.9	22.6	--
10-19 years	1,434.2	37.3	58.3	82.6	438.4	340.9	411.7	61.6	3.4
20+ years	1,021.1	16.6	22.6	54.5	303.0	266.3	307.5	47.7	--
All classes	4,902.4	122.2	207.4	332.7	1,583.2	1,215.3	1,286.0	145.6	5.2
<b>All private owners</b>									
1-4 years	2,119.2	36.0	73.8	168.3	643.2	511.9	546.3	46.3	8.6
5-9 years	2,110.8	53.8	82.5	167.9	592.3	499.0	518.1	64.6	5.8
10-19 years	3,062.4	57.0	96.6	185.7	752.3	684.9	827.5	120.7	19.3
20+ years	2,945.6	33.2	63.1	162.0	582.5	579.4	685.3	140.7	31.9
All classes	10,238.0	180.0	316.0	683.9	2,570.3	2,275.2	2,577.2	372.3	65.6
									1,197.5

Table 8.--Area of commercial forest land by forest type, stand-size class, and ownership class, Wisconsin, 1983  
 (In thousand acres)

Forest type and stand-size class	All owners	National Forest	Misc. federal	State	Ownership class			Misc. priv.-corp.	Misc. priv.-indiv.
					County & municipal	Indian	Forest industry		
<b>Jack pine</b>									
Sawtimber	93.9	5.2	4.3	3.5	20.0	4.0	9.1	14.5	4.2
Poletimber	281.0	44.6	8.9	12.1	73.4	1.6	35.0	21.2	6.5
Sapling & seedling	171.6	0.5	11.4	17.8	43.8	--	25.0	8.9	10.2
All stands	546.5	50.3	24.6	33.4	137.2	5.6	69.1	44.6	160.8
<b>Red pine</b>									
Sawtimber	159.2	70.6	2.1	14.6	18.2	5.4	9.8	5.9	27.2
Poletimber	193.9	9.3	--	10.9	39.2	3.5	13.6	23.5	17.3
Sapling & seedling	125.1	23.5	6.9	3.6	23.4	--	30.7	1.9	7.2
All stands	478.2	103.4	9.0	29.1	80.8	8.9	49.7	35.2	131.7
<b>White pine</b>									
Sawtimber	157.6	15.2	2.2	4.0	20.5	15.6	11.8	37.2	9.7
Poletimber	43.9	--	2.2	3.4	1.7	1.8	1.7	5.0	5.3
Sapling & seedling	24.1	--	2.5	2.2	2.2	--	3.4	6.8	--
All stands	225.6	15.2	6.9	9.6	24.4	17.4	16.9	49.0	15.0
<b>Balsam fir</b>									
Sawtimber	116.9	20.9	--	5.4	19.9	2.0	15.9	11.2	2.3
Poletimber	184.4	38.6	--	10.9	35.2	2.1	10.6	5.8	9.0
Sapling & seedling	118.1	6.5	--	5.4	16.5	--	15.6	18.6	5.5
All stands	419.4	66.0	--	21.7	71.6	4.1	42.1	35.6	16.8
<b>White spruce</b>									
Sawtimber	23.0	19.3	--	--	--	--	2.0	--	--
Poletimber	20.2	8.7	--	--	--	--	1.7	--	2.1
Sapling & seedling	18.2	3.2	--	1.7	1.8	--	2.0	--	9.5
All stands	61.4	31.2	--	1.7	1.8	--	5.7	--	2.1
<b>Black spruce</b>									
Sawtimber	7.3	--	1.7	3.8	--	--	2.0	--	1.7
Poletimber	82.0	15.7	--	8.4	18.2	3.6	10.6	2.0	--
Sapling & seedling	183.7	20.8	2.2	18.0	36.9	--	27.7	17.2	5.3
All stands	273.0	36.5	2.2	28.1	58.9	3.6	38.3	19.2	80.9
<b>Northern white-cedar</b>									
Sawtimber	115.3	9.0	--	13.5	17.7	5.3	21.6	7.8	4.4
Poletimber	206.9	52.9	--	5.4	21.3	10.8	12.9	33.2	5.8
Sapling & seedling	48.5	3.7	--	7.2	1.7	3.5	16.7	1.8	13.9
All stands	370.7	65.6	--	18.9	46.2	17.8	38.0	57.7	114.5

(Table 8 continued on next page)

(Table 8 continued)

Forest type and stand-size class	All owners	National Forest	Misc. federal	State	County & municipal	Indian	Ownership class			Misc. priv.-corp.	Misc. priv.-indiv.
							Forest industry	Farmer	Misc. priv.-corp.		
Tamarack											
Sawtimber	15.3	--	--	2.1	--	--	3.7	4.0	1.8	3.7	
Poletimber	89.0	15.5	--	5.4	10.2	--	5.4	11.1	1.7	39.7	
Sapling & seedling	118.4	1.4	--	14.7	11.3	1.6	7.1	26.3	10.2	45.8	
All stands	222.7	16.9	--	22.2	21.5	1.6	16.2	41.4	13.7	89.2	
Oak-hickory											
Sawtimber	1,526.5	--	8.8	31.6	29.5	17.9	14.5	877.8	80.6	465.8	
Poletimber	841.8	42.9	22.4	19.9	127.4	3.4	17.2	266.8	44.7	297.1	
Sapling & seedling	490.4	2.3	15.4	17.4	67.6	1.8	46.4	118.0	21.3	200.2	
All stands	2,858.7	45.2	46.6	68.9	224.5	23.1	78.1	1,262.6	146.6	963.1	
Elm-ash-soft maple											
Sawtimber	415.4	1.8	19.3	23.7	50.6	9.2	24.4	142.1	21.8	122.5	
Poletimber	524.8	19.8	5.6	18.4	87.8	3.9	40.1	135.2	16.1	19.9	
Sapling & seedling	300.4	3.7	2.8	18.2	31.2	1.8	22.3	80.3	21.3	118.8	
All stands	1,240.6	25.3	27.7	60.3	169.6	14.9	86.8	357.6	59.2	439.2	
Maple-birch											
Sawtimber	1,543.8	112.0	5.2	51.4	114.2	120.1	193.9	449.0	62.0	436.0	
Poletimber	1,749.4	316.3	--	36.7	271.6	41.0	195.9	251.4	79.7	556.8	
Sapling & seedling	703.7	3.8	2.2	21.8	81.3	3.4	50.8	257.7	13.7	269.0	
All stands	3,996.9	432.1	7.4	109.9	467.1	164.5	440.6	958.1	155.4	1,261.8	
Aspen											
Sawtimber	401.6	14.5	6.4	20.1	62.2	14.8	27.0	84.2	14.6	157.8	
Poletimber	1,585.9	149.3	17.6	50.5	358.4	49.4	88.3	231.5	74.1	566.8	
Sapling & seedling	1,274.0	152.1	16.2	69.4	323.2	18.8	107.1	157.3	55.9	374.0	
All stands	3,261.5	315.9	40.2	140.0	743.8	83.0	222.4	473.0	144.6	1,098.6	
Paper birch											
Sawtimber	78.9	0.6	--	1.6	6.2	--	1.9	28.5	1.7	38.4	
Poletimber	420.2	32.8	3.8	16.9	82.2	5.4	35.9	63.3	34.5	145.4	
Sapling & seedling	142.5	5.3	2.3	1.8	27.7	--	1.8	51.4	2.4	49.8	
All stands	641.6	38.7	6.1	20.3	116.1	5.4	39.6	143.2	38.6	233.6	
Exotic											
Sawtimber	--	--	--	--	--	--	--	--	--	--	
Poletimber	--	--	--	--	--	--	--	--	--	--	
Sapling & seedling	2.2	--	--	--	--	--	--	--	--	2.2	
All stands	2.2	--	--	--	--	--	--	--	--	2.2	
Nonstocked											
All types											
Sawtimber	4,654.7	269.1	48.3	173.2	362.8	194.3	331.2	1,666.1	209.0	1,400.7	
Poletimber	6,223.4	746.4	60.5	198.9	1,126.6	126.5	468.9	1,050.0	296.8	2,148.8	
Sapling & seedling	3,720.9	226.8	61.9	192.0	674.1	29.1	343.4	761.1	154.8	1,277.7	
Nonstocked	160.4	--	5.5	5.3	16.3	3.8	12.5	36.5	5.3	75.2	
All stands	14,759.4	1,242.3	176.2	569.4	2,179.8	353.7	1,156.0	3,513.7	665.9	4,902.4	

Table 9.--Area of commercial forest land by forest type and Forest Survey Unit, Wisconsin, 1983  
 (In thousand acres)

Forest type	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
Jack pine	546.5	81.7	247.8	203.1	11.2	2.7
Red pine	478.2	157.8	132.6	135.5	40.1	12.2
White pine	225.6	81.1	36.5	77.9	13.7	16.4
Balsam fir	419.4	187.9	219.6	11.9	--	--
White spruce	61.4	19.8	31.9	2.2	2.5	5.0
Black spruce	273.0	147.5	111.2	11.6	--	2.7
Northern white-cedar	370.7	186.0	107.8	23.3	--	53.6
Tamarack	222.7	63.0	111.5	39.0	--	9.2
Oak-hickory	2,858.7	149.3	415.6	937.6	1,063.4	292.8
Elm-ash-soft maple	1,240.6	235.9	414.9	271.5	117.8	200.5
Maple-birch	3,996.9	1,280.2	1,478.7	506.2	497.9	233.9
Aspen	3,261.5	1,026.7	1,508.3	577.5	85.7	63.3
Paper birch	641.6	191.5	268.8	118.6	54.4	8.3
Exotic	2.2	--	--	2.2	--	--
Nonstocked	160.4	20.1	65.6	32.8	33.3	8.6
All types	14,759.4	3,828.5	5,150.8	2,950.9	1,920.0	909.2

Table 10.--Area of commercial forest land by county, stand-size class, and Forest Survey Unit, Wisconsin, 1983

(In thousand acres)

County	NORTHEAST UNIT				
	All stands	Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Florence	244.0	83.3	111.9	45.2	3.6
Forest	492.7	149.7	258.4	84.6	--
Langlade	374.5	85.8	215.8	72.9	--
Lincoln	393.8	61.1	195.8	135.0	1.9
Menominee	213.1	145.0	54.0	12.3	1.8
Marinette	639.7	136.0	309.5	192.4	1.8
Oconto	347.1	84.5	184.9	72.1	5.6
Oneida	497.1	93.9	211.3	188.5	3.4
Shawano	255.2	98.0	115.9	39.3	2.0
Vilas	371.3	115.5	166.8	89.0	--
All counties	3,828.5	1,052.8	1,824.3	931.3	20.1
NORTHWEST UNIT					
Ashland	503.8	135.9	263.6	104.3	--
Barron	158.7	57.5	64.4	34.5	2.3
Bayfield	740.5	144.0	407.2	187.5	1.8
Burnett	317.1	74.5	133.3	101.7	7.6
Douglas	627.9	106.5	301.7	210.3	9.4
Iron	377.9	108.5	192.0	77.4	--
Polk	220.8	64.7	98.4	57.7	--
Price	550.8	97.9	256.6	183.8	12.5
Rusk	363.1	103.0	192.4	63.7	4.0
Sawyer	607.7	162.1	312.9	117.2	15.5
Taylor	354.4	52.0	179.4	112.2	10.8
Washburn	328.1	45.9	183.6	96.9	1.7
All counties	5,150.8	1,152.5	2,585.5	1,347.2	65.6
CENTRAL UNIT					
Adams	234.3	47.2	82.1	100.2	4.8
Chippewa	225.7	66.0	84.1	68.1	7.5
Clark	316.1	71.1	129.1	113.5	2.4
Eau Clarie	154.5	35.7	90.5	28.3	--
Jackson	371.4	92.3	155.8	123.3	--
Juneau	252.1	81.8	105.7	64.6	--
Marathon	358.5	114.5	143.5	93.6	6.9
Marquette	94.3	38.1	22.6	31.4	2.2
Monroe	245.0	99.5	88.8	52.1	4.6
Portage	174.3	50.3	65.6	56.2	2.2
Waupaca	172.6	95.6	51.3	25.7	--
Waushara	145.6	38.1	64.8	40.5	2.2
Wood	206.5	52.3	68.2	86.0	--
All counties	2,950.9	882.5	1,152.1	883.5	32.8

(Table 10 continued on next page)

(Table 10 continued)

## SOUTHWEST UNIT

County	All stands	Stand-size class			
		Sawtimber stands	Poletimber stands	Sapling and seedling stands	Nonstocked areas
Buffalo	187.9	127.1	38.5	19.5	2.8
Crawford	167.8	98.0	30.7	33.5	5.6
Dunn	170.0	75.9	57.6	36.5	--
Grant	184.5	133.2	30.1	21.2	--
Iowa	136.0	65.5	38.1	29.7	2.7
La Crosse	121.6	86.0	19.9	15.7	--
Lafayette	37.6	23.5	2.4	11.7	--
Pepin	53.4	30.9	11.2	11.3	--
Pierce	100.6	46.7	21.8	26.9	5.2
Richland	158.7	75.1	36.2	47.4	--
St. Croix	72.9	11.2	31.4	21.7	8.6
Sauk	181.7	74.5	42.4	62.3	2.5
Trempealeau	147.0	76.2	36.6	31.5	2.7
Vernon	200.3	150.6	25.0	21.5	3.2
All counties	1,920.0	1,074.4	421.9	390.4	33.3

## SOUTHEAST UNIT

Brown	47.4	27.4	10.0	10.0	--
Calumet	24.7	9.9	9.9	4.9	--
Columbia	84.2	37.1	29.8	17.3	--
Dane	90.2	73.8	11.0	5.4	--
Dodge	27.6	16.0	4.6	7.0	--
Door	106.3	37.9	30.1	35.5	2.8
Fond du Lac	33.9	21.2	4.2	8.5	--
Green	30.9	26.1	4.8	--	--
Green Lake	21.0	9.4	11.6	--	--
Jefferson	29.0	23.8	2.6	2.6	--
Kenosha	10.8	5.4	5.4	--	--
Kewaunee	36.8	23.7	13.1	--	--
Manitowoc	56.5	32.4	16.1	8.0	--
Outagamie	70.7	27.9	25.0	15.3	2.5
Ozaukee	16.3	3.2	6.6	6.5	--
Racine	16.9	6.8	--	10.1	--
Rock	26.9	19.5	4.9	2.5	--
Sheboygan	51.5	13.6	24.5	13.4	--
Walworth	35.6	35.6	--	--	--
Washington	45.7	12.9	19.6	9.9	3.3
Waukesha	32.1	20.3	3.0	8.8	--
Winnebago	14.2	8.6	2.8	2.8	--
All counties	909.2	492.5	239.6	168.5	8.6
State total	14,759.4	4,654.7	6,223.4	3,720.9	160.4

Table 11.--Area of commercial forest land by forest type, stand-size class, and site class, Wisconsin, 1983

(In thousand acres)

Forest type and stand-size class	All classes	Site class (cubic feet of growth per acre per year)					
		225+	165-224	120-164	85-119	50-84	20-49
Jack pine							
Sawtimber	93.9	--	--	--	7.0	51.7	35.2
Poletimber	281.0	--	--	--	20.6	153.1	107.3
Sapling & seedling	171.6	--	--	1.9	9.8	69.9	90.0
All stands	546.5	--	--	1.9	37.4	274.7	232.5
Red pine							
Sawtimber	159.2	--	--	45.5	69.6	39.9	4.2
Poletimber	193.9	--	4.4	72.1	102.8	13.0	1.6
Sapling & seedling	125.1	--	--	12.3	42.8	55.1	14.9
All stands	478.2	--	4.4	129.9	215.2	108.0	20.7
White pine							
Sawtimber	157.6	--	--	25.4	66.7	43.9	21.6
Poletimber	43.9	--	--	13.6	10.7	11.8	7.8
Sapling & seedling	24.1	--	--	1.8	11.4	10.9	--
All stands	225.6	--	--	40.8	88.8	66.6	29.4
Balsam fir							
Sawtimber	116.9	--	--	52.5	35.7	19.8	8.9
Poletimber	184.4	--	--	50.9	73.1	38.1	22.3
Sapling & seedling	118.1	--	2.0	31.1	37.2	22.8	25.0
All stands	419.4	--	2.0	134.5	146.0	80.7	56.2
White spruce							
Sawtimber	23.0	--	--	--	16.4	6.6	--
Poletimber	20.2	--	--	--	10.9	9.3	--
Sapling & seedling	18.2	--	--	--	3.8	6.1	8.3
All stands	61.4	--	--	--	31.1	22.0	8.3
Black spruce							
Sawtimber	7.3	--	--	--	--	1.8	5.5
Poletimber	82.0	--	--	--	6.8	9.6	65.6
Sapling & seedling	183.7	--	--	--	8.2	12.2	163.3
All stands	273.0	--	--	--	15.0	23.6	234.4
Northern white-cedar							
Sawtimber	115.3	--	--	--	4.6	32.7	78.0
Poletimber	206.9	--	--	--	--	48.4	158.5
Sapling & seedling	48.5	--	--	--	--	9.7	38.8
All stands	370.7	--	--	--	4.6	90.8	275.3

(Table 11 continued on next page)

(Table 11 continued)

Forest type and stand-size class	All classes	Site class (cubic feet of growth per acre per year)					
		225+	165-224	120-164	85-119	50-84	20-49
Tamarack							
Sawtimber	15.3	--	--	--	1.9	5.7	7.7
Poletimber	89.0	--	--	--	4.1	43.7	41.2
Sapling & seedling	118.4	--	--	--	4.1	44.3	70.0
All stands	222.7	--	--	--	10.1	93.7	118.9
Oak-hickory							
Sawtimber	1,526.5	--	--	10.0	294.8	745.5	476.2
Poletimber	841.8	--	--	--	137.4	473.0	231.4
Sapling & seedling	490.4	--	--	2.5	74.0	234.3	179.6
All stands	2,858.7	--	--	12.5	506.2	1,452.8	887.2
Elm-ash-soft maple							
Sawtimber	415.4	--	--	--	52.4	121.8	241.2
Poletimber	524.8	--	--	--	56.8	137.9	330.1
Sapling & seedling	300.4	--	--	--	13.4	74.2	212.8
All stands	1,240.6	--	--	--	122.6	333.9	784.1
Maple-birch							
Sawtimber	1,543.8	--	--	16.5	266.2	792.7	468.4
Poletimber	1,749.4	--	--	18.9	342.8	941.2	446.5
Sapling & seedling	703.7	--	--	16.0	100.9	318.7	268.1
All stands	3,996.9	--	--	51.4	709.9	2,052.6	1,183.0
Aspen							
Sawtimber	401.6	--	--	19.0	192.6	169.3	20.7
Poletimber	1,585.9	--	--	35.6	686.2	744.4	119.7
Sapling & seedling	1,274.0	--	--	16.7	415.3	634.8	207.2
All stands	3,261.5	--	--	71.3	1,294.1	1,548.5	347.6
Paper birch							
Sawtimber	78.9	--	--	5.1	15.0	31.6	27.2
Poletimber	420.2	--	--	5.2	34.0	212.2	168.8
Sapling & seedling	142.5	--	--	--	17.6	53.2	71.7
All stands	641.6	--	--	10.3	66.6	297.0	267.7
Exotic							
Sawtimber	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--
Sapling & seedling	2.2	--	--	--	2.2	--	--
All stands	2.2	--	--	--	2.2	--	--
Nonstocked	160.4	--	--	1.7	15.8	61.1	81.8
All types							
Sawtimber	4,654.7	--	--	174.0	1,022.9	2,063.0	1,394.8
Poletimber	6,223.4	--	4.4	196.3	1,486.2	2,835.7	1,700.8
Sapling & seedling	3,720.9	--	2.0	82.3	740.7	1,546.2	1,349.7
Nonstocked	160.4	--	--	1.7	15.8	61.1	81.8
All stands	14,759.4	--	6.4	454.3	3,265.6	6,506.0	4,527.1

Table 12.--Area of commercial forest land by forest type and stand-age class, Wisconsin, 1983  
 (In thousand acres)

Forest type	A11 ages	Stand-age class (years)												
		1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101- 120	121- 140	141+
Jack pine	546.5	34.2	98.6	73.7	116.9	145.2	57.4	9.4	9.2	1.9	--	--	--	--
Red pine	478.2	53.9	104.4	108.3	97.3	54.6	23.9	7.3	7.8	7.0	10.5	3.2	--	--
White pine	225.6	12.6	18.6	10.8	18.3	22.5	22.3	24.7	30.6	31.0	4.3	10.1	8.1	11.7
White spruce	419.4	48.9	30.7	44.6	48.4	49.5	100.8	51.6	14.1	12.9	3.5	7.5	5.0	1.9
Balsam fir	61.4	7.1	12.7	10.7	13.9	6.5	8.5	2.0	--	--	--	--	--	--
Black spruce	273.0	29.1	41.9	71.1	35.7	27.6	14.3	14.3	24.7	8.8	3.6	--	1.9	--
Northern white-cedar	370.7	9.8	14.5	18.4	7.7	47.9	33.0	38.6	29.8	37.7	57.8	30.8	21.5	23.2
Tamarack	222.7	20.7	50.4	40.2	13.6	21.5	17.1	19.4	15.8	14.9	1.7	3.8	1.8	--
Oak-hickory	2,858.7	297.3	149.0	98.2	123.6	337.6	423.5	274.8	283.1	223.8	203.0	208.9	145.8	90.1
Elm-ash-soft maple	1,240.6	132.0	117.9	86.0	118.9	160.6	123.6	133.1	129.7	89.2	59.9	50.2	28.7	10.8
Maple-birch	3,996.9	304.0	273.6	232.7	258.1	612.3	681.9	479.6	241.5	239.1	201.9	215.9	128.0	128.3
Aspen	3,261.5	651.0	451.0	312.4	471.1	702.5	404.9	154.2	71.6	37.4	5.1	--	--	--
Paper birch	641.6	56.9	53.5	59.5	95.3	148.7	130.4	76.0	15.3	1.9	0.3	3.8	--	--
Exotic	2.2	--	2.2	--	--	--	--	--	--	--	--	--	--	--
Nonstocked	160.4	160.4	--	--	--	--	--	--	--	--	--	--	--	--
A11 types	14,759.4	1,818.2	1,419.0	1,166.6	1,418.8	2,337.0	2,041.6	1,285.0	873.2	705.6	551.6	534.2	340.8	267.8

Table 13.--Area of commercial forest land by forest type, site-index class, and Forest Survey Unit, Wisconsin, 1983

(In thousand acres)

Forest type	All classes	ALL UNITS								
		Site-index class (feet)								
Jack pine	546.5	--	1.7	8.2	72.8	174.3	202.9	74.2	10.5	1.9
Red pine	478.2	--	--	8.6	7.6	78.9	161.8	154.3	62.6	4.4
White pine	225.6	--	--	6.4	25.7	61.7	71.1	35.0	23.1	2.6
Balsam fir	419.4	3.2	7.0	46.0	111.7	115.0	103.6	22.1	8.8	2.0
White spruce	61.4	--	--	2.8	11.8	12.1	10.7	24.0	--	--
Black spruce	273.0	--	72.1	96.2	66.1	23.6	11.6	3.4	--	--
Northern white-cedar	370.7	6.9	116.2	97.6	73.8	42.5	29.1	2.7	1.9	--
Tamarack	222.7	--	20.0	46.3	52.6	51.4	42.3	6.0	4.1	--
Oak-hickory	2,858.7	--	--	127.3	392.2	795.2	745.1	513.4	221.8	63.7
Elm-ash-soft maple	1,240.6	--	7.2	75.8	192.2	355.4	300.8	186.6	101.6	21.0
Maple-birch	3,996.9	--	--	40.0	252.2	890.8	1,316.4	994.1	416.3	87.1
Aspen	3,261.5	--	--	19.1	162.4	502.5	955.1	1,099.1	452.0	71.3
Paper birch	641.6	--	--	8.0	48.9	153.0	213.5	141.3	66.6	10.3
Exotic	2.2	--	--	--	--	--	--	2.2	--	--
Nonstocked	160.4	--	3.8	17.4	28.0	46.8	31.2	25.8	4.7	2.7
All types	14,759.4	10.1	228.0	599.7	1,498.0	3,303.2	4,195.2	3,284.2	1,374.0	267.0
NORTHEAST UNIT										
Jack pine	81.7	--	1.7	1.6	8.8	23.0	25.7	17.5	3.4	--
Red pine	157.8	--	--	--	3.6	29.3	53.7	51.3	19.9	--
White pine	81.1	--	--	1.7	10.3	19.6	26.7	12.2	10.6	--
Balsam fir	187.9	--	5.3	27.3	44.2	50.4	47.7	11.0	2.0	--
White spruce	19.8	--	--	--	5.4	8.3	--	6.1	--	--
Black spruce	147.5	--	38.3	46.6	37.2	15.2	6.8	3.4	--	--
Northern white-cedar	186.0	3.4	65.9	58.2	24.9	22.7	9.0	--	1.9	--
Tamarack	63.0	--	7.1	18.1	10.8	25.3	1.7	--	--	--
Oak-hickory	149.3	--	--	--	5.3	34.0	39.2	41.7	23.4	5.7
Elm-ash-soft maple	235.9	--	--	24.1	39.5	77.1	58.3	18.6	18.3	--
Maple-birch	1,280.2	--	--	11.3	73.3	255.9	446.1	362.1	114.6	16.9
Aspen	1,026.7	--	--	9.3	58.2	178.7	305.0	343.3	119.5	12.7
Paper birch	191.5	--	--	--	12.5	44.4	77.2	50.0	7.4	--
Exotic	--	--	--	--	--	--	--	--	--	--
Nonstocked	20.1	--	2.0	1.8	5.4	5.6	1.9	3.4	--	--
All types	3,828.5	3.4	120.3	200.0	339.4	789.5	1,099.0	920.6	321.0	35.3
NORTHWEST UNIT										
Jack pine	247.8	--	--	1.9	36.9	76.8	104.6	21.0	4.7	1.9
Red pine	132.6	--	--	1.8	1.8	30.3	57.1	33.3	8.3	--
White pine	36.5	--	--	--	3.7	20.3	9.1	--	3.4	--
Balsam fir	219.6	3.2	1.7	18.7	60.4	62.2	53.5	11.1	6.8	2.0
White spruce	31.9	--	--	--	1.7	3.8	10.7	15.7	--	--
Black spruce	111.2	--	33.8	47.2	21.6	3.8	4.8	--	--	--
Northern white-cedar	107.8	3.5	32.8	13.9	36.3	8.5	12.8	--	--	--
Tamarack	111.5	--	12.9	23.7	30.6	14.5	24.5	3.6	1.7	--
Oak-hickory	415.6	--	--	12.6	41.6	136.3	115.7	92.0	17.4	--
Elm-ash-soft maple	414.9	--	1.8	33.1	99.5	140.0	75.2	43.8	21.5	--
Maple-birch	1,478.7	--	--	12.5	88.4	346.4	528.9	356.8	129.4	16.3
Aspen	1,508.3	--	--	4.3	54.1	190.3	437.7	550.0	247.1	24.8
Paper birch	268.8	--	--	5.7	20.2	69.5	91.3	52.3	27.9	1.9
Exotic	--	--	--	--	--	--	--	--	--	--
Nonstocked	65.6	--	1.8	5.6	14.5	18.5	14.4	8.9	1.9	--
All types	5,150.8	6.7	84.8	181.0	511.3	1,121.2	1,540.3	1,188.5	470.1	46.9

(Table 13 continued on next page)

(Table 13 continued)

Forest type	All classes	CENTRAL UNIT								
		11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91+
Jack pine	203.1	--	--	4.7	24.6	63.1	72.6	35.7	2.4	--
Red pine	135.5	--	--	6.8	2.2	19.3	35.9	46.3	20.6	4.4
White pine	77.9	--	--	2.3	11.7	16.4	27.2	13.6	6.7	--
Balsam fir	11.9	--	--	--	7.1	2.4	2.4	--	--	--
White spruce	2.2	--	--	--	2.2	--	--	--	--	--
Black spruce	11.6	--	--	2.4	4.6	4.6	--	--	--	--
Northern white-cedar	23.3	--	6.9	9.4	4.6	--	2.4	--	--	--
Tamarack	39.0	--	--	4.5	11.2	11.6	6.9	2.4	2.4	--
Oak-hickory	937.6	--	--	54.6	131.8	277.5	267.5	123.7	71.3	11.2
Elm-ash-soft maple	271.5	--	--	2.2	23.2	78.8	94.3	47.3	25.7	--
Maple-birch	506.2	--	--	4.8	26.7	118.2	176.1	106.3	60.2	13.9
Aspen	577.5	--	--	--	35.2	122.8	188.2	147.2	60.8	23.3
Paper birch	118.6	--	--	2.3	13.7	25.3	28.7	25.5	20.8	2.3
Exotic	2.2	--	--	--	--	--	2.2	--	--	--
Nonstocked	32.8	--	--	4.5	2.3	11.9	9.2	4.9	--	--
All types	2,950.9	--	6.9	98.5	301.1	751.9	911.4	555.1	270.9	55.1
SOUTHWEST UNIT										
Jack pine	11.2	--	--	--	2.5	8.7	--	--	--	--
Red pine	40.1	--	--	--	--	--	12.9	13.4	13.8	--
White pine	13.7	--	--	--	--	2.6	5.9	2.6	--	2.6
Balsam fir	--	--	--	--	--	--	--	--	--	--
White spruce	2.5	--	--	--	2.5	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--
Tamarack	--	--	--	--	--	--	--	--	--	--
Oak-hickory	1,063.4	--	--	35.6	148.7	272.0	257.9	217.5	89.9	41.8
Elm-ash-soft maple	117.8	--	--	5.3	5.6	25.1	37.1	22.8	13.2	8.7
Maple-birch	497.9	--	--	8.9	51.4	113.5	104.1	116.6	81.1	22.3
Aspen	85.7	--	--	2.7	11.5	2.8	8.2	33.1	19.4	8.0
Paper birch	54.4	--	--	--	--	13.8	10.5	13.5	10.5	6.1
Exotic	--	--	--	--	--	--	--	--	--	--
Nonstocked	33.3	--	--	5.5	2.5	5.5	5.7	8.6	2.8	2.7
All types	1,920.0	--	--	58.0	224.7	444.0	442.3	428.1	230.7	92.2
SOUTHEAST UNIT										
Jack pine	2.7	--	--	--	--	2.7	--	--	--	--
Red pine	12.2	--	--	--	--	--	2.2	10.0	--	--
White pine	16.4	--	--	2.4	--	2.8	2.2	6.6	2.4	--
Balsam fir	--	--	--	--	--	--	--	--	--	--
White spruce	5.0	--	--	2.8	--	--	--	2.2	--	--
Black spruce	2.7	--	--	--	2.7	--	--	--	--	--
Northern white-cedar	53.6	--	10.6	16.1	8.0	11.3	4.9	2.7	--	--
Tamarack	9.2	--	--	--	--	--	9.2	--	--	--
Oak-hickory	292.8	--	--	24.5	64.8	75.4	64.8	38.5	19.8	5.0
Elm-ash-soft maple	200.5	--	5.4	11.1	24.4	34.4	35.9	54.1	22.9	12.3
Maple-birch	233.9	--	--	2.5	12.4	56.8	61.2	52.3	31.0	17.7
Aspen	63.3	--	--	2.8	3.4	7.9	16.0	25.5	5.2	2.5
Paper birch	8.3	--	--	--	2.5	--	5.8	--	--	--
Exotic	--	--	--	--	--	--	--	--	--	--
Nonstocked	8.6	--	--	--	3.3	5.3	--	--	--	--
All types	909.2	--	16.0	62.2	121.5	196.6	202.2	191.9	81.3	37.5

Table 14.--Area of commercial forest land by forest type, stand-size class, and basal-area class, Wisconsin, 1983  
 (In thousand acres)

Forest type and stand-size class	All classes	Basal area class (square feet per acre)													
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine															
Sawtimber	93.9	--	--	--	7.9	3.6	9.8	9.5	12.8	16.1	8.0	17.2	7.2	1.8	--
Poletimber	281.0	--	--	--	4.2	10.0	22.4	22.6	51.1	44.7	64.9	38.5	18.5	1.9	2.2
Sapling & seedling	171.6	21.0	6.8	24.7	16.7	20.4	16.1	20.6	39.7	3.8	1.8	--	--	--	--
All stands	546.5	21.0	6.8	24.7	28.8	34.0	48.3	52.7	103.6	64.6	74.7	55.7	25.7	3.7	2.2
Red pine															
Sawtimber	159.2	--	--	--	2.8	2.0	1.9	--	7.3	9.4	11.4	46.8	43.4	27.0	7.2
Poletimber	193.9	--	--	--	3.4	6.1	6.5	8.5	19.9	6.8	42.3	42.0	22.4	36.0	--
Sapling & seedling	125.1	55.5	10.7	8.6	6.0	4.6	15.8	--	5.7	9.9	1.6	4.2	2.5	--	--
All stands	478.2	55.5	10.7	8.6	8.8	10.0	23.8	6.5	21.5	39.2	19.8	93.3	87.9	49.4	43.2
White pine															
Sawtimber	157.6	--	2.5	1.9	7.6	1.7	7.6	1.7	8.8	13.5	11.9	41.2	33.5	16.8	8.9
Poletimber	43.9	--	--	--	1.7	2.2	--	5.2	6.0	5.8	13.0	5.4	4.6	--	--
Sapling & seedling	24.1	5.4	5.1	--	--	2.2	5.7	--	5.7	--	--	--	--	--	--
All stands	225.6	5.4	7.6	1.9	7.6	5.6	15.5	1.7	19.7	19.5	17.7	54.2	38.9	21.4	8.9
Balsam fir															
Sawtimber	116.9	--	--	--	--	8.2	19.7	5.5	10.0	7.3	8.5	21.6	26.8	3.7	5.6
Poletimber	184.4	--	--	1.8	--	3.5	14.6	12.1	7.5	18.7	7.3	36.6	47.8	22.0	12.5
Sapling & seedling	118.1	11.0	10.6	13.7	7.3	13.2	13.8	17.1	17.0	1.9	5.6	3.3	1.9	1.7	--
All stands	419.4	11.0	10.6	15.5	7.3	24.9	48.1	34.7	34.5	27.9	21.4	61.5	76.5	27.4	18.1
White spruce															
Sawtimber	23.0	--	--	--	--	--	--	2.7	--	--	--	--	--	--	--
Poletimber	20.2	--	--	--	--	--	--	--	3.8	2.2	1.7	8.7	3.8	--	--
Sapling & seedling	18.2	4.2	2.8	1.8	--	3.6	3.6	--	2.2	--	--	--	--	--	--
All stands	61.4	4.2	2.8	1.8	--	3.6	3.6	2.7	2.2	3.8	2.2	1.7	8.7	14.1	10.0
Black spruce															
Sawtimber	7.3	--	1.9	--	--	--	--	3.6	--	--	--	--	1.8	--	--
Poletimber	82.0	--	--	3.6	--	--	9.3	7.5	13.0	8.7	17.5	7.8	12.8	1.8	--
Sapling & seedling	183.7	11.3	11.1	35.7	9.2	40.5	12.7	18.1	20.4	10.8	3.7	5.9	4.3	--	--
All stands	273.0	11.3	13.0	39.3	9.2	40.5	22.0	29.2	33.4	19.5	21.2	13.7	18.9	1.8	--
Northern white-cedar															
Sawtimber	115.3	--	--	5.3	2.0	5.3	8.6	7.5	3.5	7.6	43.1	30.1	61.0	25.7	49.0
Poletimber	206.9	--	--	--	1.8	--	--	8.9	11.4	1.6	8.4	2.7	--	5.3	--
Sapling & seedling	48.5	1.8	2.9	7.0	2.7	5.3	3.5	--	8.4	2.7	--	8.9	--	--	--
All stands	370.7	1.8	2.9	7.0	2.7	10.6	7.3	5.3	25.9	21.6	5.1	59.6	55.0	91.2	74.7

(Table 14 continued on next page)

(Table 14 continued)

Forest type and stand-size class	All classes	Basal area class (square feet per acre)												
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180
Tamarack														
Sawtimber	15.3	--	1.8	4.3	1.8	3.7	1.8	1.9	21.7	8.6	1.9	--	--	--
Poletimber	89.0	--	1.9	3.7	2.4	11.5	11.1	15.1	11.0	9.3	1.8	--	--	--
Sapling & seedling	118.4	24.3	11.8	13.4	12.6	15.7	16.6	5.8	1.8	5.4	--	--	--	--
All stands	222.7	24.3	15.5	21.4	15.0	29.0	31.4	22.7	12.9	23.5	14.0	11.2	1.8	--
Oak-hickory														
Sawtimber	1,526.5	--	2.4	15.4	26.8	65.4	86.5	114.3	169.7	144.2	371.4	247.7	59.3	8.9
Poletimber	841.8	--	3.5	7.6	8.6	77.6	47.2	100.4	122.9	109.6	178.3	134.3	46.7	5.1
Sapling & seedling	490.4	52.0	48.1	89.5	60.4	73.3	74.9	26.8	18.9	17.0	11.0	13.1	5.4	--
All stands	2,858.7	52.0	50.5	108.4	94.8	147.3	239.0	188.3	289.0	354.4	264.8	562.8	387.4	106.0
Fern-ash-soft maple														
Sawtimber	415.4	--	4.7	15.0	18.2	20.9	38.6	16.4	30.5	43.9	37.6	71.9	74.6	33.0
Poletimber	524.8	--	10.1	21.9	23.3	36.1	50.2	37.1	67.6	66.3	37.6	64.5	77.6	28.1
Sapling & seedling	300.4	31.8	44.3	39.3	42.5	40.0	40.6	17.5	16.7	11.7	9.1	2.4	4.5	--
All stands	1,240.6	31.8	59.1	76.2	84.0	97.0	129.4	71.0	114.8	121.9	84.3	138.8	156.7	61.1
Maple-birch														
Sawtimber	1,543.8	--	--	8.9	7.7	44.9	66.5	61.5	137.2	148.3	128.5	336.0	417.8	151.0
Poletimber	1,749.4	--	--	4.9	19.0	37.8	77.1	81.6	156.5	244.9	165.2	422.7	386.7	140.1
Sapling & seedling	703.7	49.5	83.2	87.2	62.5	96.2	91.5	49.8	54.5	46.8	19.6	46.1	11.2	5.6
All stands	3,996.9	49.5	83.2	101.0	89.2	178.9	235.1	192.9	348.2	440.0	303.3	804.8	815.7	296.7
Aspen														
Sawtimber	401.6	--	2.3	7.3	13.1	19.7	33.9	22.7	33.5	56.0	35.1	64.7	88.4	15.4
Poletimber	1,585.9	--	9.1	29.5	30.7	102.0	142.0	147.7	170.5	227.5	147.6	250.4	241.0	71.4
Sapling & seedling	1,274.0	176.5	191.2	174.1	142.6	193.0	139.3	82.7	84.6	49.2	20.1	17.1	1.8	--
All stands	3,261.5	176.5	202.6	210.9	186.4	314.7	315.2	253.1	288.6	332.7	202.8	332.2	331.2	88.6
Paper birch														
Sawtimber	78.9	--	--	1.8	--	5.6	2.6	10.1	8.7	11.5	3.6	14.5	12.2	5.5
Poletimber	420.2	--	--	1.9	7.8	18.2	35.2	13.4	35.9	33.6	36.1	82.7	112.2	37.7
Sapling & seedling	142.5	9.9	22.9	14.6	13.4	23.0	19.8	12.6	5.4	6.1	5.5	7.6	1.7	--
All stands	641.6	9.9	22.9	18.3	21.2	46.8	57.6	36.1	50.0	51.2	45.2	104.8	126.1	43.2
Exotic														
Sawtimber	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Sapling & seedling	2.2	--	--	--	--	--	--	--	--	--	--	--	--	--
All stands	2.2	--	--	--	--	--	--	--	--	--	--	--	--	--
Nonstocked														
All types														
Sawtimber	4,654.7	--	15.6	54.6	84.1	179.1	272.8	255.1	427.1	528.0	392.3	994.8	978.3	348.7
Poletimber	6,223.4	--	21.1	70.8	95.0	232.8	449.6	390.8	627.0	830.1	600.8	1,190.9	1,118.9	441.5
Sapling & seedling	3,720.9	454.2	451.5	509.6	375.9	531.0	453.9	251.0	292.4	161.7	83.4	108.6	33.3	14.4
Nonstocked	160.4	78.4	26.4	9.2	9.8	3.5	9.2	4.4	5.6	--	8.8	2.7	2.4	--
All stands	14,759.4	532.6	514.6	644.2	564.8	946.4	1,185.5	901.3	1,352.1	1,519.8	1,085.3	2,297.0	2,132.9	804.6
														278.3

Table 15.--Area of commercial forest land by stocking class of growing-stock trees  
and stand-size class, Wisconsin, 1983  
(In thousand acres)

Stocking class (percent)	All stands	Stand-size class			Nonstocked areas
		Sawt imber stands	Poletimber stands	Sapling and seedling stands	
Less than 16.7	160.4	--	--	--	160.4
16.7 to 60.9	2,633.4	1,027.2	806.1	800.1	--
61.0 to 100.9	6,087.2	1,971.3	2,837.9	1,278.0	--
101.0 to 133.9	4,829.8	1,401.9	2,243.6	1,184.3	--
134.0+	1,048.6	254.3	335.8	458.5	--
All classes	14,759.4	4,654.7	6,223.4	3,720.9	160.4

Table 16.--Area of commercial forest land by stocking class  
based on selected stand components, Wisconsin, 1983  
(In thousand acres)

Stocking class (percent)	Stocking classified in terms of		
	All live trees	Growing- stock trees	Rough and rotten trees
0-10	30.6	54.0	7,344.6
11-20	55.7	155.8	3,762.8
21-30	138.9	357.2	1,873.4
31-40	237.0	487.8	960.1
41-50	364.5	666.2	459.9
51-60	433.2	960.0	208.8
61-70	652.8	1,278.3	103.2
.71-80	945.2	1,384.8	17.6
81-90	1,309.4	1,638.1	20.9
91-100	1,824.2	1,758.5	2.1
101-110	1,951.2	1,698.5	4.1
111-120	2,130.5	1,607.3	1.9
121-130	1,954.9	1,328.1	--
131-140	1,454.7	759.0	--
141-150	885.0	413.2	--
151-160	304.4	159.1	--
161+	87.2	53.5	--
All classes	14,759.4	14,759.4	14,759.4

Table 17.--Area of noncommercial forest land by ownership class,  
Wisconsin, 1983

(In thousand acres)

Ownership class	All areas	Unproductive areas	Productive- reserved areas
National Forest	147.4	94.9	52.5 <sup>1/</sup>
Miscellaneous federal	54.9	2.3	52.6
State	137.8	31.9	105.9
County and municipal	60.4	44.9	15.5
Indian	3.8	2.2	1.6
Forest industry	17.5	17.5	--
Farmer	59.8	52.5	7.3
Misc. private-corp.	14.2	5.4	8.8
Misc. private-indiv.	96.1	79.4	16.7
Total	591.9	331.0	260.9

<sup>1/</sup> Includes 33.8 thousand acres of productive-deferred areas.

Table 18.--Area of noncommercial forest land by forest type,  
Wisconsin, 1983  
(In thousand acres)

Forest type	All areas	Unproductive areas	Productive reserved areas
Jack pine	4.6	2.0	2.6
Red pine	17.1	--	17.1
White pine	2.7	--	2.7
Balsam fir	14.9	14.0	.9
White spruce	1.8	--	1.8
Black spruce	190.5	183.6	6.9
Northern white-cedar	20.7	17.2	3.5
Tamarack	20.5	20.5	--
Oak-hickory	56.6	26.5	30.1
Elm-ash-soft maple	98.6	45.1	53.5
Maple-birch	60.9	2.5	58.4
Aspen	77.7	5.7	72.0
Paper birch	4.2	2.3	1.9
Exotic	9.5	--	9.5
Nonstocked	11.6	11.6	--
All types	591.9	331.0	260.9

<sup>1/</sup> Includes 33.8 thousand acres of productive-deferred areas.

Table 19.--Area of nonforest land with trees by forest type and land use, Wisconsin 1983  
(In thousand acres)

Forest type	All uses	Land use							<sup>1/</sup> Wooded pasture
		Cropland	Improved pasture	Wooded strips	Idle farmland	Marsh	Wind-breaks	Urban and other	
Jack pine	14.2	--	4.7	--	4.4	5.1	--	--	--
Red pine	8.5	--	1.3	2.3	--	--	4.9	--	--
White pine	10.3	--	2.3	2.2	--	5.8	--	--	--
Balsam fir	7.3	--	--	--	--	7.3	--	--	--
White spruce	2.0	--	--	--	2.0	--	--	--	--
Black spruce	9.5	--	--	1.8	--	7.7	--	--	--
Northern white-cedar	1.2	--	1.2	--	--	--	--	--	--
Tamarack	30.6	--	--	--	4.2	26.4	--	--	--
Oak-hickory	213.9	16.4	103.2	12.4	21.0	8.4	15.7	--	36.8
Elm-ash-soft maple	269.1	9.2	67.7	9.4	21.7	140.8	4.2	--	16.1
Maple-birch	200.9	16.5	80.7	8.8	21.7	11.5	11.6	--	50.1
Aspen	165.2	6.9	39.2	8.1	33.4	68.0	4.4	--	5.2
Paper birch	28.6	--	--	--	--	24.7	--	--	3.9
Exotic	2.4	--	--	--	--	2.4	--	--	--
Nonstocked	33.7	5.1	22.0	--	2.1	4.5	--	--	--
Not typed	244.3	--	--	--	--	--	--	244.3	--
All types	1,241.7	54.1	322.3	45.0	110.5	312.6	40.8	244.3	112.1

<sup>1/</sup> Forest type was not recorded on plots classified as urban and other with trees.

Table 20.—Number of live trees on commercial forest land by species group and diameter class, Wisconsin, 1983  
 (In thousand trees)

Species group	Classes	Diameter class (inches at breast height)														
		1.0-	3.0-	5.0-	7.0-	9.0-	11.0-	13.0-	15.0-	17.0-	21.0-	23.0-	28.9	38.9	39.0+	
Softwoods	All classes	123,859	69,778	62,827	34,711	13,911	5,063	1,153	273	17	3	--	--	--	--	
Jack pine	2.9	52,218	45,520	60,871	33,658	12,293	4,952	1,787	1,263	886	389	183	70	--	--	
Red pine	4.9	64,086	28,459	16,136	10,403	6,050	4,062	2,879	2,052	1,563	927	594	666	136	2	
White pine	4.9	31,166	15,124	13,324	8,968	4,241	1,961	900	402	1,149	38	29	16	--	--	
White spruce	4.9	266,698	158,252	73,318	26,515	6,802	1,463	281	35	29	3	--	--	--	--	
Black spruce	4.9	655,401	385,634	143,269	75,383	32,381	13,544	3,817	874	449	46	4	--	--	--	
Balsam fir	4.9	51,612	15,382	8,301	7,851	5,963	4,871	3,421	2,326	1,083	530	245	293	20	--	
Hemlock	4.9	144,825	81,897	34,600	17,014	8,331	1,935	782	188	40	31	7	--	--	--	
Tamarack	4.9	13,203	9,703	1,356	1,657	311	120	30	11	15	--	--	--	--	--	
Eastern redcedar	4.9	275,112	94,236	72,340	53,664	30,898	13,932	6,612	2,217	821	244	103	31	14	--	
Northern white-cedar	4.9	5,471	2,892	1,362	767	228	88	110	--	24	--	--	--	--	--	
Other softwoods	4.9	2,892	1,362	767	228	88	110	--	24	--	--	--	--	--	--	
Total		2,152,740	1,019,425	493,727	336,009	172,654	72,448	31,091	12,370	6,694	4,022	2,001	1,082	1,059	156	2
Hardwoods																
Select white oaks		249,444	121,579	39,698	27,015	19,640	13,617	10,530	6,851	4,517	2,535	1,436	911	868	227	20
Select red oaks		288,090	112,762	38,180	40,084	31,919	23,898	16,258	9,737	6,291	3,637	2,183	1,373	1,474	290	4
Other red oaks		304,275	158,646	38,141	35,091	26,335	17,800	11,483	6,936	4,375	2,166	1,099	625	705	87	4
Select hickory		61,982	37,168	8,242	5,721	4,460	3,051	1,864	842	423	145	47	10	9	--	--
Other hickory		71,599	40,512	15,329	10,016	3,619	992	832	199	71	20	6	--	3	--	--
Basswood		223,642	83,818	38,690	34,243	28,092	19,319	9,718	4,890	2,247	1,260	602	351	330	73	9
Beech		12,182	7,921	2,123	315	456	272	372	252	149	161	75	47	35	4	--
Yellow birch		114,505	47,286	29,906	15,500	8,721	5,849	3,118	1,820	982	687	291	156	159	30	--
Hard maple		927,657	486,342	209,468	113,997	58,603	27,024	13,424	7,696	4,693	2,846	1,595	861	944	159	5
Soft maple		661,160	277,909	128,717	57,500	24,799	10,375	5,224	2,608	1,403	676	454	362	115	17	--
Elm		307,865	192,570	48,740	26,793	15,382	10,404	6,390	3,461	2,154	956	445	226	269	69	6
Black ash		329,952	180,411	73,398	41,430	19,747	9,158	3,703	1,214	604	184	61	27	15	--	--
White & green ash		167,004	109,033	19,520	13,883	9,568	7,205	4,000	2,007	1,049	422	141	45	116	15	--
Cottonwood		3,039	978	186	609	299	123	277	293	35	75	62	17	35	41	9
Willow		10,776	6,448	1,994	686	509	286	261	178	135	130	45	36	52	16	--
Hackberry		5,228	4,829	--	187	123	--	53	31	--	--	--	5	--	--	--
Balsam poplar		21,886	13,890	2,698	2,493	1,144	671	368	392	146	28	21	6	1	--	--
Bigtooth aspen		277,949	166,213	30,507	26,194	22,605	16,794	10,017	3,585	1,405	482	88	45	12	2	--
Quaking aspen		1,581,110	1,093,156	185,723	121,007	90,938	53,938	23,540	8,966	2,835	746	188	64	9	--	--
Paper birch		524,579	200,210	133,886	92,600	62,232	24,460	7,958	2,392	654	121	55	5	1	--	--
River birch		3,935	1,571	1,028	489	376	221	130	48	39	--	25	5	3	--	--
Black cherry		261,944	195,158	32,626	16,669	8,656	5,285	1,747	1,250	314	142	54	22	19	2	--
Black walnut		3,940	1,511	--	725	463	383	386	253	75	98	25	16	5	--	--
Butternut		12,942	5,947	1,034	1,292	2,162	847	742	443	315	90	41	14	13	2	--
Other hardwoods		51,932	31,357	10,613	5,089	2,360	981	753	453	179	90	28	4	23	2	--
Noncommercial sps.		614,303	490,493	95,481	21,956	4,910	1,003	406	47	7	--	--	--	--	--	--
Total		7,603,079	4,450,969	1,335,120	783,583	480,819	268,380	138,705	69,460	36,302	18,424	9,296	5,335	5,476	1,136	74
All species		9,755,819	5,470,394	1,828,847	1,119,592	653,473	340,828	169,796	81,830	42,996	22,446	11,297	6,417	6,535	1,292	76

Table 21.--Number of growing-stock trees on commercial forest land by species group and diameter class, Wisconsin, 1983  
 (In thousand trees)

Species group	All classes	Diameter class (inches at breast height)										29.0- 38.9	39.0+
		1.0- 2.9	3.0- 4.9	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	16.0- 18.9	19.0- 20.9		
Softwoods													
Jack pine	298,425	121,756	67,822	57,422	32,913	12,910	4,562	858	171	8	3	--	--
Red pine	212,039	52,318	45,123	59,899	33,080	12,138	4,943	1,775	1,251	876	389	177	70
White pine	133,431	63,659	28,292	14,745	9,471	5,252	3,714	2,706	1,937	1,478	888	544	624
White spruce	75,451	31,166	15,074	13,283	8,420	4,108	1,901	883	388	145	38	29	16
Black spruce	262,568	156,790	71,760	25,670	6,592	1,417	272	35	29	3	--	--	--
Balsam fir	648,848	384,586	140,586	74,328	31,268	13,102	3,665	841	435	33	4	--	--
Hemlock	47,400	15,382	7,896	6,767	4,926	2,456	2,860	2,058	1,252	993	469	243	280
Tamarack	142,325	81,492	33,846	16,317	7,857	1,833	756	40	31	7	--	--	18
Eastern redcedar	10,643	8,321	774	1,350	129	43	--	11	15	--	--	--	--
Northern white-cedar	252,152	91,799	67,616	47,451	26,783	10,999	4,919	1,743	588	179	48	19	8
Other softwoods	4,915	2,892	1,136	619	171	18	68	--	11	--	--	--	--
Total	2,088,197	1,010,161	479,925	317,851	161,610	66,076	27,660	11,056	6,117	3,746	1,846	1,012	998
Hardwoods													
Select white oaks	214,242	117,230	31,207	20,721	14,913	10,265	7,853	4,966	3,139	1,774	966	597	489
Select red oaks	266,432	111,372	35,752	34,341	28,605	21,281	14,233	8,297	5,304	3,206	1,767	1,039	108
Other red oaks	257,326	155,759	30,485	23,601	18,344	11,928	7,487	4,234	2,800	1,264	678	356	169
Select hickory	57,659	36,922	7,428	4,285	3,927	2,363	1,562	682	303	121	47	349	41
Other hickory	69,516	40,512	14,206	9,736	3,194	944	660	178	57	20	6	--	--
Basswood	208,609	81,847	35,999	29,366	26,339	17,916	8,949	4,355	1,893	964	450	227	42
Beech	10,819	7,549	1,573	315	399	219	265	181	99	116	45	33	3
Yellow birch	97,173	45,191	25,526	11,206	6,463	3,966	2,043	1,219	709	489	185	89	76
Hard maple	863,036	471,040	195,509	98,506	50,990	21,994	10,661	5,877	3,688	2,195	1,198	655	632
Soft maple	1093,477	641,815	255,553	111,352	49,380	19,961	7,779	3,933	1,766	943	447	255	234
Elm	288,127	188,573	45,014	21,516	12,992	8,599	5,366	2,789	1,687	810	349	178	206
Black ash	311,352	176,816	64,762	38,318	17,954	8,312	3,335	1,089	523	161	44	27	11
White & green ash	160,912	107,813	18,426	12,640	8,667	6,501	3,656	1,719	888	349	131	38	73
Cottonwood	2,581	978	186	188	123	120	240	283	35	75	58	17	21
Willow	8,554	6,187	780	359	356	240	232	109	102	116	33	15	8
Hackberry	5,169	4,829	--	187	64	--	53	31	--	--	5	--	--
Balsam poplar	21,697	13,890	2,698	2,445	1,116	633	325	385	135	18	28	21	1
Bigtooth aspen	269,819	165,095	29,407	24,282	20,958	15,992	9,255	3,185	1195	363	59	20	6
Quaking aspen	1,529,163	1,083,897	175,664	108,344	83,649	47,601	20,339	7,136	2,137	480	93	20	3
Paper birch	494,573	195,273	126,938	83,788	57,220	21,887	6,894	1,982	484	84	18	3	--
River birch	3,682	1,571	1,028	489	279	158	78	31	27	--	13	5	--
Black cherry	236,003	189,502	24,216	10,449	5,599	3,875	1,239	767	182	117	41	5	11
Black walnut	3,420	1,511	--	539	372	299	305	241	39	83	17	11	3
Butternut	9,847	5,339	1034	675	1260	540	454	269	177	61	24	4	2
Other hardwoods	41,576	27,488	8,891	2,855	1,302	591	250	151	9	17	22	--	--
Noncommercial specie	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	6,524,764	3,877,999	1,132,282	650,644	414,531	226,188	113,293	54,089	27,378	13,826	6,719	3,657	615
All species	8,612,961	4,888,160	1,612,207	968,495	576,141	292,264	140,953	33,495	17,572	8,565	4,669	4,501	752

Table 22.--Net volume of growing stock on  
commercial forest land by species group,  
Wisconsin, 1968 and 1983

(In thousand cubic feet)

Species group	1968 <sup>1/</sup>	1983
Softwoods		
Jack pine	432,849	536,333
Red pine	245,342	763,226
White pine	424,471	565,605
White spruce	81,855	199,628
Black spruce	92,206	123,955
Balsam fir	440,205	553,038
Hemlock	339,558	283,898
Tamarack	113,325	133,877
Eastern redcedar	356	3,973
Northern white-cedar	348,283	471,544
Other softwoods	650	3,231
Total	2,519,100	3,638,308
Hardwoods		
White oak	407,850	632,216
Select red oak	1,000,373	1,419,689
Other red oak	372,078	625,311
Select hickory	73,609	113,434
Other hickory	33,099	80,472
Basswood	561,023	835,765
Beech	25,326	28,707
Yellow birch	220,444	207,564
Hard maple	1,004,585	1,494,611
Soft maple	679,959	1,219,528
Elm	695,795	434,129
Black ash	305,109	426,864
White & green ash	200,676	310,499
Cottonwood	19,298	32,668
Willow	14,778	24,200
Hackberry	988	2,478
Balsam poplar	32,441	39,414
Bigtooth aspen	522,579	686,786
Quaking aspen	1,648,199	1,938,487
Paper birch	720,835	1,046,686
River birch	8,500	8,646
Black cherry	69,270	164,017
Black walnut	7,407	22,609
Butternut	18,361	38,952
Other hardwoods	6,318	26,145
Total	8,648,900	11,859,877
All species	11,168,000	15,498,185

<sup>1/</sup>Figures have been adjusted from those published after the 1968 survey to conform to 1983 volumes because of changes in survey definitions and procedures.

Table 23.--Net volume of all live trees on commercial forest land by species group and diameter class, Wisconsin, 1983  
 (In thousand cubic feet)

Species group	Classes	Diameter class (inches at breast height)										39.0+
		5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 28.9	
Softwoods												
Jack pine	576,685	168,968	180,172	125,577	70,419	23,569	7,275	531	174	--	--	--
Red pine	771,606	221,938	198,829	119,906	75,193	40,493	39,240	37,135	21,196	11,546	6,130	--
White pine	600,400	24,220	44,791	51,014	61,806	69,276	69,555	73,034	57,477	4,062	74,343	26,926
White spruce	205,234	28,169	49,084	44,372	33,477	23,063	13,965	6,924	2,340	2,292	1,548	--
Black spruce	127,049	65,421	38,361	16,074	5,065	881	1,095	152	--	--	--	--
Balsam fir	566,663	153,514	172,561	137,521	63,439	21,809	15,540	2,077	202	--	--	--
Hemlock	303,195	10,726	22,020	35,576	41,775	44,608	37,686	41,133	25,631	16,072	24,803	3,165
Tamarack	159,170	52,311	48,681	18,912	12,489	3,975	1,151	1,323	328	--	--	--
Eastern redcedar	5,865	3,155	1,124	840	292	160	294	--	--	--	--	--
Northern white-cedar	531,041	128,938	145,908	110,682	77,904	39,901	19,753	7,933	3,563	1,512	947	--
Other softwoods	4,919	1,394	862	640	1,403	--	--	620	--	--	--	--
Total	3,837,827	858,754	902,393	661,114	443,262	267,735	206,574	170,242	110,911	78,484	107,771	30,091
Hardwoods												496
White oak	853,021	57,257	86,724	106,178	128,006	119,187	104,754	76,538	54,061	42,466	53,121	20,991
Select red oak	1,617,120	126,434	185,630	231,297	240,870	205,061	179,139	134,323	99,742	75,242	105,203	33,234
Other red oak	927,994	77,244	123,269	146,751	148,030	127,309	109,104	68,775	44,503	29,551	44,747	8,260
Select hickory	135,646	20,244	26,258	27,775	25,728	16,356	10,980	5,062	2,063	609	571	--
Other hickory	86,738	35,859	21,582	9,558	12,451	4,191	1,888	705	253	--	251	--
Basswood	916,982	90,474	163,125	198,506	155,492	111,014	68,215	47,024	28,446	20,234	24,025	8,196
Beech	36,766	1,057	2,797	2,929	5,792	4,998	4,235	5,959	3,256	2,611	2,716	416
Yellow birch	272,271	25,207	49,710	41,365	34,291	26,272	24,039	11,689	7,856	9,782	2,818	--
Hard maple	1,750,232	328,519	334,088	261,129	203,305	165,237	137,660	107,052	74,648	50,954	69,306	17,788
Soft maple	1,551,822	403,536	333,478	238,987	151,494	107,035	70,059	49,808	29,819	23,463	25,973	14,313
Elm	519,445	40,069	66,516	87,422	89,910	71,712	61,229	36,297	21,012	13,162	21,188	9,802
Black ash	457,794	154,808	117,701	85,529	51,181	22,928	15,364	5,811	2,289	1,486	697	--
White & green ash	342,931	42,693	57,087	71,940	62,163	43,698	30,375	15,305	6,989	2,537	8,510	1,634
Cottonwood	35,476	608	1,278	1,255	4,334	6,856	1,082	3,267	3,381	1,084	2,999	6,455
Willow	34,446	940	2,003	2,519	4,203	3,709	4,237	5,486	2,324	2,004	4,630	2,391
Hackberry	2,687	269	465	--	796	769	--	--	--	--	388	--
Balsam poplar	41,033	4,570	6,026	6,546	5,476	9,494	4,319	1,017	1,546	1,504	330	166
Bigtooth aspen	725,731	75,927	140,694	182,628	168,617	85,852	44,979	19,243	4,266	2,459	835	231
Quaking aspen	2,101,770	420,341	551,596	517,238	334,142	173,837	72,220	23,133	6,506	2,055	502	--
Paper birch	1,143,339	344,603	380,347	236,107	112,200	46,863	16,711	3,981	1,947	269	206	105
River birch	11,392	1,191	2,132	2,216	2,153	786	1,257	--	1,091	343	223	--
Black cherry	223,533	61,900	52,796	51,400	25,476	24,458	8,169	4,770	2,251	954	1,283	--
Black walnut	27,406	2,519	2,843	4,167	5,293	1,863	3,416	1,016	732	321	76	--
Butternut	57,918	4,080	12,811	8,287	10,390	8,274	8,006	2,974	1,453	568	826	249
Other hardwoods	53,256	13,278	10,888	7,267	7,514	6,653	3,424	2,077	806	138	1,054	157
Noncommercial sp.	72,694	40,891	19,546	7,046	4,368	710	133	--	--	--	--	--
Total	13,909,443	2,374,518	2,740,922	2,544,426	2,000,752	1,406,511	985,874	646,062	405,357	282,281	379,687	127,282
All species	17,747,270	3,233,272	3,643,315	3,205,540	2,444,014	1,674,246	816,304	516,268	360,765	487,458	157,373	16,267

Table 24.--Net volume of timber on commercial forest land by class of timber and softwoods and hardwoods, Wisconsin, 1983

(In thousand cubic feet)

Class of timber	All species	Softwoods	Hardwoods
Live trees			
Growing-stock trees			
Poletimber	8,444,948	1,686,332	6,758,616
Sawtimber			
Saw log portion	4,791,822	1,491,395	3,300,427
Upper stem portion	2,261,415	460,581	1,800,834
Subtotal	7,053,237	1,951,976	5,101,261
Total growing stock	15,498,185	3,638,308	11,859,877
Cull trees			
Rough and rotten cull trees			
Poletimber	979,018	75,356	903,662
Sawtimber	848,895	89,361	759,534
Subtotal	1,827,913	164,717	1,663,196
Short-log trees	421,172	34,802	386,370
Total cull	2,249,085	199,519	2,049,566
All live trees	17,747,270	3,837,827	13,909,443
Salvable dead trees			
Growing-stock trees	444,319	78,795	365,524
Cull trees	11,511	1,776	9,735
All salvable dead trees	455,830	80,571	375,259
All classes	18,203,100	3,918,398	14,284,702

Table 25.--Net volume of growing stock, sawtimber, short-log, and rough and rotten trees on commercial forest land by individual species, Wisconsin, 1983

Species	Total all live	All live trees			Total saw log	Saw-log size trees	
		Growing stock	Short-log cull	Rough and rotten cull		Sawtimber	Short-log
- - - - - Thousand cubic feet - - - - -							
Softwoods							1/ - - - - - Thousand board feet - - - - -
Jack pine	576,685	536,333	6,579	33,773	1,092,224	1,069,425	22,799
Red pine	771,606	763,226	380	8,000	1,998,648	1,997,086	1,562
White pine	600,400	565,605	11,024	23,771	2,703,704	2,666,253	37,451
White spruce	205,234	199,628	559	5,047	609,338	606,863	2,475
Black spruce	127,049	123,955	192	2,902	102,290	101,796	494
Balsam fir	566,663	553,038	1,381	12,244	1,035,117	1,031,536	3,581
Hemlock	303,195	283,898	6,026	13,271	1,145,397	1,130,685	14,712
Tamarack	139,170	133,877	620	4,673	196,553	193,864	2,689
Eastern redcedar	5,865	3,973	--	1,892	4,843	4,843	--
Northern white-cedar	537,041	471,544	7,677	57,820	1,145,197	1,118,865	26,332
Scotch pine	4,508	2,820	364	1,324	9,450	7,630	1,820
Norway spruce	411	411	--	--	--	--	--
Total	3,837,827	3,638,308	34,802	164,717	10,042,761	9,928,846	113,915
Hardwoods							
White oak	618,672	465,580	48,028	105,064	1,774,463	1,648,564	125,899
Swamp white oak	26,933	22,575	1,671	2,687	89,731	85,459	4,272
Bur oak	207,416	144,061	15,607	47,748	538,012	496,755	41,257
Northern red oak	1,617,120	1,419,689	58,301	139,130	4,686,524	4,555,263	131,261
Northern pin oak	406,506	258,522	25,536	122,448	740,780	682,670	58,110
Black oak	521,488	366,789	41,946	112,753	1,231,153	1,135,300	95,853
Shagbark hickory	135,646	113,434	4,065	18,147	283,167	272,089	11,078
Bitternut hickory	86,660	80,472	1,319	4,869	90,020	86,411	3,609
Pignut hickory	78	--	--	78	--	--	--
American basswood	916,982	835,765	16,376	64,841	2,027,404	1,991,915	35,489
Beech	36,766	28,707	1,674	6,385	121,659	117,188	4,471
Yellow birch	272,271	207,564	11,098	53,609	587,744	561,730	26,014
Black maple	1,502	1,309	193	--	7,129	6,619	510
Sugar maple	1,748,730	1,493,302	47,216	208,212	3,492,747	3,377,801	114,946
Red maple	1,336,943	1,130,926	27,768	178,249	1,632,643	1,557,812	74,831
Silver maple	114,879	88,602	7,083	19,194	319,657	301,424	18,233
American elm	433,018	360,173	21,507	51,338	1,048,267	993,766	54,501
Slippery elm	61,416	50,435	2,296	8,685	140,658	134,819	5,839
Rock elm	25,011	23,521	132	1,358	54,457	54,123	334
Black ash	457,794	426,864	1,962	28,968	555,392	549,728	5,664
White ash	238,348	218,410	4,497	15,441	556,410	546,016	10,394
Green ash	104,583	92,089	2,570	9,924	273,131	267,163	5,968
Eastern cottonwood	35,476	32,668	1,311	1,497	134,968	130,777	4,191
Black willow	34,446	24,200	2,891	7,355	93,358	84,501	8,857
Hackberry	2,687	2,478	--	209	8,473	8,473	--
Balsam poplar	41,033	39,414	327	1,292	100,721	99,922	799
Bigtooth aspen	725,731	686,786	7,574	31,371	1,397,682	1,385,402	12,280
Quaking aspen	2,101,770	1,938,487	11,740	151,543	2,681,364	2,655,293	26,071
Paper birch	1,143,339	1,046,686	8,418	88,235	814,443	791,454	22,989
River birch	11,392	8,646	645	2,101	21,616	19,495	2,121
Black cherry	233,533	164,017	6,276	63,240	279,098	262,572	16,526
Black walnut	27,406	22,609	798	3,999	86,858	84,770	2,088
Butternut	57,918	38,952	2,758	16,208	131,337	123,867	7,470
Boxelder	37,039	14,535	2,215	20,289	32,692	24,662	8,030
Northern catalpa	397	--	--	397	--	--	--
Honeylocust	1,193	1,128	--	65	2,535	2,535	--
Red mulberry	1,157	205	--	952	--	--	--
Black locust	13,470	10,277	572	2,621	12,246	10,229	2,017
Total	13,836,749	11,859,877	386,370	1,590,502	26,048,539	25,106,567	941,972
All species <sup>2/</sup>	17,674,576	15,498,185	421,172	1,755,219	36,091,300	35,035,413	1,055,887

<sup>1/</sup> International 1/4-inch rule.

<sup>2/</sup> These totals do not include volume for noncommercial species. Volumes for individual noncommercial species are found in Table 26.

Table 26.--Net volume of noncommercial species on commercial forest land by individual species, Wisconsin, 1983

(In thousand cubic feet)

Species	Cull volume
Ailanthus	576
American hornbeam	583
Hawthorn	2,892
Apple	1,104
Eastern hop hornbeam	60,344
Pin cherry	1,243
Chokecherry	5,377
Mountain ash	504
Peachleaf willow	71
All species	72,694

Table 27.--Net volume of growing stock on commercial forest land by species group and Forest Survey Unit, Wisconsin, 1983

(In thousand cubic feet)

Species group	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
Softwoods						
Jack pine	536,333	98,249	237,849	190,546	7,060	2,629
Red pine	763,226	264,500	179,071	232,454	67,514	19,687
White pine	565,605	208,242	154,382	172,290	14,305	16,386
White spruce	199,628	72,646	121,342	905	310	4,425
Black spruce	123,955	76,929	41,303	3,982	914	827
Balsam fir	553,038	235,337	299,183	16,335	194	1,989
Hemlock	283,898	188,149	66,348	26,895	--	2,506
Tamarack	133,877	38,276	59,582	25,976	--	10,043
Eastern red cedar	3,973	--	--	405	1,479	2,089
Northern white-cedar	471,544	241,284	124,494	30,702	--	75,064
Other softwoods	3,231	--	325	2,565	--	341
Total	3,638,308	1,423,612	1,283,879	703,055	91,776	135,986
Hardwoods						
White oak	632,216	10,329	73,731	160,013	278,311	109,832
Select red oak	1,419,689	209,694	392,975	336,908	403,571	76,541
Other red oak	625,311	42,462	41,248	317,206	175,245	49,150
Select hickory	113,434	--	--	5,344	74,011	34,079
Other hickory	80,472	10,553	9,803	11,836	40,083	8,197
Basswood	835,765	273,476	334,289	75,883	124,839	27,278
Beech	28,707	14,767	--	1,092	--	12,848
Yellow birch	207,564	89,587	85,401	24,323	1,263	6,990
Hard maple	1,494,611	639,062	553,791	115,891	116,869	68,998
Soft maple	1,219,528	298,795	468,019	306,458	91,605	54,651
Elm	434,129	116,361	141,996	43,125	88,963	43,684
Black ash	426,864	81,141	226,230	63,807	14,133	41,553
White & green ash	310,499	71,562	83,849	38,682	44,283	72,123
Cottonwood	32,668	7,586	--	2,368	18,288	4,426
Willow	24,200	2,020	163	3,034	6,822	12,161
Hackberry	2,478	--	--	--	1,635	843
Balsam poplar	39,414	26,115	8,547	--	1,466	3,286
Bigtooth aspen	686,786	153,953	272,055	153,865	87,754	19,159
Quaking aspen	1,938,487	589,553	872,273	351,029	79,237	46,395
Paper birch	1,046,686	366,696	438,362	127,154	91,251	23,223
River birch	8,646	--	--	2,706	5,940	--
Black cherry	164,017	41,678	19,820	16,345	47,829	38,345
Black walnut	22,609	--	--	220	16,233	6,156
Butternut	38,952	4,970	4,841	4,880	21,628	2,633
Other hardwoods	26,145	104	118	3,641	12,636	9,646
Total	11,859,877	3,050,464	4,027,511	2,165,810	1,843,895	772,197
All species	15,498,185	4,474,076	5,311,390	2,868,865	1,935,671	908,183

Table 28.--Net volume of sawtimber on commercial forest land by species group and Forest Survey Unit, Wisconsin, 1983

(In thousand board feet)<sup>1/</sup>

Species group	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
<b>Softwoods</b>						
Jack pine	1,069,425	227,227	403,480	416,129	19,028	3,561
Red pine	1,997,086	902,043	654,363	325,587	73,260	41,833
White pine	2,666,253	1,032,510	745,829	772,302	57,982	57,630
White spruce	606,863	223,435	368,931	3,147	--	11,350
Black spruce	101,796	65,215	33,543	3,038	--	--
Balsam fir	1,031,536	422,051	588,647	18,838	--	2,000
Hemlock	1,130,685	772,542	264,927	88,210	--	5,006
Tamarack	193,864	41,560	94,390	34,873	--	23,041
Eastern redcedar	4,843	--	--	1,272	1,837	1,734
Northern white-cedar	1,118,865	510,669	388,516	40,436	--	179,244
Other softwoods	7,630	--	1,392	6,238	--	--
<b>Total</b>	<b>9,928,846</b>	<b>4,197,252</b>	<b>3,544,018</b>	<b>1,710,070</b>	<b>152,107</b>	<b>325,399</b>
<b>Hardwoods</b>						
White oak	2,230,778	28,737	202,018	472,657	1,037,655	489,711
Select red oak	4,555,263	565,970	846,693	1,106,582	1,698,953	337,065
Other red oak	1,817,970	105,416	100,877	772,840	657,420	181,417
Select hickory	272,089	--	--	13,982	161,696	96,411
Other hickory	86,411	14,715	9,661	19,733	29,895	12,407
Basswood	1,991,915	562,327	732,985	213,198	387,042	96,363
Beech	117,188	59,359	--	4,749	--	53,080
Yellow birch	561,730	272,974	221,270	54,922	3,262	9,302
Hard maple	3,384,420	1,469,909	905,072	341,476	425,061	242,902
Soft maple	1,859,236	351,355	498,562	563,439	265,802	180,078
Elm	1,182,708	324,027	411,041	109,512	228,878	109,250
Black ash	549,728	99,241	269,758	100,226	30,886	49,617
White & green ash	813,179	179,441	190,571	96,736	131,000	215,431
Cottonwood	130,777	30,690	--	10,173	73,983	15,931
Willow	84,501	7,351	720	10,825	19,288	46,317
Hackberry	8,473	--	--	--	4,632	3,841
Balsam poplar	99,922	64,911	17,149	--	6,428	11,434
Bigtooth aspen	1,385,402	276,262	530,658	266,184	250,507	61,791
Quaking aspen	2,655,293	874,391	1,255,261	328,348	136,605	60,688
Paper birch	791,454	301,063	293,605	55,304	115,121	26,361
River birch	19,495	--	--	5,566	13,929	--
Black cherry	262,572	60,306	14,138	10,963	66,409	110,756
Black walnut	84,770	--	--	1,275	59,651	23,844
Butternut	123,867	22,406	13,381	21,233	60,829	6,018
Other hardwoods	37,426	577	--	5,743	22,074	9,032
<b>Total</b>	<b>25,106,567</b>	<b>5,671,428</b>	<b>6,513,420</b>	<b>4,585,666</b>	<b>5,887,006</b>	<b>2,449,047</b>
<b>All species</b>	<b>35,035,413</b>	<b>9,868,680</b>	<b>10,057,438</b>	<b>6,295,736</b>	<b>6,039,113</b>	<b>2,774,446</b>

<sup>1/</sup> International 1/4-inch rule.

Table 29.--Net volume of growing stock on commercial forest land by species group and diameter class, Wisconsin, 1983  
 (In thousand cubic feet)

Species group	A11 classes	5.0- 6.9	7.0- 8.9	9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 24.9	23.9- 38.9	39.0+ 39.9+
		Diameter class (inches at breast height)											
<b>Softwoods</b>													
Jack pine	536,333	156,717	172,995	118,496	64,503	18,221	4,968	259	174	--	--	--	--
Red pine	763,226	218,865	195,820	118,526	75,069	40,311	39,043	36,912	21,196	11,354	6,130	--	--
White pine	565,605	22,685	41,619	45,631	57,810	65,782	67,084	69,954	55,573	43,562	70,957	24,452	496
White spruce	199,628	28,054	46,623	43,105	32,632	22,648	13,540	6,842	2,340	2,292	1,548	--	--
Black spruce	123,955	63,946	37,278	15,672	9,931	881	1,095	152	--	--	--	--	--
Balsam fir	151,614	168,183	133,679	61,288	21,248	15,167	1,657	202	--	--	--	--	--
Hemlock	283,898	9,884	19,289	32,683	37,671	41,840	36,267	39,178	23,732	16,026	24,305	3,023	--
Tamarack	133,877	50,668	46,609	18,303	12,180	3,315	1,151	1,353	328	--	--	--	--
Eastern redcedar	3,973	2,705	440	374	--	160	294	--	--	--	--	--	--
Northern white-cedar	471,544	118,105	131,884	94,770	65,180	34,734	16,118	6,709	2,256	1,148	640	--	--
Other softwoods	3,231	1,171	682	139	941	--	298	--	--	--	--	--	--
<b>Total</b>	<b>3,638,308</b>	<b>824,414</b>	<b>861,422</b>	<b>621,382</b>	<b>412,205</b>	<b>249,140</b>	<b>195,025</b>	<b>162,986</b>	<b>105,801</b>	<b>74,382</b>	<b>103,580</b>	<b>27,475</b>	<b>496</b>
<b>Hardwoods</b>													
White oak	632,216	44,993	67,646	82,903	99,211	89,817	76,240	56,020	38,563	29,539	33,222	11,242	2,820
Select red oak	1,419,689	110,921	169,074	210,240	215,635	179,597	156,984	122,455	85,495	61,248	84,973	22,122	945
Other red oak	625,311	52,778	88,908	102,876	101,580	74,094	43,964	29,805	19,182	25,079	4,445	--	--
Select hickory	113,434	15,804	23,598	22,222	22,217	13,722	8,282	4,346	2,063	609	571	--	--
Other hickory	80,472	35,109	19,327	9,102	10,300	3,784	1,641	705	253	--	251	--	--
Basswood	835,765	80,322	154,472	186,725	145,415	105,206	60,899	39,864	23,420	16,769	18,920	6,300	863
Beech	28,707	1,057	2,637	2,377	4,347	4,101	3,150	2,323	2,017	2,100	--	--	--
Yellow birch	207,564	19,816	31,097	37,029	30,178	26,230	21,239	19,246	9,062	5,712	6,271	1,684	--
Hard maple	1,994,611	294,142	299,877	221,980	170,347	134,764	115,036	89,242	61,226	42,178	53,296	12,231	292
Soft maple	1,219,528	358,980	295,040	202,043	122,043	86,251	52,394	36,988	21,930	14,903	19,287	8,075	1,386
Elm	434,129	33,220	56,825	74,562	76,945	59,486	49,226	31,307	17,115	10,797	17,256	6,376	1,014
Black ash	426,864	145,588	109,323	79,453	47,616	21,525	14,044	5,419	1,800	1,486	610	--	--
White & green ash	310,499	39,604	51,940	66,009	57,431	38,773	26,871	13,485	6,662	2,299	5,965	1,460	--
Cottonwood	32,668	400	953	1,255	3,857	6,623	1,082	3,267	3,193	1,084	1,959	6,379	2,616
Willow	24,200	527	1,501	2,191	3,796	2,518	3,443	5,038	1,830	1,000	2,063	293	--
Hackberry	2,478	269	256	--	796	769	--	--	--	--	388	--	--
Balsam poplar	39,414	4,551	5,895	6,275	5,129	9,425	4,052	690	1,546	1,504	181	166	--
Bigtooth aspen	686,786	71,141	134,620	177,903	160,696	79,940	40,831	15,888	3,398	1,585	553	231	--
Quaking aspen	1,938,487	388,802	524,694	481,407	304,928	152,687	62,121	18,070	4,415	1,057	306	--	--
Paper birch	1,046,686	318,687	355,167	215,487	100,012	40,153	13,128	2,988	772	158	134	--	--
River birch	8,646	1,191	1,602	1,637	1,369	675	892	--	714	343	223	--	--
Black cherry	164,017	41,699	35,905	39,064	18,874	16,151	5,151	4,221	1,795	336	821	--	--
Black walnut	22,609	1,978	2,288	3,435	4,246	4,986	1,166	2,916	696	657	241	--	--
Butternut	38,952	2,369	8,517	5,713	7,128	5,778	5,218	2,195	1,001	235	549	249	--
Other hardwoods	26,145	8,163	6,573	4,671	2,805	2,598	221	457	657	--	--	--	--
<b>Total</b>	<b>11,859,877</b>	<b>2,072,111</b>	<b>2,447,735</b>	<b>2,236,559</b>	<b>1,717,109</b>	<b>1,165,159</b>	<b>796,995</b>	<b>523,369</b>	<b>319,734</b>	<b>214,698</b>	<b>275,219</b>	<b>81,253</b>	<b>9,936</b>
<b>All species</b>	<b>15,498,185</b>	<b>2,896,525</b>	<b>3,309,157</b>	<b>2,857,941</b>	<b>2,129,314</b>	<b>1,414,299</b>	<b>992,020</b>	<b>686,355</b>	<b>425,535</b>	<b>289,080</b>	<b>378,799</b>	<b>108,728</b>	<b>10,432</b>

Table 30.--Net volume of sawtimber on commercial forest land by species group and diameter class, Wisconsin, 1983  
(In thousand board feet)<sup>1/</sup>

Species group	All classes	Diameter class (inches at breast height)						23.0- 28.9	29.0- 38.9	39.0+ --
		9.0- 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9			
Softwoods										
Jack pine	1,069,425	614,842	331,959	94,390	25,945	1,364	925	--	--	--
Red pine	1,997,086	683,569	427,496	229,051	222,34	21,224	121,834	65,774	35,704	--
White pine	2,666,253	181,392	269,342	332,735	357,697	386,014	314,620	251,808	420,250	149,295
White spruce	606,863	193,155	157,695	114,896	70,699	36,495	12,677	12,618	8,628	--
Black spruce	101,796	66,752	23,789	4,529	5,920	836	--	--	--	--
Balsam fir	1,031,536	556,056	283,477	104,265	77,960	8,704	1,074	--	--	--
Hemlock	1,130,685	116,503	153,583	182,781	165,446	183,978	113,915	78,166	120,926	15,402
Tamarack	193,864	95,291	64,831	18,099	6,406	7,379	1,858	--	--	--
Eastern redcedar	4,843	2,166	--	943	1,734	--	--	--	--	--
Northern white-cedar	1,118,865	461,306	330,413	181,738	86,08	36,467	12,491	6,410	3,632	--
Other softwoods	7,630	773	5,185	--	1,672	--	--	--	--	--
Total	9,928,846	2,971,805	2,047,755	1,263,427	1,022,291	872,461	579,394	414,776	589,140	164,697
Hardwoods										3,100
White oak	2,230,778	--	547,335	464,666	381,770	275,608	187,934	143,329	161,257	54,998
Select red oak	4,555,263	--	1,046,216	866,537	761,330	600,122	422,963	306,281	431,742	114,966
Other red oak	1,817,970	--	483,256	390,234	351,422	210,024	143,515	93,200	123,840	22,479
Select hickory	272,089	--	123,459	70,741	41,159	21,023	10,028	2,910	2,769	--
Other hickory	86,411	--	53,917	18,744	7,924	3,431	1,207	--	1,188	--
Basswood	1,991,915	--	685,154	485,950	291,748	195,147	116,180	83,918	96,371	32,801
Beech	117,188	--	23,377	21,512	15,959	23,464	11,790	10,255	10,831	--
Yellow birch	561,730	--	122,373	118,556	102,120	96,724	47,215	30,551	34,618	9,673
Hard maple	3,384,420	--	655,569	655,307	573,408	454,175	317,375	221,872	286,362	67,680
Soft maple	1,859,236	--	680,246	443,640	256,300	175,251	102,419	69,134	88,672	37,142
Elm	1,182,708	--	325,061	255,502	216,664	139,920	78,083	49,971	81,684	31,142
Black ash	549,728	--	300,582	124,830	76,187	28,332	9,275	7,456	3,066	--
White & green ash	813,179	--	331,457	204,301	134,648	65,668	31,897	10,843	27,637	6,728
Cottonwood	130,777	--	15,930	26,857	4,886	13,793	13,722	4,810	8,861	29,716
Willow	84,501	--	15,803	10,288	14,202	21,311	7,911	4,357	9,284	1,345
Hackberry	8,473	--	3,283	3,358	--	--	--	1,832	--	--
Balsam poplar	99,922	--	20,696	40,746	18,580	3,281	7,438	7,412	909	860
Bigtooth aspen	1,385,402	--	714,583	370,774	193,901	77,366	16,805	7,921	2,827	1,225
Quaking aspen	2,655,293	--	1,433,226	765,194	326,058	98,113	24,594	6,016	1,792	--
Paper birch	791,454	--	493,152	206,326	69,771	16,252	4,292	890	771	--
River birch	19,495	--	6,297	3,136	4,088	--	3,308	1,606	1,060	--
Black cherry	262,572	--	111,295	88,94	26,675	21,428	8,972	1,622	4,086	--
Black walnut	84,770	--	26,662	28,400	6,210	15,388	3,616	3,289	1,205	--
Butternut	123,867	--	42,483	32,103	27,555	11,293	5,242	1,189	2,775	1,227
Other hardwoods	37,426	--	15,548	14,310	1,335	2,561	3,772	--	--	--
Total	25,106,567	--	8,427,960	5,710,706	3,903,100	2,569,675	1,579,553	1,068,832	1,385,439	411,982
All species	35,035,413	2,971,805	10,775,715	6,974,133	4,925,391	3,442,136	2,158,947	1,483,608	1,974,579	576,679

<sup>1/</sup> International 1/4-inch rule.

Table 31.--Net volume of growing stock on commercial forest land by species group and forest type, Wisconsin, 1983  
 (In thousand cubic feet)

Species group	Forest type							
	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar
<b>Softwoods</b>								
Jack pine	536,333	372,104	21,980	11,844	237	--	366	417
Red pine	763,226	20,618	588,740	39,506	4,892	417	3,353	163
White pine	565,605	8,014	42,851	217,530	14,757	2,356	3,424	9,573
White spruce	199,628	--	2,515	4,680	26,796	83,198	641	6,246
Black spruce	123,955	413	1,873	3,243	19,002	367	55,316	16,879
Balsam fir	553,038	80	3,851	7,170	180,454	2,640	20,416	37,002
Hemlock	283,898	--	1,074	2,637	6,270	131	2,346	12,117
Tamarack	133,877	--	--	1,217	5,324	--	11,733	14,166
Eastern redcedar	3,973	214	--	--	--	--	--	--
Northern white-cedar	471,544	--	587	2,158	42,281	1,036	5,541	290,468
Other softwoods	3,231	--	1,722	596	--	--	--	--
<b>Total</b>	<b>3,638,308</b>	<b>401,443</b>	<b>665,193</b>	<b>290,581</b>	<b>300,013</b>	<b>90,145</b>	<b>103,136</b>	<b>387,031</b>
								<b>95,847</b>
<b>Hardwoods</b>								
White oak	632,216	753	368	3,260	77	--	--	184
Select red oak	1,419,689	4,527	7,279	3,466	641	--	1,017	331
Other red oak	625,311	13,600	6,131	7,079	99	--	75	276
Select hickory	113,434	--	--	334	--	--	--	197
Other hickory	80,472	--	--	--	--	--	--	397
Basswood	835,765	--	209	837	167	299	--	1,215
Beech	28,707	--	418	--	--	--	--	--
Yellow birch	207,564	--	144	370	5,153	--	432	10,633
Hard maple	1,494,611	--	2,360	1,859	2,362	398	233	248
Soft maple	1,219,528	432	5,214	10,168	12,754	688	1,678	7,454
Elm	434,129	307	1,358	639	2,099	150	--	2,319
Black ash	426,864	--	--	1,161	12,478	174	--	18,169
White & green ash	310,499	--	1,421	--	116	837	--	446
Cottonwood	32,668	98	--	4,887	--	--	--	--
Willow	24,200	--	--	--	--	--	--	438
Hackberry	2,478	--	--	--	--	--	--	--
Balsam poplar	39,414	--	--	--	1,392	325	200	1,037
Bigtooth aspen	686,786	4,140	3,380	4,596	1,595	185	1,037	1,250
Quaking aspen	1,938,487	14,361	21,469	29,130	34,620	4,413	12,736	12,014
Paper birch	1,046,686	2,019	5,883	9,480	21,469	522	3,805	18,015
River birch	8,646	--	--	--	--	--	--	--
Black cherry	164,017	--	404	1,242	766	113	151	--
Black walnut	22,609	--	--	--	--	--	--	--
Butternut	38,952	--	--	--	--	--	--	--
Other hardwoods	26,145	--	581	--	--	--	--	--
<b>Total</b>	<b>11,859,877</b>	<b>40,237</b>	<b>56,619</b>	<b>78,508</b>	<b>95,788</b>	<b>8,104</b>	<b>21,364</b>	<b>74,623</b>
<b>All species</b>	<b>15,498,185</b>	<b>441,680</b>	<b>721,812</b>	<b>369,089</b>	<b>395,801</b>	<b>98,249</b>	<b>124,500</b>	<b>461,654</b>
								<b>114,074</b>

(Table 31 continued on next page)

(Table 31 continued)

Species group	Forest type						
	Oak-hickory	Elm-ash-soft maple	Maple-birch	Aspen	Paper birch	Exotic	Non-stocked
Softwoods							
Jack pine	73,808	1,208	5,577	43,668	3,363	--	1,430
Red pine	26,483	643	16,309	47,230	14,376	--	--
White pine	46,125	23,586	130,134	44,758	15,763	--	196
White spruce	445	7,737	19,974	36,059	10,578	--	201
Black spruce	--	2,721	3,166	10,492	2,768	--	--
Balsam fir	1,191	51,343	107,962	101,446	32,513	--	73
Hemlock	1,161	17,614	232,214	5,163	3,092	--	--
Tamarack	562	12,111	4,934	7,813	3,121	--	1,046
Eastern redcedar	2,063	1,277	419	--	--	--	--
Northern white-cedar	238	49,374	54,710	14,502	9,266	--	--
Other softwoods	287	--	70	--	--	556	--
Total	152,363	167,614	575,469	311,131	94,840	556	2,946
Hardwoods							
White oak	489,145	19,715	78,529	29,057	9,434	--	1,694
Select red oak	922,648	17,446	287,090	121,880	52,592	--	652
Other red oak	515,727	8,842	26,575	40,787	3,103	--	3,017
Select hickory	92,249	207	16,709	333	3,405	--	--
Other hickory	38,557	673	38,366	2,479	--	--	--
Basswood	72,711	29,290	698,273	25,398	6,547	--	819
Beech	299	554	27,436	--	--	--	--
Yellow birch	1,007	19,189	163,473	4,129	2,813	--	--
Hard maple	51,853	15,421	1,355,943	48,642	15,086	--	101
Soft maple	101,917	289,212	540,897	195,857	49,727	--	111
Elm	48,467	94,293	255,712	21,388	5,633	--	1,128
Black ash	8,409	260,341	92,375	26,272	6,097	--	905
White & green ash	27,301	71,982	191,697	11,986	4,533	--	180
Cottonwood	6,972	12,392	4,733	3,353	233	--	--
Willow	--	18,109	3,247	1,767	386	--	253
Hackberry	921	581	976	--	--	--	--
Balsam poplar	1,156	6,294	4,334	22,837	1,839	--	--
Bigtooth aspen	145,677	4,555	100,142	388,571	28,363	--	--
Quaking aspen	89,567	62,761	273,905	1,293,698	82,300	--	3,024
Paper birch	111,849	40,176	202,323	265,809	358,814	--	1,063
River birch	1,116	7,530	--	--	--	--	--
Black cherry	57,727	3,058	73,195	24,323	3,038	--	--
Black walnut	17,986	--	4,167	--	--	--	456
Butternut	17,002	243	19,306	1,837	311	--	253
Other hardwoods	3,876	10,503	10,442	594	149	--	--
Total	2,824,139	993,367	4,469,845	2,530,997	634,403	--	13,656
All species	2,976,502	1,160,981	5,045,314	2,842,128	729,243	556	16,602

Table 32--Net volume of sawtimber on commercial forest land by species group and forest type, Wisconsin, 1983  
 (In thousand board feet)<sup>1/</sup>

Species group	All types	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Forest type		
								Northern white-cedar	Tamarack	
Softwoods										
Jack pine	1,069,425	640,234	43,565	36,157	1,258	--	--	710	--	--
Red pine	1,997,086	79,464	1,226,095	175,853	25,884	--	--	17,844	911	2,846
White pine	2,666,253	32,108	172,307	1,003,904	74,808	12,618	12,624	44,300	28,493	
White spruce			8,743	22,215	93,320	188,087		2,603	19,902	1,811
Black spruce	606,863	--	--	4,406	22,260	767	27,767	19,552	5,917	
Balsam fir	101,796	488	--	6,167	17,920	316,487	5,301	72,294	28,539	2,756
Hemlock	1,031,536	--	--	2,339	10,464	25,008	648	9,825	43,089	339
Tamarack	1,130,685	--	--	2,799	11,916	--	4,223		20,094	64,873
Total	193,864	--	--	2,799	11,916	--				
Eastern redcedar	4,843	1,272	--	--	--	--	--	--	--	--
Northern white-cedar	1,118,865	--	1,916	9,149	123,315	--	--	14,805	579,374	1,693
Other softwoods	7,630	--	6,238	1,392	--	--	--	--	--	--
Total	9,928,846	753,566	1,467,370	1,284,259	694,256	207,421	162,495	755,761	108,728	
Hardwoods										
White oak	2,230,778	--	2,079	9,108	--	--	--	--	1,004	--
Select red oak	4,555,263	9,787	8,884	11,485	2,683	--	--	1,401	1,703	595
Other red oak	1,817,970	29,514	16,400	18,642	--	--	--	411	1,388	--
Select hickory	272,089	--	--	--	--	--	--	--	1,146	--
Other hickory	86,411	--	960	2,255	855	--	--	--	1,188	--
Basswood	1,991,915	--	1,110	--	--	--	--	--	5,284	--
Beech	117,188	--	611	1,307	17,925	--	--	--	--	--
Yellow birch	561,730	--	1,629	7,033	4,952	1,507	1,772	27,955	629	
Hard maple	3,384,420	--	1,084	20,087	13,112	2,016	698	1,330	11,348	
Soft maple	1,859,236	--	1,357	1,825	6,583	663	--	--	6,817	1,838
Elm	1,182,708	--	--	5,002	12,729	1,011	--	--	12,672	--
Black ash	549,728	--	7,302	--	--	--	--	--	2,448	--
White & green ash	813,179	--	--	19,577	--	--	--	--	--	--
Cottonwood	130,777	--	--	--	--	--	--	--	1,896	--
Willow	84,501	--	--	--	--	--	--	--	--	--
Hackberry	8,473	--	--	--	--	--	--	--	--	--
Balsam poplar	99,922	--	--	--	626	705	--	--	2,999	--
Bigtooth aspen	1,385,402	3,805	4,577	5,812	1,006	--	4,236	2,085	3,319	
Quaking aspen	2,655,293	9,571	29,442	40,106	49,346	5,246	23,591	21,214	2,170	
Paper birch	791,454	1,655	8,171	17,575	15,797	--	3,747	15,506	3,529	
River birch	19,495	--	--	--	--	--	--	--	--	--
Black cherry	262,572	--	1,147	--	2,578	752	--	--	--	--
Black walnut	84,770	--	--	--	--	--	--	--	--	--
Butternut	123,367	--	--	--	--	--	--	--	--	--
Other hardwoods	37,426	--	3,128	--	--	--	--	--	--	--
Total	25,106,567	55,689	86,624	159,814	128,192	11,900	37,962	117,983	15,997	
All species	35,035,413	809,255	1,553,994	1,444,073	822,448	219,321	200,457	873,744	124,725	(Table 32 continued on the next page)

<sup>1/</sup> International 1/4-inch rule.

(Table 32 continued)

Species group	Oak-hickory	Elm-ash-soft maple	Maple-birch	Aspen	Forest type		
					Paper birch	Exotic	Non-stocked
<b>Softwoods</b>							
Jack pine	185,144	4,293	17,634	128,189	11,457	--	784
Red pine	82,188	3,685	83,787	218,299	80,230	--	--
White pine	219,600	112,575	661,760	220,769	69,633	--	894
White spruce	--	30,333	90,146	115,384	33,258	--	1,061
Black spruce	--	8,070	6,378	5,418	773	--	--
Balsam fir	556	90,621	246,825	182,410	61,660	--	--
Hemlock	5,018	52,194	949,552	21,031	11,178	--	--
Tamarack	2,251	46,212	9,417	22,457	5,585	--	--
Eastern redcedar	1,734	--	1,837	--	--	--	4,037
Northern white-cedar	--	135,254	199,877	28,623	24,859	--	--
Other softwoods	--	--	--	--	--	--	--
<b>Total</b>	<b>496,491</b>	<b>483,237</b>	<b>2,267,213</b>	<b>942,580</b>	<b>298,693</b>	<b>--</b>	<b>6,776</b>
<b>Hardwoods</b>							
White oak	1,744,390	72,121	300,314	66,687	29,984	--	5,091
Select red oak	3,093,602	63,952	978,223	230,071	149,533	--	3,344
Other red oak	1,491,354	33,407	97,945	113,120	10,244	--	5,545
Select hickory	211,791	985	48,221	--	9,946	--	--
Other hickory	36,631	--	47,557	1,035	--	--	--
Basswood	191,283	67,016	1,673,290	38,928	10,422	--	1,622
Beech	--	1,042	115,036	--	--	--	--
Yellow birch	2,298	43,568	455,950	4,787	4,928	--	--
Hard maple	138,380	19,058	3,167,909	25,085	15,939	--	--
Soft maple	151,249	727,650	810,001	84,325	32,341	--	--
Elm	128,936	283,588	687,354	50,671	9,740	--	3,436
Black ash	14,713	364,880	120,618	11,261	6,842	--	--
White & green ash	61,490	231,850	483,256	15,993	9,766	--	1,074
Cottonwood	27,697	52,183	19,89	10,466	1,065	--	--
Willow	--	64,707	12,967	2,278	1,631	--	1,022
Hackberry	3,841	2,340	2,292	--	--	--	--
Balsam poplar	4,483	18,133	17,631	52,638	2,707	--	--
Bigtooth aspen	347,769	14,793	227,912	695,225	74,763	--	--
Quaking aspen	127,030	100,856	579,951	1,531,421	134,022	--	1,327
Paper birch	78,513	47,416	225,213	129,239	245,093	--	--
River birch	3,733	15,762	--	--	--	--	--
Black cherry	97,679	1,997	123,399	31,396	3,624	--	--
Black walnut	71,246	--	12,247	--	--	--	1,277
Butternut	50,703	1,345	63,926	7,893	--	--	--
Other hardwoods	7,304	15,940	10,146	908	--	--	--
<b>Total</b>	<b>8,086,115</b>	<b>2,244,589</b>	<b>10,281,047</b>	<b>3,104,327</b>	<b>752,590</b>	<b>--</b>	<b>23,738</b>
<b>All species</b>	<b>8,582,606</b>	<b>2,727,826</b>	<b>12,548,260</b>	<b>4,046,907</b>	<b>1,051,283</b>	<b>--</b>	<b>30,514</b>

Table 33.--Net volume of growing stock on commercial forest land by species group and ownership class, Wisconsin, 1982  
 (In thousand cubic feet)

Species group	All owners	Ownership class						Misc. priv.- corp.	Misc. priv.- Indiv.
		National Forest	Misc. federal	State	County & municipal	Indian	Forest industry		
<b>Softwoods</b>									
Jack pine	536,333	67,884	20,571	30,964	108,184	9,488	58,530	59,147	18,696
Red pine	763,226	119,247	8,932	44,887	127,627	19,259	50,874	99,180	43,218
White pine	565,605	44,455	9,322	27,715	54,596	81,773	30,795	116,803	24,319
White spruce	199,628	87,585	200	8,167	28,388	352	20,372	8,801	7,146
Black spruce	123,955	20,989	--	9,574	22,803	8,184	19,217	6,569	1,877
Balsam fir	553,038	69,408	--	22,782	121,758	14,739	70,706	39,844	28,082
Hemlock	283,898	44,165	--	5,476	18,883	74,560	52,844	29,876	16,734
Tamarack	133,877	11,320	827	6,970	14,723	1,218	9,993	23,117	5,472
Eastern redcedar	3,973	--	--	--	56,794	34,366	48,079	3,052	--
Northern white-cedar	471,544	71,339	--	17,077	--	--	90,511	15,072	921
Other softwoods	3,231	--	--	341	--	--	1,024	1,139	138,306
Total	3,638,308	536,392	39,852	173,953	553,756	243,939	361,410	477,924	160,756
<b>Hardwoods</b>									
White oak	632,216	2,824	3,195	17,575	21,700	3,318	2,956	340,548	26,620
Select red oak	1,419,689	101,229	9,846	38,069	135,792	44,289	55,580	558,271	56,168
Other red oak	625,311	104	13,446	19,658	53,179	4,119	10,142	250,527	31,809
Select hickory	113,434	--	--	1,249	--	--	332	71,331	8,555
Other hickory	80,472	1,206	--	597	2,285	1,993	5,326	45,860	3,955
Basswood	835,765	110,491	213	12,981	119,142	44,602	104,781	161,873	28,646
Beech	28,707	--	--	--	8,369	974	12,309	1,975	5,080
Yellow birch	207,564	40,789	--	4,744	21,011	22,519	43,876	21,194	13,441
Hard maple	1,494,611	237,815	770	32,029	153,942	86,744	219,920	275,298	70,976
Soft maple	1,219,528	105,573	29,446	47,638	188,988	34,425	95,276	270,631	45,507
Elm	434,129	20,054	1,137	15,454	43,728	9,997	39,905	136,703	16,905
Black ash	426,864	30,626	18,261	77,500	6,86	38,330	91,029	14,397	148,774
White & green ash	310,499	20,344	2,743	6,163	25,751	6,980	28,685	117,160	13,642
Cottonwood	32,668	--	3,132	1,161	1,566	--	269	14,331	6,123
Willow	24,200	--	2,322	2,094	524	--	616	12,072	2,915
Hackberry	2,478	--	--	--	--	--	--	1,399	3,657
Balsam poplar	39,414	2,740	--	1,199	10,701	239	1,446	9,305	110,969
Bigtooth aspen	686,786	77,519	5,183	19,965	95,486	25,445	22,368	170,474	12,564
Quaking aspen	1,938,487	157,889	20,689	73,967	384,709	58,309	125,540	309,739	33,228
Paper birch	1,046,686	88,337	3,893	47,477	175,059	29,229	71,492	187,305	67,579
River birch	8,646	--	642	1,172	126	--	--	2,235	2,036
Black cherry	164,017	11,493	--	4,445	12,403	1,108	8,744	69,901	7,666
Black walnut	22,609	--	--	510	--	--	14,643	383	48,257
Butternut	38,952	849	--	335	488	1,245	1,426	20,516	7,073
Other hardwoods	26,145	--	143	483	137	104	--	16,164	9,980
Total	11,859,877	1,009,882	97,961	366,716	1,524,727	389,820	877,983	3,180,818	549,843
All species	15,498,185	1,546,274	137,813	540,669	2,078,483	633,759	1,239,393	3,658,742	710,598
									4,952,454
									9,114

Table 34.--Net volume of sawtimber on commercial forest land by species group and ownership class, Wisconsin, 1983  
 (In thousand board feet)<sup>1/</sup>

Species group	All owners	Ownership class						Misc. priv.-corp.	Misc. priv.-indiv.
		National Forest	Misc. federal	State	County & municipal	Indian	Forest industry		
<b>Softwoods</b>									
Jack pine	1,069,425	111,175	51,002	69,891	175,710	33,881	81,145	152,556	57,652
Red pine	1,997,086	483,109	33,546	131,438	314,462	95,035	143,090	198,062	74,969
White pine	2,366,253	215,656	39,272	125,370	265,569	433,998	139,642	548,274	523,375
White spruce	606,863	207,937	655	27,241	107,672	857	76,145	34,483	778,732
Black spruce	101,796	14,500	--	3,433	25,639	6,898	16,817	5,541	127,142
Balsam fir	1,031,536	172,186	--	31,981	225,689	23,758	168,090	60,735	25,976
Hemlock	1,130,685	183,575	--	19,800	73,379	318,637	227,462	92,863	65,850
Tamarack	193,864	5,745	1,567	18,533	17,218	4,636	12,337	39,072	14,597
Eastern redcedar	4,843	--	--	--	--	--	--	3,949	80,159
Northern white-cedar	1,118,865	149,420	--	54,491	159,598	108,312	160,787	146,996	35,482
Other softwoods	7,630	--	--	--	--	--	--	4,573	303,779
Total	9,928,846	1,543,303	126,052	482,178	1,364,936	1,026,012	1,025,515	1,287,104	439,211
<b>Hardwoods</b>									
White oak	2,230,778	--	9,868	71,494	39,878	9,825	7,703	1,278,010	90,267
Select red oak	4,555,263	124,629	17,730	104,167	269,960	154,406	150,174	2,202,228	192,721
Other red oak	1,817,970	--	24,737	55,171	103,816	15,419	22,754	847,373	1,339,248
Select hickory	272,089	--	--	2,279	--	--	--	162,070	670,862
Other hickory	86,411	2,550	--	1,710	767	3,829	5,822	47,614	78,790
Basswood	1,901,915	215,190	--	26,364	205,704	146,318	214,488	530,781	21,672
Beech	117,188	--	--	--	--	32,273	3,868	56,015	71,521
Yellow birch	561,730	102,203	--	17,995	66,431	66,113	146,736	39,719	14,285
Hard maple	3,884,420	327,392	3,571	75,924	209,366	285,388	524,698	903,281	87,820
Soft maple	1,859,236	145,187	76,554	99,466	191,663	42,129	120,326	620,662	913,264
Elm	1,182,708	46,487	2,770	44,654	117,948	36,592	109,240	366,875	52,245
Black ash	549,728	25,426	967	33,415	100,264	15,291	58,133	115,540	511,004
White & green ash	813,179	58,420	11,627	18,029	63,763	9,206	91,110	293,557	40,754
Cottonwood	130,777	--	13,246	4,567	7,387	--	1,239	58,732	417,388
Willow	84,501	--	9,691	6,656	1,591	--	2,570	42,783	12,569
Huckleberry	8,473	--	--	--	--	--	4,632	8,641	22,635
Balsam poplar	99,922	6,199	--	3,322	24,766	--	4,493	26,178	178,057
Bigtooth aspen	1,385,402	125,828	5,356	43,468	130,059	50,586	45,836	426,967	32,379
Quaking aspen	2,655,293	239,029	14,388	90,316	476,808	105,094	196,730	437,009	488,164
Paper birch	791,454	64,920	913	34,814	98,602	31,694	65,213	149,221	978,225
River birch	19,495	--	2,967	2,202	--	--	--	8,153	53,943
Black cherry	262,572	25,482	--	5,829	12,331	2,886	9,429	118,792	292,134
Black walnut	84,770	--	--	1,803	3,408	--	--	50,547	5,203
Butternut	123,867	4,839	--	1,861	996	3,866	6,465	66,438	71,340
Other hardwoods	37,426	--	--	1,861	799	577	--	25,060	28,504
Total	25,106,567	1,513,781	194,386	745,496	2,126,307	1,012,092	1,787,027	8,878,237	1,106,910
All species	35,035,413	3,057,084	320,437	1,227,674	3,491,243	2,038,104	2,812,542	10,165,341	1,546,121
									10,376,867

<sup>1/</sup> International 1/4-inch rule.

Table 35.--Net volume of growing stock on commercial forest land by forest type and stand-age class, Wisconsin, 1983  
 (In thousand cubic feet)

Forest type	A1 classes	Stand-age class (years)					
		1-10	11-20	21-30	31-40	41-50	51-60
Jack pine	441,680	4,994	25,061	39,500	114,909	161,553	68,536
Red pine	721,812	4,255	70,390	207,740	194,256	108,425	50,799
White pine	369,089	4,649	11,564	13,815	17,896	39,964	29,520
Balsam fir	395,801	19,736	14,827	23,666	36,282	66,999	114,922
White spruce	98,249	373	4,688	18,454	41,587	10,288	16,742
Black spruce	124,500	4,416	8,027	15,587	8,700	14,388	9,752
Northern white-cedar	461,654	2,453	9,605	9,270	6,047	51,467	45,671
Tamarack	114,074	7,028	8,954	9,245	8,158	18,514	14,078
Oak-hickory	2,976,502	91,042	40,040	49,756	108,020	385,059	565,850
Elm-ash-soft maple	1,160,981	39,085	37,273	56,749	108,191	152,560	132,534
Maple-birch	5,045,314	92,082	128,574	162,001	298,472	806,595	970,200
Aspen	2,842,128	166,063	149,627	190,336	485,848	901,868	578,719
Paper birch	729,243	15,366	29,698	42,609	111,584	186,816	190,041
Exotic	556	--	556	--	--	--	--
Nonstocked	16,602	16,602	--	--	--	--	--
All types	15,498,185	468,144	538,884	838,728	1,539,950	2,904,496	2,784,364

(Table 35 continued)

Forest type	Stand-age class				
	81-90	91-100	101-120	121-140	141+
Jack pine	2,898	--	--	--	--
Red pine	18,597	24,714	8,547	--	--
White pine	53,626	4,552	23,443	20,741	34,953
Balsam fir	16,102	3,302	12,716	6,259	1,519
White spruce	--	--	--	--	--
Black spruce	12,072	2,996	--	369	--
Northern white-cedar	35,599	85,070	40,991	40,770	41,887
Tamarack	9,749	--	2,957	1,474	978
Oak-hickory	297,881	246,845	259,977	173,875	90,663
Elm-ash-soft maple	107,828	86,297	64,116	33,375	16,324
Maple-birch	376,883	307,316	334,786	194,434	291,453
Aspen	55,819	8,547	--	--	--
Paper birch	2,039	715	2,650	--	--
Exotic	--	--	--	--	--
Nonstocked	--	--	--	--	--
All types	989,093	770,354	750,183	471,297	447,777

(Table 35 continued)

Table 36.--Net volume of sawtimber on commercial forest land by forest type and stand-age class, Wisconsin, 1983  
(In thousand board feet)<sup>1/</sup>

Forest type	All classes	Stand-age class (years)					
		1-10	11-20	21-30	31-40	41-50	51-60
Jack pine	809,255	12,550	23,852	33,932	156,007	303,726	176,248
Red pine	1,553,994	17,590	43,253	111,543	410,765	386,841	195,355
White pine	1,444,073	20,024	9,086	45,086	46,852	130,909	98,896
Balsam fir	822,448	42,094	18,934	33,153	60,776	119,868	257,789
White spruce	219,321	--	8,290	13,869	109,525	20,983	39,796
Black spruce	200,457	3,301	11,082	18,883	7,442	8,190	7,106
Northern white-cedar	873,744	3,970	5,417	14,870	8,713	77,379	60,549
Tamarack	124,725	9,208	9,353	6,795	3,747	14,014	8,421
Oak-hickory	8,532,606	217,768	105,159	93,675	158,521	645,694	1,119,852
Elm-ash-soot maple	2,727,826	84,807	72,876	65,740	146,956	280,405	256,236
Maple-birch	12,548,260	171,838	293,983	273,461	447,291	1,206,295	1,794,440
Aspen	4,046,907	264,419	168,174	210,478	537,191	995,646	945,921
Paper birch	1,051,283	23,209	31,355	29,442	132,580	222,493	306,240
Exotic	--	--	--	--	--	--	--
Nonstocked	30,514	30,514	--	--	--	--	--
All types	35,035,413	901,292	800,814	950,927	2,226,366	4,413,243	5,266,849

<sup>1/</sup> International 44-inch rule.  
(Table 36 continued)

<sup>1/</sup> International 44-inch rule.  
(Table 36 continued)

<sup>1/</sup> International 44-inch rule.  
(Table 36 continued)

Forest type	Stand-age class			
	81-90	91-100	101-120	121-140
Jack pine	13,712	--	--	--
Red pine	87,132	115,020	37,711	--
White pine	231,856	22,932	99,053	95,442
Balsam fir	50,596	12,558	44,771	22,222
White spruce	--	--	--	--
Black spruce	17,841	8,333	--	1,204
Northern white-cedar	57,047	155,513	112,279	114,016
Tamarack	15,367	--	3,877	183,956
Oak-hickory	1,080,031	984,003	1,028,946	4,509
Elm-ash-soft maple	334,263	290,006	199,919	743,730
Maple-birch	1,272,304	1,118,408	1,252,909	111,352
Aspen	157,370	33,477	8,507	57,277
Paper birch	6,901	1,814	--	--
Exotic	--	--	--	--
Nonstocked	--	--	--	--
All types	3,324,420	2,742,064	2,787,972	1,871,827

<sup>1/</sup> International 44-inch rule.  
(Table 36 continued)

Table 37.--Net volume of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Wisconsin, 1983

(In thousand cubic feet)

Forest type and stand-size class	All classes	Basal-area class (square feet per acre)						
		0-10	11-20	21-30	31-40	41-50	51-60	61-70
Jack pine								
Sawtimber	108,406	--	--	--	3,702	1,847	8,151	9,316
Poletimber	289,223	--	--	--	3,103	5,472	13,142	15,311
Sapling & seedling	44,051	84	662	2,060	3,174	3,588	4,912	6,124
All stands	441,680	84	662	2,060	9,979	10,907	26,205	30,751
Red pine								
Sawtimber	307,287	--	--	--	1,655	2,017	1,542	--
Poletimber	392,761	--	--	--	--	480	3,158	3,712
Sapling & seedling	21,764	152	306	243	2,279	1,440	4,833	--
All stands	721,812	152	306	243	3,934	3,937	9,533	3,712
White pine								
Sawtimber	308,695	--	647	251	5,608	1,165	4,957	2,205
Poletimber	51,886	--	--	--	--	--	1,173	--
Sapling & seedling	8,508	--	--	--	--	281	3,691	--
All stands	369,089	--	647	251	5,608	1,446	9,821	2,205
Balsam fir								
Sawtimber	138,592	--	--	--	--	5,066	16,286	4,620
Poletimber	206,947	--	--	691	--	1,199	6,688	12,266
Sapling & seedling	50,262	104	892	2,694	1,824	6,263	6,259	9,790
All stands	395,801	104	892	3,385	1,824	12,528	29,233	26,676
White spruce								
Sawtimber	63,525	--	--	--	--	--	--	2,476
Poletimber	32,747	--	--	--	--	--	--	--
Sapling & seedling	1,977	--	--	373	--	304	1,148	--
All stands	98,249	--	--	373	--	304	1,148	2,476
Black spruce								
Sawtimber	6,226	--	369	--	--	--	--	3,044
Poletimber	83,890	--	--	1,241	--	--	4,315	5,439
Sapling & seedling	34,384	175	495	3,824	970	7,272	2,591	3,965
All stands	124,500	175	864	5,065	970	7,272	6,906	12,448
Northern white-cedar								
Sawtimber	178,435	--	--	--	--	2,702	304	2,045
Poletimber	264,608	--	--	--	--	--	1,710	--
Sapling & seedling	18,611	--	30	1,346	234	2,122	1,441	--
All stands	461,654	--	30	1,346	234	4,824	3,455	2,045

(Table 37 continued on next page)

(Table 37 continued)

Forest type and stand-size class	Basal-area class (square feet per acre)						
	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	11,916	18,771	11,468	27,741	11,068	4,426	--
Poletimber	38,728	45,632	82,642	50,165	26,593	3,177	5,258
Sapling & seedling	21,874	1,573	--	--	--	--	--
All stands	72,518	65,976	94,110	77,906	37,661	7,603	5,258
Red pine							
Sawtimber	8,525	14,173	17,245	89,447	80,202	71,431	21,050
Poletimber	10,254	27,530	11,567	67,808	86,656	54,744	126,852
Sapling & seedling	4,643	2,452	255	2,974	2,187	--	--
All stands	23,422	44,155	29,067	160,229	169,045	126,175	147,902
White pine							
Sawtimber	9,997	17,421	17,970	77,999	76,942	52,178	41,355
Poletimber	3,334	5,994	7,419	13,207	11,821	8,938	--
Sapling & seedling	4,536	--	--	--	--	--	--
All stands	17,867	23,415	25,389	91,206	88,763	61,116	41,355
Balsam fir							
Sawtimber	8,210	9,201	9,276	26,607	42,830	6,338	10,158
Poletimber	6,062	17,207	6,624	31,792	62,143	37,198	25,077
Sapling & seedling	12,569	1,213	4,375	1,740	1,167	1,372	--
All stands	26,841	27,621	20,275	60,139	106,140	44,908	35,235
White spruce							
Sawtimber	--	--	--	--	--	25,896	35,153
Poletimber	--	2,821	2,564	2,265	17,955	7,142	--
Sapling & seedling	152	--	--	--	--	--	--
All stands	152	2,821	2,564	2,265	17,955	33,038	35,153
Black spruce							
Sawtimber	--	--	--	--	2,813	--	--
Poletimber	8,187	6,282	28,293	9,141	18,540	2,452	--
Sapling & seedling	6,760	4,253	1,510	1,559	1,010	--	--
All stands	14,947	10,535	29,803	10,700	22,363	2,452	--
Northern white-cedar							
Sawtimber	6,093	7,745	2,748	10,415	38,652	41,289	66,442
Poletimber	5,648	7,226	2,407	43,757	33,008	86,650	84,202
Sapling & seedling	3,521	1,643	--	4,967	--	3,307	--
All stands	15,262	16,614	5,155	59,139	71,660	131,246	150,644

(Table 37 continued on next page)

(Table 37 continued)

Forest type and stand-size class	All classes	Basal-area class (square feet per acre)					
		0-10	11-20	21-30	31-40	41-50	51-60
Tamarack							
Sawtimber	11,554	--	380	2,138	--	1,089	1,601
Poletimber	74,609	--	251	882	1,199	6,066	6,103
Sapling & seedling	27,911	208	842	1,947	3,035	3,519	5,041
All stands	114,074	208	1,473	4,967	4,234	10,674	12,745
Oak-hickory							
Sawtimber	1,884,950	--	709	5,984	11,115	38,535	56,682
Poletimber	948,482	--	--	1,284	4,296	3,430	43,846
Sapling & seedling	143,070	596	3,997	17,290	17,328	25,598	30,571
All stands	2,976,502	596	4,706	24,558	32,739	67,563	131,099
Elm-ash-soft maple							
Sawtimber	536,724	--	1,074	5,550	8,180	11,736	29,135
Poletimber	529,509	--	4,076	6,376	9,171	16,635	33,928
Sapling & seedling	94,748	460	4,448	8,781	11,440	15,897	18,144
All stands	1,160,981	460	9,598	20,707	28,791	44,268	81,207
Maple-birch							
Sawtimber	2,455,682	--	--	3,771	3,763	26,240	45,955
Poletimber	2,308,839	--	--	2,880	6,296	21,902	52,785
Sapling & seedling	280,793	794	6,987	15,947	19,184	44,749	39,200
All stands	5,045,314	794	6,987	22,598	29,243	92,891	137,940
Aspen							
Sawtimber	558,223	--	627	4,018	5,854	12,171	25,762
Poletimber	1,904,283	--	1,920	10,770	11,884	55,211	107,587
Sapling & seedling	379,622	3,000	17,288	36,736	43,725	71,166	57,608
All stands	2,842,128	3,000	19,835	51,524	61,463	138,548	190,957
Paper birch							
Sawtimber	106,169	--	--	490	--	2,737	2,929
Poletimber	560,851	--	--	680	4,058	10,103	25,372
Sapling & seedling	62,223	206	1,566	3,140	5,661	11,724	9,631
All stands	729,243	206	1,566	4,310	9,719	24,564	37,932
Exotic							
Sawtimber	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--
Sapling & seedling	556	--	--	--	--	--	--
All stands	556	--	--	--	--	--	--
Nonstocked	16,602	1,515	2,512	483	1,718	795	2,875
All types							
Sawtimber	6,664,468	--	3,806	22,202	39,877	105,305	193,304
Poletimber	7,648,635	--	6,247	24,804	40,007	120,498	299,807
Sapling & seedling	1,168,480	5,779	37,513	94,381	108,854	193,923	185,070
Nonstocked	16,602	1,515	2,512	483	1,718	795	2,875
All stands	15,498,185	7,294	50,078	141,870	190,456	420,521	681,056

(Table 37 continued on next page)

(Table 37 continued)

Forest type and stand-size class	Basal-area class (square feet per acre)						
	71-80	81-90	91-100	101-120	121-150	151-180	181+
Tamarack							
Sawtimber	--	--	--	4,872	--	--	--
Poletimber	1,992	24,393	10,502	11,243	1,211	--	--
Sapling & seedling	6,902	890	3,401	--	--	--	--
All stands	8,894	25,283	13,903	16,115	1,211	--	--
Oak-hickory							
Sawtimber	157,183	221,750	160,402	515,996	455,742	146,359	22,192
Poletimber	83,354	124,183	112,925	227,997	205,484	97,266	11,666
Sapling & seedling	7,949	7,134	4,181	9,528	4,103	--	--
All stands	248,486	353,067	277,508	753,521	665,329	243,625	33,858
Elm-ash-soft maple							
Sawtimber	27,256	48,530	54,340	99,625	139,419	74,672	23,633
Poletimber	54,177	70,400	44,555	85,144	109,201	53,670	9,453
Sapling & seedling	8,449	6,575	5,971	2,314	3,006	--	--
All stands	89,882	125,505	104,866	187,083	251,626	128,342	33,086
Maple-birch							
Sawtimber	133,637	189,535	173,803	555,608	796,307	377,561	100,844
Poletimber	139,111	274,771	175,617	609,334	654,125	255,793	53,054
Sapling & seedling	35,381	29,778	11,303	35,612	7,030	5,050	--
All stands	308,129	494,084	360,723	1,200,554	1,457,462	638,404	153,898
Aspen							
Sawtimber	36,648	62,777	43,964	105,352	171,344	38,545	27,704
Poletimber	162,104	250,419	187,834	371,517	434,289	142,357	36,355
Sapling & seedling	50,050	32,429	15,060	10,921	1,962	805	--
All stands	248,802	345,625	246,858	487,790	607,595	181,707	64,059
Paper birch							
Sawtimber	7,736	12,170	3,826	21,773	21,811	12,648	8,815
Poletimber	36,857	36,956	36,472	111,265	195,760	82,634	9,772
Sapling & seedling	4,847	7,032	3,593	5,638	2,466	--	--
All stands	49,440	56,158	43,891	138,676	220,037	95,282	18,587
Exotic							
Sawtimber	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--
Sapling & seedling	556	--	--	--	--	--	--
All stands	556	--	--	--	--	--	--
Nonstocked	1,463	--	2,217	589	914	--	--
All types							
Sawtimber	407,201	602,073	495,042	1,535,435	1,837,130	851,343	357,346
Poletimber	549,808	893,814	709,421	1,634,635	1,856,786	832,021	361,689
Sapling & seedling	168,189	94,972	49,649	75,253	22,931	10,534	--
Nonstocked	1,463	--	2,217	589	914	--	--
All stands	1,126,661	1,590,859	1,256,329	3,245,912	3,717,761	1,693,898	719,035

Table 38.--Net volume of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Wisconsin, 1983

(In thousand board feet)<sup>1/</sup>

Forest type and stand-size class	All classes	Basal-area class (square feet per acre)					
		0-10	11-20	21-30	31-40	41-50	51-60
Jack pine							
Sawtimber	387,722	--	--	--	14,374	6,106	33,252
Poletimber	367,992	--	--	--	1,933	6,512	15,316
Sapling & seedling	53,541	--	1,677	1,419	4,983	12,680	4,940
All stands	809,255	--	1,677	1,419	21,290	25,298	53,508
Red pine							
Sawtimber	1,247,341	--	--	--	6,709	10,381	8,288
Poletimber	257,108	--	--	--	--	796	4,906
Sapling & seedling	49,545	790	702	--	9,183	7,614	9,425
All stands	1,553,994	790	702	--	15,892	18,791	22,619
White pine							
Sawtimber	1,329,387	--	3,600	1,198	30,725	6,433	24,229
Poletimber	86,177	--	--	--	--	--	2,120
Sapling & seedling	28,509	--	--	--	--	--	16,102
All stands	1,444,073	--	3,600	1,198	30,725	6,433	42,451
Balsam fir							
Sawtimber	431,236	--	--	--	--	14,233	62,424
Poletimber	308,334	--	--	1,114	--	2,572	13,103
Sapling & seedling	82,878	549	1,973	6,862	4,877	18,506	6,640
All stands	822,448	549	1,973	7,976	4,877	35,311	82,167
White spruce							
Sawtimber	177,558	--	--	--	--	--	7,211
Poletimber	36,803	--	--	--	--	--	--
Sapling & seedling	4,960	--	--	--	--	1,494	3,466
All stands	219,321	--	--	--	--	1,494	3,466
Black spruce							
Sawtimber	19,485	--	1,204	--	--	--	10,281
Poletimber	145,900	--	--	525	--	--	4,544
Sapling & seedling	35,072	--	--	2,504	--	11,410	3,002
All stands	200,457	--	1,204	3,029	--	11,410	15,876
Northern white-cedar							
Sawtimber	557,326	--	--	--	--	11,897	1,077
Poletimber	297,205	--	--	--	--	--	899
Sapling & seedling	19,213	--	--	2,150	417	5,210	1,621
All stands	873,744	--	--	2,150	417	17,107	8,423

(Table 38 continued on next page)

(Table 38 continued)

Forest type and stand-size class	Basal-area class (square feet per acre)						
	71-80	81-90	91-100	101-120	121-150	151-180	181+
Jack pine							
Sawtimber	45,035	63,635	41,183	99,732	39,437	14,706	--
Poletimber	41,783	60,533	105,048	81,147	28,219	--	4,235
Sapling & seedling	15,341	1,209	--	--	--	--	--
All stands	102,159	125,377	146,231	180,879	67,656	14,706	4,235
Red pine							
Sawtimber	32,779	58,160	68,536	367,996	345,970	266,237	82,285
Poletimber	2,133	29,081	5,129	49,865	66,062	35,075	58,447
Sapling & seedling	4,792	7,269	--	7,872	1,898	--	--
All stands	39,704	94,510	73,665	425,733	413,930	301,312	140,732
White pine							
Sawtimber	49,576	71,666	67,142	324,999	307,876	224,685	208,048
Poletimber	6,021	11,153	8,200	15,385	33,842	9,456	--
Sapling & seedling	12,407	--	--	--	--	--	--
All stands	68,004	82,819	75,342	340,384	341,718	234,141	208,048
Balsam fir							
Sawtimber	30,992	30,773	28,625	79,046	126,374	18,028	27,155
Poletimber	9,342	27,345	8,360	43,262	113,858	50,250	29,655
Sapling & seedling	19,234	2,830	5,485	4,054	1,202	3,519	--
All stands	59,568	60,948	42,470	126,362	241,434	71,797	56,810
White spruce							
Sawtimber	--	--	--	--	--	71,875	98,472
Poletimber	--	5,385	2,579	3,330	13,869	11,640	--
Sapling & seedling	--	--	--	--	--	--	--
All stands	--	5,385	2,579	3,330	13,869	83,515	98,472
Black spruce							
Sawtimber	--	--	--	--	8,000	--	--
Poletimber	8,923	6,419	81,671	10,665	28,061	--	--
Sapling & seedling	7,786	9,867	--	--	--	--	--
All stands	16,709	16,286	81,671	10,665	36,061	--	--
Northern white-cedar							
Sawtimber	23,350	21,553	11,505	29,866	122,098	137,097	190,460
Poletimber	7,896	9,028	4,530	67,892	24,754	110,682	71,524
Sapling & seedling	1,315	3,229	--	3,298	--	1,973	--
All stands	32,561	33,810	16,035	101,056	146,852	249,752	261,984

(Table 38 continued on next page)

(Table 38 continued)

Forest type and stand-size class	All classes	Basal-area class (square feet per acre)						
		0-10	11-20	21-30	31-40	41-50	51-60	61-70
Tamarack								
Sawtimber	38,022	--	1,439	8,099	--	4,586	4,413	4,509
Poletimber	58,373	--	1,397	878	--	2,204	4,578	5,684
Sapling & seedling	28,330	766	846	1,557	4,879	5,096	3,732	2,320
All stands	124,725	766	3,682	10,534	4,879	11,886	12,723	12,513
Oak-hickory								
Sawtimber	6,918,200	--	3,524	30,406	50,587	168,214	246,769	364,835
Poletimber	1,312,489	--	--	1,701	8,294	4,001	68,564	54,505
Sapling & seedling	351,917	966	9,499	43,729	48,577	47,233	78,755	39,412
All stands	8,582,606	966	13,023	75,836	107,458	219,448	394,088	458,752
Elm-ash-soft maple								
Sawtimber	1,819,357	--	4,816	24,116	29,904	47,110	110,654	54,561
Poletimber	739,519	--	675	8,157	17,946	21,573	49,311	43,250
Sapling & seedling	168,950	547	11,576	23,447	21,359	24,844	28,512	13,177
All stands	2,727,826	547	17,067	55,720	69,209	93,527	188,477	110,988
Maple-birch								
Sawtimber	8,596,273	--	--	14,290	15,429	103,271	151,095	185,941
Poletimber	3,367,547	--	--	2,183	10,549	32,527	60,191	88,949
Sapling & seedling	584,440	2,505	17,554	36,848	49,431	123,568	74,425	45,273
All stands	12,548,260	2,505	17,554	53,321	75,409	259,366	285,711	320,163
Aspen								
Sawtimber	1,632,601	--	2,559	14,061	19,218	38,396	82,959	75,286
Poletimber	1,929,362	--	2,015	11,413	10,245	70,409	87,446	114,285
Sapling & seedling	484,944	8,507	46,276	68,238	46,410	71,353	71,525	55,540
All stands	4,046,907	8,507	50,850	93,712	75,873	180,158	241,930	245,111
Paper birch								
Sawtimber	332,872	--	--	1,855	--	7,769	9,855	41,691
Poletimber	654,524	--	--	--	2,808	12,300	10,232	14,836
Sapling & seedling	63,887	1,176	2,597	5,490	3,409	8,412	14,263	11,963
All stands	1,051,283	1,176	2,597	7,345	6,217	28,481	34,350	68,490
Exotic								
Sawtimber	--	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--	--
Sapling & seedling	--	--	--	--	--	--	--	--
All stands	--	--	--	--	--	--	--	--
Nonstocked	30,514	5,086	4,634	2,135	2,440	750	5,274	4,075
All types								
Sawtimber	23,487,380	--	17,142	94,025	166,946	418,396	735,015	805,796
Poletimber	9,561,333	--	4,087	25,971	51,775	152,894	321,210	364,954
Sapling & seedling	1,956,186	15,806	92,700	192,244	193,525	337,420	316,408	186,627
Nonstocked	30,514	5,086	4,634	2,135	2,440	750	5,274	4,075
All stands	35,035,413	20,892	118,563	314,375	414,686	909,460	1,377,907	1,361,452

(Table 38 continued on next page)

(Table 38 continued)

Forest type and stand-size class	Basal-area class (square feet per acre)						
	71-80	81-90	91-100	101-120	121-150	151-180	181+
<b>Tamarack</b>							
Sawtimber	--	--	--	14,976	--	--	--
Poletimber	3,719	22,000	8,378	8,180	1,355	--	--
Sapling & seedling	4,340	2,187	2,607	--	--	--	--
All stands	8,059	24,187	10,985	23,156	1,355	--	--
<b>Oak-hickory</b>							
Sawtimber	588,208	831,157	609,591	1,852,013	1,562,289	543,475	67,132
Poletimber	109,998	163,993	173,335	314,428	287,636	108,037	17,997
Sapling & seedling	10,896	16,460	10,631	34,549	11,210	--	--
All stands	709,102	1,011,610	793,557	2,200,990	1,861,135	651,512	85,129
<b>Elm-ash-soft maple</b>							
Sawtimber	98,151	153,418	196,526	343,795	474,541	213,387	68,378
Poletimber	78,768	105,692	58,355	126,717	138,540	77,812	12,723
Sapling & seedling	5,154	11,588	10,081	9,552	9,113	--	--
All stands	182,073	270,698	264,962	480,064	622,194	291,199	81,101
<b>Maple-birch</b>							
Sawtimber	484,462	718,435	625,015	2,006,890	2,683,521	1,271,520	336,404
Poletimber	193,938	407,450	266,194	878,847	1,007,142	348,193	71,384
Sapling & seedling	51,354	71,952	23,620	67,987	10,646	9,277	--
All stands	729,754	1,197,837	914,829	2,953,724	3,701,309	1,628,990	407,788
<b>Aspen</b>							
Sawtimber	118,489	205,001	127,443	293,175	495,901	91,552	68,561
Poletimber	174,061	281,542	192,732	387,061	445,634	122,929	29,590
Sapling & seedling	59,567	22,987	18,053	15,392	1,096	--	--
All stands	352,117	509,530	338,228	695,628	942,631	214,481	98,151
<b>Paper birch</b>							
Sawtimber	23,844	37,335	9,318	67,684	61,028	43,927	28,566
Poletimber	48,473	46,924	42,394	130,581	230,731	104,593	10,652
Sapling & seedling	1,637	8,665	613	5,662	--	--	--
All stands	73,954	92,924	52,325	203,927	291,759	148,520	39,218
<b>Exotic</b>							
Sawtimber	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--
Sapling & seedling	--	--	--	--	--	--	--
All stands	--	--	--	--	--	--	--
Nonstocked	3,439	--	2,681	--	--	--	--
<b>All types</b>							
Sawtimber	1,494,886	2,191,133	1,784,884	5,480,172	6,227,035	2,896,489	1,175,461
Poletimber	685,055	1,176,545	956,905	2,117,360	2,419,703	978,667	306,207
Sapling & seedling	193,823	158,243	71,090	148,366	35,165	14,769	--
Nonstocked	3,439	--	2,681	--	--	--	--
All stands	2,377,203	3,525,921	2,815,560	7,745,898	8,681,903	3,889,925	1,481,668

Table 39.--Net volume of sawtimber on commercial forest land by species group, log grade, and diameter class, Wisconsin, 1983

(In thousand board feet)<sup>1/</sup>

Species group	All grades						Log grade 1					
	Total	9.0-14.9	15.0-18.9	19.0-22.9	23.0+	Total	9.0-14.9	15.0-18.9	19.0-22.9	23.0+		
<b>Softwoods</b>												
Jack pine	1,069,425	1,041,191	27,309	--	--	3,780	3,780	--	--	--	--	--
Red pine	1,997,086	1,340,116	433,658	187,608	35,704	64,843	12,219	39,906	12,718	--	--	--
White pine	2,666,253	783,469	743,711	566,428	572,645	205,803	2,592	32,067	85,893	85,251		
White spruce	606,863	465,746	107,194	25,295	8,628	4,476	--	4,476	--	--	--	--
Black spruce	101,796	95,070	6,726	--	--	--	--	--	--	--	--	--
Balsam fir	1,031,536	943,798	86,664	1,074	--	--	--	--	14,509	34,367	25,197	
Hemlock	1,130,885	452,852	349,424	192,081	136,328	74,073	--	--	--	--	--	--
Tamarack	193,864	178,221	13,785	1,858	--	--	--	--	--	--	--	--
Eastern redcedar	4,843	3,109	1,734	--	--	--	--	--	--	--	--	--
Northern white-cedar	1,118,865	973,457	122,875	18,901	3,632	4,557	--	--	2,020	2,537	--	--
Other softwoods	7,630	5,958	1,672	--	--	--	--	--	--	--	--	--
<b>Total</b>	<b>9,928,846</b>	<b>6,282,987</b>	<b>1,894,752</b>	<b>994,170</b>	<b>756,937</b>	<b>357,532</b>	<b>18,591</b>	<b>92,978</b>	<b>126,515</b>	<b>110,448</b>		
<b>Hardwoods</b>												
White oak	2,230,778	1,012,001	657,378	331,263	230,136	56,890	--	16,636	30,047	10,207		
Select red oak	4,555,253	1,912,53	1,361,552	729,244	55,714	418,422	--	160,285	112,794	145,343		
Other red oak	1,817,970	873,490	561,446	236,715	146,319	18,558	--	16,478	2,080			
Select hickory	272,089	194,200	62,182	12,938	2,769	--	--	--	--	--	--	--
Other hickory	86,411	72,661	11,355	1,207	1,188	265,516	25,736	144,539	61,658	33,583		
Basswood	1,991,915	1,171,104	486,895	200,098	133,818	10,831	--	--	--	--	--	--
Beech	117,188	44,889	39,423	22,045	77,766	44,291	61,055	--	22,734	21,033	17,288	
Yellow birch	561,730	240,829	198,544	77,044	359,247	355,714	319,532	--	137,234	106,482	75,816	
Hard maple	3,384,420	1,461,876	1,027,583	431,551	171,563	132,246	114,351	--	51,794	17,176	45,381	
Soft maple	1,859,236	1,123,886	580,563	356,184	128,054	117,907	101,281	--	58,369	10,486	32,426	
Elm	1,182,708	425,412	104,519	16,731	3,066	33,875	6,224	--	26,669	--	982	
Black ash	549,728	813,179	535,788	200,316	42,740	34,365	64,812	16,073	17,226	16,093	15,420	
White & green ash	130,777	42,787	18,219	18,532	51,179	16,835	--	2,384	5,091	9,360		
Cottonwood	84,501	35,513	12,268	10,629	--	--	--	--	--	--	--	
Willow	8,473	6,641	--	--	1,832	--	--	--	--	--	--	
Hackberry	99,922	61,442	21,861	14,850	1,769	7,315	--	3,458	3,857			
Balsam poplar	1,385,402	1,085,357	271,267	24,726	4,052	10,932	1,792	7,735	3,197			
Bigtooth aspen	2,655,293	2,198,720	424,171	30,610	1,792	26,055	--	21,985	4,070			
Quaking aspen	791,454	699,478	86,023	5,182	1,771	5,271	--	5,271				
Paper birch	19,495	9,433	4,088	4,914	1,060	--	--	--	--	--	--	
River birch	292,572	199,789	48,103	10,594	4,086	4,925	--	4,925	--	--	--	
Black cherry	84,770	55,062	21,598	6,905	1,205	--	--	--	--	--	--	
Black walnut	123,867	74,586	38,888	6,431	4,002	--	--	--	--	--	--	
Butternut	31,426	29,858	3,796	3,772	--	--	--	--	--	--	--	
Other hardwoods												
<b>Total</b>	<b>25,106,567</b>	<b>14,138,666</b>	<b>6,472,775</b>	<b>2,648,385</b>	<b>1,846,741</b>	<b>1,527,080</b>	<b>48,033</b>	<b>697,722</b>	<b>394,064</b>	<b>387,261</b>		
All species	35,035,413	20,421,653	8,367,527	3,642,555	2,603,678	1,884,612	66,624	790,700	529,579	497,709		

(Table 39 continued on next page)

<sup>1/</sup> International 1/4-inch rule.

(Table 39 continued)

Species group	Log grade 2						Log grades 3 & 4			
	Total	9.0-14.9	15.0-18.9	19.0-22.9	23.0+	Total	9.0-14.9	15.0-18.9	19.0-22.9	23.0+
<b>Softwoods</b>										
Jack pine	27,146	26,906	240	--	--	1,038,499	1,010,505	27,069	925	--
Red pine	95,068	30,674	30,432	26,670	7,292	1,837,175	1,297,223	363,320	148,220	28,412
White pine	454,000	106,799	138,165	89,994	119,042	2,006,450	674,078	573,479	390,541	368,352
White spruce	12,653	1,829	10,082	--	742	589,734	463,917	92,636	25,295	7,886
Black spruce	324	166	158	--	--	101,472	94,904	6,568	--	--
Balsam fir	6,663	2,820	3,843	--	--	1,024,873	940,978	82,821	1,074	--
Hemlock	147,258	32,254	52,597	33,219	29,188	909,354	420,598	282,318	124,495	81,943
Tamarack	367	367	--	--	--	193,497	177,854	13,785	1,858	--
Eastern redcedar	--	--	--	--	--	4,843	3,109	1,734	--	--
Northern white-cedar	28,145	15,773	12,178	194	--	1,086,163	957,684	108,677	16,170	3,632
Other softwoods	--	--	--	--	--	7,630	5,958	1,672	--	--
<b>Total</b>	<b>771,624</b>	<b>217,588</b>	<b>247,695</b>	<b>150,077</b>	<b>156,264</b>	<b>8,799,690</b>	<b>6,046,808</b>	<b>1,554,079</b>	<b>708,578</b>	<b>490,225</b>
<b>Hardwoods</b>										
White oak	459,433	131,142	190,242	74,504	63,545	1,714,455	880,859	450,500	226,712	156,384
Select red oak	930,702	237,784	351,348	192,929	148,641	3,206,139	1,674,969	849,919	423,521	257,730
Other red oak	267,435	56,245	98,616	34,786	77,788	1,531,977	817,245	446,352	199,849	68,531
Select hickory	40,050	28,234	11,593	13,7	86	232,039	165,966	50,589	12,801	2,683
Other hickory	6,124	5,472	5,47	--	105	80,287	67,189	10,808	1,207	1,083
Basswood	397,020	179,012	137,361	53,441	27,206	1,329,379	966,356	204,995	84,999	73,029
Beech	27,351	706	10,597	12,56	3,692	88,382	44,183	28,826	9,689	5,684
Yellow birch	130,303	30,683	69,121	18,754	11,745	370,372	210,146	106,989	37,979	15,258
Hard maple	745,211	176,671	318,442	177,681	72,417	2,319,677	1,285,205	571,907	255,084	207,481
Soft maple	292,513	93,621	141,297	31,898	25,697	1,452,372	1,030,265	238,460	122,479	61,168
Elm	295,671	70,766	130,212	62,817	31,876	785,756	509,797	167,603	54,751	53,605
Black ash	97,159	67,210	24,729	5,033	187	418,694	351,978	53,121	11,698	1,897
White & green ash	153,200	76,731	65,963	7,280	3,226	595,167	442,954	117,127	19,367	15,719
Cottonwood	10,986	4,211	2,438	3,653	102,956	42,103	11,684	11,003	38,166	
Willow	12,566	55	1,360	8,044	2,607	71,935	26,036	33,653	4,224	8,022
Hackberry	162	--	--	--	162	8,311	6,641	--	--	1,670
Balsam poplar	22,301	12,218	6,633	3,450	--	70,306	49,224	11,770	7,543	1,769
Bigtooth aspen	158,992	74,943	82,210	1,839	--	1,215,478	1,010,414	181,322	19,690	4,052
Quaking aspen	222,059	128,902	90,495	2,662	--	2,407,179	2,069,818	311,691	23,878	1,792
Paper birch	74,531	44,773	29,758	--	--	711,652	654,705	50,994	5,182	771
River birch	43	43	--	--	--	19,452	9,390	4,088	4,914	1,060
Black cherry	40,951	27,365	9,500	--	4,086	216,696	172,424	33,678	10,594	--
Black walnut	--	--	--	--	--	84,770	55,062	21,598	6,905	1,205
Butternut	30,433	13,240	17,193	--	--	93,434	61,346	21,655	6,431	4,002
Other hardwoods	5,106	3,916	--	1,190	--	32,320	25,942	3,796	2,582	--
<b>Total</b>	<b>4,420,302</b>	<b>1,460,416</b>	<b>1,791,928</b>	<b>691,239</b>	<b>476,719</b>	<b>19,159,185</b>	<b>12,630,217</b>	<b>3,983,125</b>	<b>1,563,082</b>	<b>982,761</b>
All species	5,191,926	1,678,004	2,039,623	841,316	632,983	27,958,875	18,677,025	5,537,204	2,271,660	1,472,986

Table 40.--Net volume of short-log trees on commercial forest land by species group and diameter class, Wisconsin, 1983  
 (In thousand cubic feet)

Species group	A11 classes	Diameter class (inches at breast height)						23.0- 28.9	29.0- 38.9	39.0+ --
		9.0 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	18.9 18.0-	21.0- 20.9			
Softwoods										
Jack pine	6,579	2,366	1,398	2,702	113	--	--	--	--	--
Red pine	380	208	--	--	172	--	--	--	--	--
White pine	11,024	2,077	1,881	1,108	377	1,136	721	906	1,937	881
White spruce	559	--	559	--	--	--	--	--	--	--
Black spruce	192	192	--	--	--	--	--	--	--	--
Balsam fir	1,381	664	152	267	298	--	--	--	--	--
Hemlock	6,026	752	975	1,347	795	873	953	--	189	142
Tamarack	620	--	222	398	--	--	--	--	--	--
Eastern redcedar	--	67	2,670	3,326	842	622	217	--	--	--
Northern white-cedar	7,677	--	--	--	--	--	--	--	--	--
Other softwoods	364	364	--	--	--	--	--	--	--	--
Total	34,802	9,293	8,513	6,664	2,205	2,398	1,674	906	2,126	1,023
Hardwoods										
White oak	65,306	--	7,154	14,606	11,879	7,994	5,561	6,790	7,911	2,745
Select red oak	58,301	--	3,066	11,502	11,285	6,586	6,304	6,518	8,738	4,302
Other red oak	67,482	--	6,350	13,935	15,690	11,717	6,269	4,776	7,802	783
Select hickory	4,065	--	867	1,022	1,818	358	--	--	--	--
Other hickory	1,319	--	1,068	251	--	--	--	--	--	--
Basswood	16,376	--	1,782	3,461	2,916	2,213	2,169	1,118	1,277	411
Beech	1,674	--	--	--	516	372	--	163	207	416
Yellow birch	11,098	--	2,216	2,608	2,111	1,705	610	484	1,263	101
Hard maple	47,409	--	5,773	10,329	8,977	7,525	4,266	3,583	4,294	2,662
Soft maple	34,951	--	4,666	6,279	5,901	4,896	3,179	2,772	3,415	2,280
Elm	23,935	--	3,432	4,859	5,725	2,407	2,325	1,249	2,145	1,793
Black ash	1,962	--	723	541	698	--	--	--	--	--
White & green ash	7,067	--	1,230	1,481	1,196	953	233	--	1,974	--
Cottonwood	1,311	--	156	233	--	--	188	--	473	261
Willow	2,891	--	194	379	545	202	211	416	683	261
Blackberry	--	--	--	--	--	327	--	--	--	--
Balsam poplar	327	--	2,065	2,965	1,029	1,294	221	--	--	--
Bigtooth aspen	7,574	--	5,192	5,113	1,096	229	110	--	--	--
Quaking aspen	11,740	--	3,578	3,175	1,151	--	403	111	--	--
Paper birch	8,418	--	--	--	365	--	280	--	--	--
River birch	645	--	393	2,650	1,955	138	211	467	462	--
Black cherry	6,276	--	200	--	--	278	320	--	--	--
Black walnut	798	--	544	616	1,183	202	--	213	--	--
Butternut	2,787	--	732	768	590	402	--	138	157	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--
Total	386,370	--	51,381	86,773	76,626	49,798	32,960	28,447	40,995	15,911
All species	421,172	9,293	59,894	93,437	78,831	52,196	34,634	29,353	43,121	16,934
										3,479

Table 41.--Net volume of short-log trees on commercial forest land by species group and diameter class, Wisconsin, 1983  
(In thousand board feet)<sup>1/</sup>

Species group	A11 classes	Diameter class (inches at breast height)									
		9.0 10.9	11.0- 12.9	13.0- 14.9	15.0- 16.9	17.0- 18.9	19.0- 20.9	21.0- 22.9	23.0- 28.9	29.0- 38.9	39.0+
Softwoods											
Jack pine	22,799	8,247	4,824	9,333	395	--	--	--	--	--	--
Red pine	1,562	870	--	--	692	--	--	--	--	--	--
White pine	37,451	5,440	5,725	3,627	1,330	4,111	2,690	3,433	7,545	3,550	--
White spruce	2,475	--	2,475	--	--	--	--	--	--	--	--
Black spruce	494	494	--	--	--	--	--	--	--	--	--
Balsam fir	3,581	1,536	402	752	891	--	--	--	--	--	--
Hemlock	14,712	1,462	2,209	3,273	2,011	2,287	2,547	--	521	402	--
Tamarack	2,689	--	949	1,740	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	26,332	8,764	11,515	2,987	2,256	810	--	--	--	--	--
Other softwoods	1,820	1,820	--	--	--	--	--	--	--	--	--
Total	113,915	28,633	28,099	21,712	6,883	7,900	5,237	3,433	8,066	3,952	--
Hardwoods											
White oak	171,428	--	20,570	39,369	31,174	20,426	14,323	17,140	20,030	6,936	1,460
Select red oak	131,261	--	6,330	25,331	25,074	14,693	14,203	14,854	20,220	10,156	--
Other red oak	153,963	--	14,384	31,486	35,468	26,621	14,379	11,059	18,291	1,878	397
Select hickory	11,078	--	2,476	2,910	4,745	947	--	--	--	--	--
Other hickory	3,609	--	2,958	651	--	--	--	--	--	--	--
Basswood	35,489	--	3,710	7,318	6,286	4,766	4,737	2,464	2,849	937	2,422
Beech	4,471	--	--	1,412	964	--	424	557	1,114	--	--
Yellow birch	26,014	--	4,545	5,781	4,988	4,197	1,548	1,256	3,414	285	--
Hard maple	115,456	--	13,184	24,288	21,599	18,420	10,659	9,106	11,104	7,096	--
Soft maple	93,064	--	14,042	17,639	15,705	12,585	8,138	7,003	8,567	5,706	3,679
Elm	60,674	--	8,263	11,912	14,276	6,116	6,012	3,284	5,754	4,957	--
Black ash	5,664	--	2,327	1,531	1,806	--	--	--	--	--	--
White & green ash	16,362	--	3,084	3,585	2,734	2,216	518	--	4,225	--	--
Cottonwood	4,191	--	474	692	--	--	574	--	1,538	--	913
Willow	8,857	--	559	1,076	1,599	616	646	1,306	2,195	860	--
Hackberry	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	799	--	--	--	--	799	--	--	--	--	--
Bigtooth aspen	12,280	--	3,210	4,770	1,710	2,210	380	--	--	--	--
Quaking aspen	26,071	--	11,019	11,809	2,603	564	276	--	--	--	--
Paper birch	22,989	--	9,672	8,573	3,240	--	1,173	331	--	--	--
River birch	2,121	--	1,159	7,182	5,029	--	931	--	--	--	--
Black cherry	16,526	--	2,088	573	--	722	793	1,132	1,131	--	--
Black walnut	7,470	--	1,633	1,733	3,087	499	--	--	--	--	--
Butternut	10,047	--	2,656	2,724	2,088	1,449	--	--	518	--	--
Other hardwoods	--	--	--	--	--	--	--	--	524	606	--
Total	941,972	--	127,328	210,160	185,813	119,157	79,836	69,359	100,917	40,531	8,871
All species	1,055,887	28,633	155,427	231,872	192,696	127,057	85,073	72,792	108,983	44,483	8,871

<sup>1/</sup> International 1/4-inch rule.

Table 42.--Net annual growth of growing stock  
on commercial forest land by softwoods and  
hardwoods, Wisconsin, 1967 and 1982

(In thousand cubic feet)

Species	1967 <sup>1/</sup>	1982
Softwoods	114,676	142,663
Hardwoods	304,748	348,573
All species	419,424	491,236

<sup>1/</sup>Figures have been adjusted from those published after the 1968 survey to conform to 1982 volumes because of changes in survey definitions and procedures.

Table 43.--Net annual growth of growing stock on commercial forest land by species group and Forest Survey Unit, Wisconsin, 1982

(In thousand cubic feet)

Species group	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
Softwoods						
Jack pine	23,092	4,081	10,607	8,124	193	87
Red pine	43,977	13,113	8,768	15,411	4,659	2,026
White pine	16,876	5,033	4,234	6,226	508	875
White spruce	10,934	3,553	6,875	37	23	446
Black spruce	5,491	2,656	2,338	305	38	154
Balsam fir	22,338	9,621	11,877	773	3	64
Hemlock	2,840	1,900	466	375	--	99
Tamarack	2,041	1,004	796	240	--	1
Eastern redcedar	244	--	--	21	96	127
Northern white-cedar	14,647	7,818	3,560	1,068	--	2,201
Other softwoods	183	--	16	140	--	27
Total	142,663	48,779	49,537	32,720	5,520	6,107
Hardwoods						
White oak	11,453	133	1,287	2,950	5,072	2,011
Select red oak	34,507	5,502	10,720	8,337	8,644	1,304
Other red oak	15,934	-251	-194	10,830	4,184	1,365
Select hickory	2,876	--	--	113	1,927	836
Other hickory	3,233	492	210	285	1,909	337
Basswood	25,979	8,458	10,794	2,344	3,570	813
Beech	653	197	--	7	--	449
Yellow birch	2,673	807	1,174	454	38	200
Hard maple	46,806	20,074	18,495	3,318	3,102	1,817
Soft maple	51,605	12,592	22,289	12,334	2,740	1,650
Elm	-359	584	2,978	-1,059	-886	-1,976
Black ash	14,885	2,493	8,627	2,080	465	1,220
White & green ash	11,329	2,385	3,269	1,837	1,417	2,421
Cottonwood	1,008	398	--	38	474	98
Willow	536	35	4	17	191	289
Hackberry	102	--	--	--	87	15
Balsam poplar	733	450	198	-4	62	27
Bigtooth aspen	19,240	4,457	8,194	4,296	1,907	386
Quaking aspen	60,648	17,069	26,291	13,046	2,607	1,635
Paper birch	34,906	11,710	14,620	5,352	2,689	535
River birch	127	--	--	-12	139	--
Black cherry	6,300	1,757	562	581	2,221	1,179
Black walnut	611	--	--	6	438	167
Butternut	1,211	83	170	86	809	63
Other hardwoods	1,577	2	2	220	903	450
Total	348,573	89,427	129,690	67,456	44,709	17,291
All species	491,236	138,206	179,227	100,176	50,229	23,398

Table 44.--Net annual growth of sawtimber on commercial forest land by species group and Forest Survey Unit, Wisconsin, 1982

(In thousand board feet)<sup>1/</sup>

Species group	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
<b>Softwoods</b>						
Jack pine	71,795	14,570	32,952	23,196	951	126
Red pine	122,739	49,511	36,234	27,575	6,865	2,554
White pine	83,335	25,274	24,449	29,065	1,834	2,713
White spruce	39,075	12,294	25,900	157	--	724
Black spruce	4,577	3,105	1,324	148	--	--
Balsam fir	69,757	27,430	40,466	1,129	--	732
Hemlock	12,886	9,082	2,382	1,289	--	133
Tamarack	7,231	1,785	4,123	874	--	449
Eastern redcedar	251	--	--	85	105	61
Northern white-cedar	46,882	20,417	18,269	1,476	--	6,720
Other softwoods	413	--	99	314	--	--
Total	458,941	163,468	186,198	85,308	9,755	14,212
<b>Hardwoods</b>						
White oak	57,123	445	5,331	13,744	26,203	11,400
Select red oak	153,714	21,591	43,540	38,379	42,851	7,353
Other red oak	71,490	4,530	5,156	36,212	19,558	6,034
Select hickory	10,023	--	--	251	6,446	3,326
Other hickory	4,324	528	166	820	2,165	645
Basswood	88,496	26,460	36,516	7,683	15,119	2,718
Beech	1,679	162	--	1,198	--	319
Yellow birch	7,464	1,704	3,607	1,981	85	87
Hard maple	109,715	44,631	34,046	11,491	12,036	7,511
Soft maple	77,489	16,033	26,531	21,042	7,818	6,065
Elm	4,764	6,322	13,119	-2,676	-3,154	-8,847
Black ash	30,485	3,832	15,970	5,536	1,111	4,036
White & green ash	41,618	9,304	11,871	4,896	7,112	8,435
Cottonwood	4,266	1,776	--	140	2,143	207
Willow	2,258	132	16	-26	1,055	1,081
Hackberry	361	--	--	--	251	110
Balsam poplar	2,032	1,087	470	--	428	47
Bigtooth aspen	66,267	13,273	31,043	12,694	6,719	2,538
Quaking aspen	168,395	53,832	80,988	22,119	7,099	4,357
Paper birch	57,418	20,415	26,972	3,406	5,870	755
River birch	283	--	--	17	266	--
Black cherry	11,414	2,282	1,038	379	3,868	3,847
Black walnut	3,762	--	--	25	3,057	680
Butternut	6,428	715	723	1,682	3,200	108
Other hardwoods	2,810	9	--	884	1,631	286
Total	984,078	229,063	337,103	181,877	172,937	63,098
All species	1,443,019	392,531	523,301	267,185	182,692	77,310

<sup>1/</sup> International 1/4-inch rule

Table 45.--Net annual growth of growing stock on commercial forest land by species group and ownership class, Wisconsin, 1982  
 (In thousand cubic feet)

Species group	All owners	Ownership class						Misc. priv.- corp.	Misc. priv.- indiv.
		National Forest	Misc. federal	State	County & municipal	Indian	Forest industry		
Softwoods									
Jack pine	23,092	1,794	760	1,407	5,422	380	2,778	2,446	920
Red pine	43,977	4,741	408	2,357	8,023	472	3,154	5,072	2,742
White pine	16,876	1,305	344	930	1,509	1,327	972	3,922	740
White spruce	10,934	4,662	32	479	1,471	14	1,090	470	424
Black spruce	5,491	413	--	429	1,285	284	789	381	58
Balsam fir	22,338	-389	--	962	5,161	581	2,961	2,070	1,499
Hemlock	2,840	263	--	12	163	583	599	488	165
Tamarack	2,041	87	-1	230	318	-2	203	127	-15
Eastern redcedar	244	--	--	--	--	--	--	186	58
Northern white-cedar	14,647	1,508	--	403	1,709	845	1,242	3,295	--
Other softwoods	183	--	--	27	--	--	--	33	11
Total	142,663	14,384	1,543	7,236	25,061	4,484	13,788	18,490	6,941
Hardwoods									50,736
White oak	11,453	87	22	398	630	39	74	6,121	468
Select red oak	34,507	2,550	319	854	4,206	829	1,328	12,327	1,291
Other red oak	15,934	2	562	441	638	39	251	6,035	854
Select hickory	2,876	--	--	4	--	--	13	1,934	7,112
Other hickory	3,233	18	--	35	51	91	120	2,202	749
Basswood	25,979	3,371	9	499	3,778	1,015	3,581	4,520	193
Beech	653	--	--	--	--	8	24	43	523
Yellow birch	2,673	539	--	76	191	56	539	373	8,355
Hard maple	46,806	8,524	16	817	5,967	1,625	6,990	8,004	12,775
Soft maple	51,605	4,966	1,035	1,740	8,928	1,313	4,145	9,689	1,924
Elm	-359	-1,384	-434	-162	752	-85	626	-1,332	17,865
Black ash	14,885	1,951	58	774	2,374	4	1,340	2,543	66
White & green ash	11,329	578	68	221	733	208	970	4,747	470
Cottonwood	1,008	--	44	44	13	--	4	347	362
Willow	536	--	6	153	16	--	12	220	62
Hackberry	102	--	--	--	--	--	--	67	67
Balsam poplar	733	153	--	11	152	-5	15	77	11
Bigtooth aspen	19,240	3,090	198	450	2,829	635	705	3,872	51
Quaking aspen	60,648	6,328	525	2,500	11,581	808	4,081	11,112	2,449
Paper birch	34,906	2,300	166	1,613	6,482	956	3,264	6,568	1,778
River birch	127	--	-12	26	5	--	--	-1	11,779
Black cherry	6,300	385	--	292	372	-3	248	2,850	27
Black walnut	611	--	--	13	--	--	22	430	151
Butternut	1,211	24	--	8	-4	18	653	168	322
Other hardwoods	1,577	--	2	7	2	2	--	1,130	--
Total	348,573	33,482	2,584	10,801	49,709	7,537	28,352	84,531	14,919
All species	491,236	47,866	4,127	18,037	74,770	12,021	42,140	103,021	21,860
									116,658
									167,394

Table 46.--Net annual growth of sawtimber on commercial forest land by species group and ownership class, Wisconsin, 1982  
(In thousand board feet)<sup>1/</sup>

Species group	All owners	National Forest	Misc. federal	State	County & municipal	Indian	Ownership class			Misc. priv.-corp.	Misc. priv.-indiv.
							Forest industry	Farmer	Misc. priv.-corp.		
<b>Softwoods</b>											
Jack pine	71,795	6,640	2,472	5,122	10,515	1,403	9,161	8,887	4,146	23,449	
Red pine	122,739	35,594	1,564	8,062	21,259	3,079	8,611	9,247	6,296	29,027	
White pine	83,335	7,291	1,309	3,924	8,040	7,589	4,644	19,508	5,025	26,005	
White spruce	39,075	14,289	81	1,630	7,187	61	4,302	2,180	1,371	7,974	
Black spruce	4,577	693	--	-16	962	274	670	217	157	1,620	
Balsam fir	69,757	8,191	--	3,150	16,908	1,129	11,364	3,710	4,254	21,051	
Hemlock	12,886	1,398	--	78	871	2,587	3,070	1,978	851	2,053	
Tamarack	7,231	142	16	972	1,951	50	244	1,107	284	2,465	
Eastern redcedar	251	--	--	--	--	--	--	209	--	42	
Northern white-cedar	46,882	6,841	--	1,609	5,556	2,183	7,627	8,277	2,095	12,694	
Other softwoods	413	--	--	--	--	--	--	197	58	158	
<b>Total</b>	<b>458,941</b>	<b>81,079</b>	<b>5,442</b>	<b>24,531</b>	<b>73,249</b>	<b>18,355</b>	<b>49,693</b>	<b>55,517</b>	<b>24,537</b>	<b>126,538</b>	
<b>Hardwoods</b>											
White oak	57,123	--	108	1,509	1,345	133	312	35,506	1,607	16,603	
Select red oak	153,714	6,849	664	3,923	14,592	5,019	5,194	60,932	7,491	49,050	
Other red oak	71,490	--	816	2,730	6,255	511	1,216	25,393	3,699	30,870	
Select hickory	10,033	--	--	26	--	--	--	5,764	1,325	2,908	
Other hickory	4,324	27	--	114	8	165	79	2,023	124	1,784	
Basswood	88,496	14,166	--	1,062	9,684	4,600	8,338	18,595	2,756	29,295	
Beech	1,679	--	--	--	--	-10	83	626	37	943	
Yellow birch	7,444	1,540	--	159	679	-194	2,029	1,124	-269	2,396	
Hard maple	109,715	14,578	75	1,817	7,670	4,399	15,952	26,137	4,058	35,029	
Soft maple	77,789	7,294	2,478	3,307	6,115	996	4,511	24,004	2,269	26,515	
Elm	4,764	-609	-1,589	-882	1,949	-122	3,554	-4,051	-710	7,224	
Black ash	30,485	459	74	1,100	7,680	-56	2,442	9,170	2,259	7,357	
White & green ash	41,618	3,787	352	837	3,904	295	4,249	17,377	1,466	9,351	
Cottonwood	4,266	--	461	108	69	--	21	1,432	1,334	841	
Willow	2,258	--	28	221	38	--	56	559	350	1,006	
Hackberry	361	--	--	--	--	--	--	251	--	110	
Balsam poplar	2,032	83	--	9	444	-63	139	639	144	637	
Bigtooth aspen	66,267	10,281	334	1,777	5,535	1,941	3,374	15,692	2,706	24,627	
Quaking aspen	168,395	22,829	1,422	4,256	32,152	2,579	11,987	26,697	5,267	61,206	
Paper birch	57,418	7,895	11	2,642	8,154	961	3,999	8,634	4,191	20,931	
River birch	283	--	22	38	--	--	--	163	-60	120	
Black cherry	11,414	603	--	215	563	147	479	5,744	721	2,942	
Black walnut	3,762	--	--	1,295	--	--	1,727	94	646		
Butternut	6,428	281	--	34	19	122	332	3,330	1,651	659	
Other hardwoods	2,810	--	--	25	16	9	--	857	--	1,903	
<b>Total</b>	<b>984,078</b>	<b>90,063</b>	<b>5,256</b>	<b>25,027</b>	<b>108,166</b>	<b>21,432</b>	<b>68,346</b>	<b>288,325</b>	<b>42,510</b>	<b>334,953</b>	
All species	1,443,019	171,142	10,698	49,558	181,415	39,787	118,039	343,842	67,047	451,491	

<sup>1/</sup>International 1/4-inch rule

Table 47.--Net annual growth of growing stock on commercial forest land by species group and forest type, Wisconsin, 1982

(In thousand cubic feet)

Species group	All types	Forest type						
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar
<b>Softwoods</b>								
Jack pine	23,092	16,478	864	423	1	--	-11	30
Red pine	43,977	1,937	35,797	1,556	366	27	82	3
White pine	16,876	324	1,338	6,845	389	52	113	71
White spruce	10,934	--	130	69	1,367	4,579	25	130
Black spruce	5,491	20	76	25	640	1	2,965	417
Balsam fir	22,338	7	182	124	5,134	94	928	761
Hemlock	2,840	--	7	51	16	3	27	81
Tamarack	2,041	--	--	-10	59	--	48	224
Eastern redcedar	244	8	--	--	--	--	--	--
Northern white-cedar	14,647	--	22	26	1,373	44	237	8,880
Other softwoods	183	--	82	38	--	--	--	--
<b>Total</b>	<b>142,663</b>	<b>18,774</b>	<b>38,498</b>	<b>9,147</b>	<b>9,345</b>	<b>4,800</b>	<b>4,414</b>	<b>10,597</b>
<b>Hardwoods</b>								
White oak	11,453	8	10	48	1	--	--	--
Select red oak	34,507	108	165	68	13	--	24	6
Other red oak	15,934	382	-13	176	-14	--	--	4
Select hickory	2,876	--	--	22	--	--	--	13
Other hickory	3,233	--	--	--	--	--	--	9
Basswood	25,979	2	2	10	4	19	--	29
Beech	653	--	-3	--	--	--	--	--
Yellow birch	2,673	--	--	-11	-28	--	4	163
Hard maple	46,806	--	74	31	58	8	7	7
Soft maple	51,605	15	149	502	401	13	39	31
Elm	-359	13	98	-58	36	-3	--	-173
Black ash	14,885	--	--	19	770	3	--	652
White & green ash	11,329	--	51	--	6	30	--	8
Cottonwood	1,008	9	--	329	--	--	--	--
Willow	536	--	--	--	--	--	--	8
Hackberry	102	--	--	--	--	--	--	--
Balsam poplar	733	--	--	--	43	11	7	-14
Bigtooth aspen	19,240	340	84	213	41	4	-32	41
Quaking aspen	60,648	310	584	1,310	385	439	629	72
Paper birch	34,906	92	141	216	572	7	89	407
River birch	127	--	--	--	--	--	--	--
Black cherry	6,300	--	8	80	13	3	149	--
Black walnut	611	--	--	--	--	--	--	--
Butternut	1,211	--	--	--	--	--	--	--
Other hardwoods	1,577	--	12	--	--	--	--	--
<b>Total</b>	<b>348,573</b>	<b>1,279</b>	<b>1,362</b>	<b>2,955</b>	<b>2,301</b>	<b>534</b>	<b>916</b>	<b>1,263</b>
<b>All species</b>	<b>491,236</b>	<b>20,053</b>	<b>39,860</b>	<b>12,102</b>	<b>11,646</b>	<b>5,334</b>	<b>5,330</b>	<b>11,860</b>

(Table 47 continued on next page)

(Table 47 continued)

Species group	Forest type							
	Tamarack	Oak-hickory	Elm-ash-soft maple	Maple-birch	Aspen	Paper birch	Exotic	Non-stocked
<b>Softwoods</b>								
Jack pine	17	2,976	9	267	1,883	63	--	92
Red pine	10	1,200	20	767	1,830	374	--	8
White pine	243	1,419	769	3,221	1,570	501	--	21
White spruce	20	122	369	918	2,633	564	--	8
Black spruce	497	--	74	143	500	119	--	14
Balsam fir	587	62	2,296	3,866	6,795	1,497	--	5
Hemlock	-5	17	284	2,232	108	19	--	--
Tamarack	1,501	5	41	-6	120	28	--	31
Eastern redcedar	--	130	80	26	--	--	--	--
Northern white-cedar	52	9	1,740	1,479	521	264	--	--
Other softwoods	--	20	--	5	--	--	38	--
Total	2,922	5,960	5,682	12,918	15,960	3,429	38	179
<b>Hardwoods</b>								
White oak	--	8,884	431	1,315	543	181	--	32
Select red oak	-3	21,369	356	7,343	3,708	1,337	--	13
Other red oak	--	13,624	240	729	739	8	--	59
Select hickory	--	2,345	2	362	13	119	--	--
Other hickory	--	1,578	23	1,479	144	--	--	--
Basswood	--	2,224	1,191	21,094	1,138	240	--	26
Beech	--	8	11	637	--	--	--	--
Yellow birch	5	18	272	2,061	131	58	--	--
Hard maple	5	1,438	624	40,818	3,087	582	--	67
Soft maple	207	3,926	9,965	21,193	12,388	2,773	--	3
Elm	18	-385	-1,017	731	477	109	--	-205
Black ash	20	163	8,864	2,524	1,673	161	--	36
White & green ash	--	1,020	2,400	7,152	508	147	--	7
Cottonwood	--	167	249	112	138	4	--	--
Willow	--	--	344	77	85	15	--	7
Hackberry	--	24	30	48	--	--	--	--
Balsam poplar	-9	44	94	-17	499	75	--	--
Bigtooth aspen	338	2,362	67	2,706	12,526	550	--	--
Quaking aspen	273	2,334	1,613	6,647	44,027	1,983	--	42
Paper birch	153	3,550	928	5,214	11,205	12,257	--	75
River birch	--	3	124	--	--	--	--	--
Black cherry	1	2,037	68	2,550	1,260	131	--	--
Black walnut	--	483	--	116	--	--	--	12
Butternut	--	501	4	653	38	10	--	5
Other hardwoods	--	311	465	625	158	6	--	--
Total	1,008	68,028	27,348	126,169	94,485	20,746	--	179
All species	3,930	73,988	33,030	139,087	110,445	24,175	38	358

Table 48.--Net annual growth of sawtimber on commercial forest land by species group  
and forest type, Wisconsin, 1982

(In thousand board feet)<sup>1/</sup>

Species group	All types	Forest type						
		Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar
<b>Softwoods</b>								
Jack pine	71,795	46,252	3,104	1,127	12	--	-72	--
Red pine	122,739	4,205	92,046	5,343	1,830	--	1,107	14
White pine	83,335	1,879	5,520	31,684	2,139	310	311	126
White spruce	39,075	--	575	552	5,356	14,550	120	512
Black spruce	4,577	487	--	-109	839	59	1,159	1,047
Balsam fir	69,757	--	758	514	22,458	318	3,768	1,437
Hemlock	12,886	--	35	341	102	15	158	297
Tamarack	7,231	--	--	210	509	--	35	679
Eastern redcedar	251	85	--	--	--	--	--	--
Northern white-cedar	46,882	--	68	89	4,924	--	726	23,926
Other softwoods	413	--	314	99	--	--	--	--
<b>Total</b>	<b>458,941</b>	<b>52,908</b>	<b>102,420</b>	<b>39,850</b>	<b>38,169</b>	<b>15,252</b>	<b>7,312</b>	<b>28,038</b>
<b>Hardwoods</b>								
White oak	57,123	--	96	129	--	--	--	9
Select red oak	153,714	324	269	202	57	--	75	31
Other red oak	71,490	1,413	561	564	--	--	-3	22
Select hickory	10,023	--	--	--	--	--	--	76
Other hickory	4,324	--	--	--	--	--	--	25
Basswood	88,496	--	12	-6	23	--	--	150
Beech	1,679	--	1,079	--	--	--	--	--
Yellow birch	7,464	--	3	-80	-122	--	21	18
Hard maple	109,715	--	898	156	134	33	6	89
Soft maple	77,489	--	1	428	205	95	97	-133
Elm	4,764	104	--	-43	210	-11	--	-516
Black ash	30,485	--	--	149	1,943	11	--	-9
White & green ash	41,618	--	676	--	--	--	--	33
Cottonwood	4,266	--	--	1,311	--	--	--	--
Willow	2,258	--	--	--	--	--	--	37
Hackberry	361	--	--	--	--	--	--	--
Balsam poplar	2,032	--	--	--	8	50	--	-61
Bigtooth aspen	66,267	454	262	283	18	--	-102	59
Quaking aspen	168,395	533	2,037	2,094	3,015	960	1,276	1,199
Paper birch	57,418	97	577	661	2,595	--	194	411
River birch	283	--	--	--	--	--	--	--
Black cherry	11,414	--	6	--	131	94	--	--
Black walnut	3,762	--	--	--	--	--	--	--
Butternut	6,428	--	--	--	--	--	--	--
Other hardwoods	2,810	--	66	--	--	--	--	--
<b>Total</b>	<b>984,078</b>	<b>2,925</b>	<b>6,543</b>	<b>5,848</b>	<b>8,217</b>	<b>1,232</b>	<b>1,564</b>	<b>1,440</b>
<b>All species</b>	<b>1,443,019</b>	<b>55,833</b>	<b>108,963</b>	<b>45,698</b>	<b>46,386</b>	<b>16,484</b>	<b>8,876</b>	<b>29,478</b>

(Table 48 continued on next page)

<sup>1/</sup>International 1/4-inch rule

(Table 48 continued)

Species group	Tamarack	Forest type						Non-stocked
		Oak-hickory	Elm-ash-soft maple	Maple-birch	Aspen	Paper birch	Exotic	
<b>Softwoods</b>								
Jack pine	--	10,893	119	719	9,196	276	--	169
Red pine	54	2,914	117	3,980	8,575	2,509	--	45
White pine	1,277	7,414	3,822	17,525	8,289	2,651	--	388
White spruce	70	--	2,030	5,031	8,242	1,992	--	45
Black spruce	359	--	245	103	281	19	--	88
Balsam fir	106	78	5,772	11,490	19,560	3,498	--	--
Hemlock	-20	92	920	10,344	509	93	--	--
Tamarack	2,134	38	1,108	173	1,500	119	--	726
Eastern redcedar	--	61	--	105	--	--	--	--
Northern white-cedar	590	--	7,685	6,034	2,082	758	--	--
Other softwoods	--	--	--	--	--	--	--	--
<b>Total</b>	<b>4,570</b>	<b>21,490</b>	<b>21,818</b>	<b>55,504</b>	<b>58,234</b>	<b>11,915</b>	<b>--</b>	<b>1,461</b>
<b>Hardwoods</b>								
White oak	--	44,011	1,327	8,284	1,531	1,669	--	67
Select red oak	15	95,484	1,916	35,214	14,370	5,691	--	66
Other red oak	--	56,148	1,652	3,791	6,853	301	--	188
Select hickory	--	8,588	9	1,046	--	304	--	--
Other hickory	--	2,405	--	1,871	23	--	--	--
Basswood	--	7,563	3,157	74,658	2,458	434	--	47
Beech	--	--	15	585	--	--	--	--
Yellow birch	--	65	1,045	6,488	-28	54	--	--
Hard maple	--	3,567	829	102,064	1,557	382	--	--
Soft maple	143	5,908	24,054	36,788	7,665	2,238	--	--
Elm	82	69	-3,841	7,217	2,349	-98	--	-758
Black ash	--	502	20,670	5,585	1,316	318	--	--
White & green ash	--	3,956	11,115	23,274	2,017	517	--	30
Cottonwood	--	689	1,391	489	367	19	--	--
Willow	--	--	1,633	390	103	66	--	29
Huckleberry	--	110	156	95	--	--	--	--
Balsam poplar	--	298	155	19	1,455	108	--	--
Bigtooth aspen	2	8,224	492	7,785	45,956	2,834	--	--
Quaking aspen	153	8,193	5,020	31,866	105,096	6,367	--	586
Paper birch	141	4,491	3,612	15,402	14,594	14,643	--	--
River birch	--	89	194	--	--	--	--	--
Black cherry	--	3,274	16	6,405	1,318	170	--	--
Black walnut	--	2,196	--	1,537	--	--	--	29
Butternut	--	2,685	19	3,388	336	--	--	--
Other hardwoods	--	314	2,143	245	42	--	--	--
<b>Total</b>	<b>536</b>	<b>258,829</b>	<b>76,779</b>	<b>374,486</b>	<b>209,378</b>	<b>36,017</b>	<b>--</b>	<b>284</b>
All species	5,106	280,319	98,597	429,990	267,612	47,932	--	1,745

Table 49.--Net annual growth of growing stock on commercial forest land by forest type and stand-age class, Wisconsin, 1982  
(In thousand cubic feet)

Forest type	All classes	Stand-age class (years)												
		1-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	20,053	485	3,194	3,115	5,324	5,383	1,803	304	370	75	--	--	--	--
Red pine	39,860	304	8,559	13,142	9,899	4,548	1,902	360	379	348	295	124	--	--
White pine	12,102	210	693	832	1,460	1,657	885	1,604	1,610	1,311	94	915	298	533
Balsam fir	11,646	1,215	822	1,319	-18	2,205	3,181	2,011	303	270	62	299	-19	-4
White spruce	5,334	12	275	2,012	1,451	482	985	117	--	--	--	--	--	--
Black spruce	5,330	338	590	428	600	653	364	240	1,439	419	190	--	69	--
Northern white-cedar	11,860	194	442	312	355	2,028	1,592	1,937	948	1,247	920	604	536	745
Tamarack	3,903	153	311	485	162	1,063	426	620	486	124	--	44	15	41
Oak-hickory	73,988	3,709	1,855	2,245	4,412	11,944	14,932	7,368	7,621	6,715	3,926	4,515	3,153	1,593
Elm-ash-soft maple	33,030	1,751	2,068	2,515	5,159	5,767	4,184	3,676	3,775	1,641	2,126	922	494	162
Maple-birch	139,087	5,348	6,453	7,152	13,337	29,100	26,938	18,580	7,628	7,917	5,957	5,677	2,420	2,420
Aspen	110,445	14,226	8,272	11,786	20,661	29,972	16,309	5,719	2,150	1,209	141	--	--	--
Paper birch	24,175	962	2,204	2,556	3,918	5,636	5,030	2,929	664	74	9	193	--	--
Exotic	38	--	38	--	--	--	--	--	--	--	--	--	--	--
Nonstocked	358	358	--	--	--	--	--	--	--	--	--	--	--	--
All types	491,236	29,265	35,776	47,899	66,720	100,438	78,531	45,465	27,073	21,350	12,810	13,293	6,966	5,660

Table 50.--Net annual growth of sawtimber on commercial forest land by forest type and stand-age class, Wisconsin, 1982

Forest type	All classes	Stand-age class (years)												
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-140	141+
Jack pine	55,833	2,892	1,984	1,279	9,958	22,981	12,407	1,687	2,009	636	--	--	--	--
Red pine	108,963	1,339	4,000	20,933	37,056	25,939	10,998	1,749	2,219	2,373	1,720	637	--	--
White pine	45,698	851	111	2,701	2,435	5,814	4,091	5,956	8,017	6,602	643	3,554	1,915	3,008
Balsam fir	46,386	1,380	867	2,481	2,861	9,516	13,554	9,890	751	1,381	497	2,084	250	174
White spruce	16,484	--	327	1,883	7,231	2,424	3,811	808	--	--	--	--	--	--
Black spruce	8,876	100	504	191	205	998	275	516	5,533	541	-21	--	34	--
Northern white-cedar	29,478	210	229	1,251	223	6,390	2,610	2,541	1,657	2,099	4,049	2,377	2,890	2,952
Tamarack	5,106	380	249	123	135	429	436	1,116	1,212	735	--	129	97	65
Oak-hickory	280,319	14,633	4,587	2,585	10,141	27,331	51,130	32,660	39,440	28,531	24,538	22,798	15,265	6,670
Elm-ash-soft maple	98,597	9,790	3,452	2,382	9,270	12,282	11,924	12,165	12,463	12,588	5,431	3,958	2,112	780
Maple-birch	429,990	12,019	12,180	12,821	27,727	56,470	80,664	74,635	35,082	38,865	23,691	27,439	11,011	11,286
Aspen	267,612	36,978	12,707	16,539	41,840	64,640	52,491	21,021	13,992	5,933	1,471	--	--	--
Paper birch	47,932	1,757	1,626	1,337	7,376	10,681	14,400	8,301	1,840	342	77	195	--	--
Exotic	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nonstocked	1,745	1,745	--	--	--	--	--	--	--	--	--	--	--	--
All types	1,443,019	84,584	42,823	66,506	156,458	245,895	259,091	173,045	124,215	100,626	68,096	63,171	33,574	24,935

1/ International 1/4-inch rule.

Table 51.—Net annual growth of growing stock on commercial forest land by forest type, stand-size class, and basal-area class, Wisconsin, 1982  
(In thousand cubic feet)

Forest type and stand-size class	All classes	Basal area class (square feet per acre)												
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180
Jack pine	All stands													
Sawtimber	3,125	--	--	--	214	77	374	274	308	455	275	794	245	109
Poletimber	12,065	--	--	--	185	855	581	955	1,493	2,106	2,896	1,663	1,017	121
Sapling & seedling	4,863	15	18	398	282	321	313	738	2,616	162	--	--	--	--
All stands	20,053	15	18	398	681	1,253	1,268	1,967	4,417	2,723	3,171	2,457	1,262	230
Red pine	All stands													
Sawtimber	10,434	--	--	--	70	71	88	--	649	749	732	3,291	2,415	2,017
Poletimber	26,464	--	--	--	16	231	272	955	2,753	1,022	5,065	5,846	4,069	352
Sapling & seedling	2,962	-20	182	8	199	65	587	--	566	142	140	453	640	6,245
All stands	39,860	-20	182	8	269	152	906	272	2,170	3,644	1,894	8,799	8,901	6,086
White pine	All stands													
Sawtimber	8,433	--	43	9	244	38	171	76	269	631	479	2,553	2,304	1,063
Poletimber	3,182	--	--	--	--	--	121	--	182	200	435	1,229	612	403
Sapling & seedling	487	--	--	--	--	30	121	--	336	--	--	--	--	--
All stands	12,102	--	43	9	244	68	413	76	787	831	914	3,782	2,916	1,466
Balsam fir	All stands													
Sawtimber	2,915	--	--	--	--	204	32	111	-72	330	265	643	982	186
Poletimber	5,825	--	--	19	--	38	-1,045	670	348	897	196	755	1,368	1,256
Sapling & seedling	2,906	58	76	201	87	383	-1,264	430	697	55	361	203	47	44
All stands	11,646	58	76	220	87	625	-749	1,211	973	1,282	822	1,601	2,997	1,486
White spruce	All stands													
Sawtimber	2,440	--	--	--	--	--	--	195	--	--	--	143	1,921	1,170
Poletimber	2,752	--	--	--	--	--	--	--	156	288	--	--	244	--
Sapling & seedling	142	--	--	12	--	9	111	--	10	--	--	--	--	--
All stands	5,334	--	--	12	--	9	111	195	10	156	288	143	1,921	1,075
Black spruce	All stands													
Sawtimber	165	--	69	--	--	--	--	40	--	--	--	--	56	--
Poletimber	3,349	--	--	26	--	--	203	361	292	255	1,077	289	730	116
Sapling & seedling	1,816	86	30	175	129	63	79	469	172	407	68	72	66	--
All stands	5,330	86	99	201	129	63	282	870	464	662	1,145	361	852	116
Northern white-cedar	All stands													
Sawtimber	3,150	--	--	--	--	20	1	59	128	130	53	274	976	634
Poletimber	7,524	--	--	--	--	174	--	212	366	94	1,942	1,036	2,101	1,599
Sapling & seedling	1,186	--	-3	88	11	134	52	--	195	44	--	450	--	215
All stands	11,860	--	-3	88	11	154	227	59	535	540	147	2,666	2,012	2,950

(Table 51 continued on next page)

(Table 51 continued)

Forest type and stand-size class	All classes	Basal area class (square feet per acre)											
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150
<b>Tamarack</b>													
Sawtimber	237	--	11	66	--	23	23	15	--	--	99	--	--
Poletimber	2,726	--	11	11	17	164	166	838	18	659	227	643	-28
Sapling & seedling	967	5	15	152	122	178	110	38	223	24	100	--	--
All stands	3,930	5	37	229	139	365	299	891	241	683	327	742	-28
<b>Oak-hickory</b>													
Sawtimber	38,040	--	-36	160	130	1,091	1,328	1,956	5,122	3,191	10,315	8,526	2,183
Poletimber	29,673	--	--	5	208	1,888	1,130	3,183	4,169	3,845	6,811	5,061	2,755
Sapling & seedling	6,275	--	327	688	701	1,246	1,244	764	227	642	169	145	--
All stands	73,988	--	291	853	1,039	2,545	4,460	3,850	7,063	9,933	7,205	17,271	13,709
<b>Elm-ash-soft maple</b>													
Sawtimber	9,137	--	14	116	163	239	779	288	241	1,312	693	1,494	2,419
Poletimber	19,056	--	353	237	295	697	1,701	1,198	1,775	2,616	1,511	3,801	3,081
Sapling & seedling	4,837	-94	191	399	518	887	1,228	455	437	387	331	14	84
All stands	33,030	-94	538	752	976	1,823	3,708	1,941	2,453	4,315	2,535	5,309	5,584
<b>Maple-birch</b>													
Sawtimber	47,603	--	--	370	142	405	1,432	1,636	2,691	3,795	3,227	10,895	15,863
Poletimber	77,532	--	--	215	289	996	2,339	2,439	6,091	9,995	6,816	21,149	19,092
Sapling & seedling	13,952	84	1,049	835	1,050	1,764	2,545	1,400	1,885	1,439	666	915	128
All stands	139,087	84	1,049	1,420	1,481	3,165	6,316	5,475	10,667	15,229	10,709	32,959	35,083
<b>Aspen</b>													
Sawtimber	13,758	--	19	105	98	184	425	637	1,267	1,849	1,280	2,727	3,554
Poletimber	69,200	--	487	329	484	2,508	5,290	4,882	5,920	9,766	7,996	13,707	13,102
Sapling & seedling	27,487	2,193	1,291	2,638	3,740	5,050	4,708	2,201	2,552	1,896	822	324	22
All stands	110,445	2,193	1,797	3,072	4,322	7,742	10,423	7,720	9,739	13,511	10,098	16,758	16,678
<b>Paper birch</b>													
Sawtimber	2,646	--	--	14	--	212	67	276	316	131	522	535	179
Poletimber	17,601	--	--	52	158	527	923	337	1,134	1,316	1,030	4,016	5,853
Sapling & seedling	3,928	-20	192	340	207	745	865	231	167	315	412	363	111
All stands	24,175	-20	192	406	365	1,484	1,855	844	1,617	1,907	1,573	4,901	6,499
<b>Exotic</b>													
Sawtimber	--	--	--	--	--	--	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--	--	--	--	--	--	--
Sapling & seedling	38	--	--	--	--	--	--	--	38	--	--	--	--
All stands	38	--	--	--	--	--	--	--	38	--	--	--	--
Nonstocked	358	85	6	17	11	31	72	35	9	--	29	16	47
<b>All types</b>													
Sawtimber	142,083	--	120	840	1,061	2,564	4,720	5,563	9,450	14,649	10,326	33,607	37,875
Poletimber	276,949	--	851	894	1,636	6,009	12,572	13,082	21,603	35,254	61,203	59,291	25,832
Sapling & seedling	71,846	2,307	3,368	5,934	7,046	10,875	12,227	6,726	10,121	5,513	3,069	2,939	1,220
Nonstocked	358	85	6	17	11	31	72	35	9	--	29	16	47
All stands	491,236	2,392	4,345	7,685	9,754	19,479	29,591	25,406	41,183	55,416	40,857	97,765	98,433
												42,044	16,886

Table 52.--Net annual growth of sawtimber on commercial forest land by forest type, stand-size class, and basal-area class, Wisconsin, 1982  
(In thousand board feet)<sup>1/</sup>

Forest type and stand-size class	All classes	Basal area class (square feet per acre)												
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180
Jack pine														
Sawtimber	22,077	--	--	--	1,314	233	2,089	3,595	3,171	3,051	1,934	4,552	1,698	440
Poletimber	28,075	--	--	--	104	805	2,033	2,213	2,033	5,311	7,035	6,668	1,571	--
Sapling & seedling	5,681	47	69	57	685	1,396	660	917	1,757	93	--	--	--	--
All stands	55,833	47	69	57	2,103	2,434	4,782	6,725	6,961	8,455	8,969	11,220	3,269	440
Red pine														
Sawtimber	73,238	--	--	--	470	501	471	--	4,053	3,609	9,889	21,785	17,370	13,029
Poletimber	32,612	--	--	--	53	465	600	43	2,855	219	6,618	12,819	7,321	2,061
Sapling & seedling	3,113	75	38	--	898	342	429	--	428	336	--	500	67	7,019
All stands	108,963	75	38	--	1,368	896	1,365	600	4,524	6,800	10,108	28,903	30,256	14,950
White pine														
Sawtimber	40,062	--	240	80	1,538	223	915	413	1,452	3,043	1,788	11,867	9,569	5,666
Poletimber	4,709	--	--	--	--	--	--	133	583	518	272	592	1,944	667
Sapling & seedling	927	--	--	--	--	--	578	--	349	--	--	--	--	--
All stands	45,698	--	240	80	1,538	223	1,626	413	2,384	3,561	2,060	12,459	11,513	6,333
Balsam fir														
Sawtimber	20,490	--	--	--	1,977	3,444	740	902	1,590	1,025	3,282	6,371	604	555
Poletimber	21,982	--	--	86	--	55	970	206	427	3,267	1,595	1,235	10,347	2,832
Sapling & seedling	3,914	226	34	426	201	1,053	-8	618	648	104	297	106	8	201
All stands	46,386	226	34	512	201	3,085	4,406	1,564	1,977	4,961	2,917	4,623	16,726	3,637
White spruce														
Sawtimber	13,153	--	--	--	--	--	--	718	--	--	--	--	--	--
Poletimber	3,058	--	--	--	--	--	--	--	346	196	94	1,883	579	--
Sapling & seedling	233	--	--	--	--	--	46	187	--	--	--	--	--	--
All stands	16,484	--	--	--	--	--	46	187	718	--	346	196	94	1,883
Black spruce														
Sawtimber	490	--	34	--	--	--	--	141	--	--	--	--	--	--
Poletimber	7,557	--	--	38	--	--	157	643	206	338	4,396	512	1,267	--
Sapling & seedling	829	--	--	45	--	251	155	8	18	352	--	--	--	--
All stands	8,876	--	34	83	--	251	312	792	224	690	4,396	512	1,582	--
Northern white-cedar														
Sawtimber	14,221	--	--	--	--	233	-7	432	684	187	236	1,086	4,764	3,857
Poletimber	14,628	--	--	--	--	110	479	--	326	410	101	6,758	630	4,443
Sapling & seedling	629	--	--	143	12	110	7	--	94	90	--	50	--	1,481
All stands	29,478	--	143	12	343	479	432	1,104	687	337	7,894	5,394	8,423	4,230

<sup>1/</sup> International 1/4-inch rule.

(Table 52 continued on next page)

(Table 52 continued)

Forest type and stand-size class	All classes	Basal area class (square feet per acre)												
		0-10	11-20	21-30	31-40	41-50	51-60	61-70	71-80	81-90	91-100	101-120	121-150	151-180
Tamarack														
Sawtimber	1,116	--	68	244	--	133	159	97	--	--	415	--	--	--
Poletimber	3,115	--	100	22	--	399	283	247	266	703	382	742	-29	--
Sapling & seedling	875	11	14	63	102	295	140	117	1	60	72	--	--	--
All stands	5,106	11	182	329	102	827	582	461	267	763	454	1,157	-29	--
Oak-hickory														
Sawtimber	195,961	--	-167	866	1,948	5,076	5,729	13,473	21,738	24,204	17,326	54,114	39,292	10,625
Poletimber	63,344	--	--	37	519	140	3,460	2,451	5,828	8,652	8,508	16,669	11,039	4,992
Sapling & seedling	21,014	284	1,194	3,497	4,580	2,344	4,588	1,440	953	734	305	789	306	--
All stands	280,319	284	1,027	4,400	7,047	7,560	13,777	17,364	28,519	33,590	26,139	71,572	50,637	15,617
Elm-ash-soft maple														
Sawtimber	51,442	--	15	392	569	1,779	4,048	2,760	2,348	4,964	4,835	8,557	14,701	5,557
Poletimber	32,586	--	-72	218	500	313	2,160	3,957	3,827	6,069	2,692	5,396	5,150	1,960
Sapling & seedling	14,569	110	1,435	985	3,415	2,048	2,180	532	1,192	217	1,305	945	205	--
All stands	98,597	110	1,378	1,655	4,484	4,140	8,388	7,249	7,367	11,250	8,832	14,898	20,056	7,517
Maple-birch														
Sawtimber	238,197	--	--	1,195	601	3,267	5,546	8,243	12,935	21,855	19,481	56,862	77,016	25,632
Poletimber	160,178	--	--	303	505	754	6,437	4,565	9,765	21,390	15,459	42,297	45,151	11,624
Sapling & seedling	31,615	161	1,949	2,352	2,397	6,242	5,958	2,067	1,687	3,164	1,867	3,068	364	339
All stands	429,990	161	1,949	3,850	3,503	10,263	17,941	14,875	24,387	46,409	36,807	102,227	122,531	37,595
Aspen														
Sawtimber	80,087	--	79	903	1,371	1,640	5,077	4,426	6,712	14,158	6,839	14,522	17,671	3,687
Poletimber	134,742	--	93	652	1,304	4,573	8,472	9,174	15,596	22,219	13,548	25,339	27,395	4,815
Sapling & seedling	52,783	6,701	6,339	7,612	5,653	9,074	5,504	4,319	5,112	1,006	644	803	16	--
All stands	267,612	6,701	6,511	9,167	8,328	15,287	19,053	17,919	27,420	37,383	21,031	40,664	45,082	8,502
Paper birch														
Sawtimber	12,247	--	--	97	--	354	342	1,626	731	1,312	563	2,748	2,456	1,294
Poletimber	31,789	--	--	--	278	732	918	682	2,422	2,966	1,846	6,728	10,331	4,249
Sapling & seedling	3,896	675	-43	549	715	361	537	474	34	456	11	127	--	--
All stands	47,932	675	-43	646	993	1,447	1,797	2,782	3,187	4,734	2,420	9,603	12,787	5,543
Exotic														
Sawtimber	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Poletimber	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Sapling & seedling	--	--	--	--	--	--	--	--	--	--	--	--	--	--
All stands	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Nonstocked	1,745	845	281	75	434	22	-57	88	66	--	-9	--	--	--
All types														
Sawtimber	762,781	--	269	3,777	7,811	15,416	27,813	36,664	54,726	77,973	63,916	179,790	191,223	76,202
Poletimber	538,415	--	121	1,416	3,210	7,824	25,967	24,738	41,322	75,044	56,249	119,648	129,498	38,082
Sapling & seedling	140,078	8,290	11,029	15,729	18,658	23,562	20,915	10,492	12,213	6,612	4,501	6,388	966	663
Nonstocked	1,745	845	281	75	434	22	-57	88	66	--	-9	--	--	--
All stands	1,443,019	9,135	11,700	20,997	30,113	46,824	74,638	71,982	108,387	159,629	124,567	305,826	321,687	114,947
														42,971

Table 53.--Timber removals from growing stock on commercial forest land by species group  
and Forest Survey Unit, Wisconsin, 1982

(In thousand cubic feet)

Species group	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
<b>Softwoods</b>						
Jack pine	14,552	3,216	6,263	4,740	315	18
Red pine	16,502	5,143	4,150	5,405	1,648	156
White pine	7,967	3,073	2,104	2,454	230	106
White spruce	1,976	1,235	741	--	--	1/
Black spruce	1,235	875	323	37	--	-
Balsam fir	9,351	6,388	2,921	41	--	1
Hemlock	4,839	3,871	743	189	--	36
Tamarack	545	125	323	96	--	1
Northern white-cedar	2,421	834	1,018	29	--	540
Other softwoods	--	--	--	--	--	--
Total	59,388	24,760	18,586	12,991	2,193	858
<b>Hardwoods</b>						
White oak	10,025	230	1,118	3,387	3,972	1,318
Select red oak	28,156	3,416	5,451	7,635	10,627	1,027
Other red oak	11,211	557	535	4,381	4,981	757
Hickory	644	164	65	111	231	73
Basswood	7,199	2,668	1,957	1,061	1,293	220
Beech	321	225	--	17	--	79
Yellow birch	3,027	1,449	1,191	307	39	41
Hard maple	21,064	10,085	6,877	2,371	1,234	497
Soft maple	10,322	3,879	2,664	1,845	1,208	726
Elm	15,600	5,894	5,158	2,257	1,729	562
Ash	6,675	1,586	2,703	1,312	411	663
Cottonwood	120	13	--	3	85	19
Balsam poplar	148	90	47	--	--	11
Bigtooth aspen	22,002	8,296	9,682	2,638	1,229	157
Quaking aspen	74,114	32,353	34,064	6,750	566	381
Paper birch	13,333	6,710	5,134	937	287	265
Black walnut	134	--	--	--	99	35
Other hardwoods <sup>2/</sup>	1,475	321	171	152	438	393
Total	225,570	77,936	76,817	35,164	28,429	7,224
All species	284,958	102,696	95,403	48,155	30,622	8,082

1/ Less than 500 cubic feet.

2/ Includes willow, hackberry, river birch, black cherry and butternut.

Table 54.--Timber removals from sawtimber on commercial forest land by species group  
and Forest Survey Unit, Wisconsin, 1982  
(In thousand board feet)<sup>1/</sup>

Species group	All Units	Forest Survey Unit				
		Northeast	Northwest	Central	Southwest	Southeast
<b>Softwoods</b>						
Jack pine	20,320	4,581	9,315	6,070	354	--
Red pine	35,981	13,098	12,770	8,634	1,464	15
White pine	36,240	14,046	9,788	11,064	854	488
White spruce	5,155	2,497	2,656	--	--	2
Black spruce	884	730	154	--	--	--
Balsam fir	17,602	10,778	6,753	68	--	3
Hemlock	12,433	10,764	643	850	--	176
Tamarack	654	174	386	90	--	4
Northern white-cedar	4,383	2,043	1,293	123	--	924
Other softwoods	--	--	--	--	--	--
Total	133,652	58,711	43,758	26,899	2,672	1,612
<b>Hardwoods</b>						
White oak	41,499	793	3,934	13,363	18,124	5,285
Select red oak	120,169	12,002	20,781	33,359	49,484	4,543
Other red oak	43,856	2,049	2,243	15,930	21,004	2,630
Hickory	2,294	477	178	420	1,027	192
Basswood	25,798	8,337	7,003	4,366	5,216	876
Beech	1,312	932	--	80	--	300
Yellow birch	8,206	5,004	2,431	664	2	105
Hard maple	75,889	37,084	21,711	9,249	6,206	1,639
Soft maple	28,684	9,750	6,226	6,153	3,545	3,010
Elm	52,498	21,501	16,307	6,275	6,436	1,979
Ash	16,991	4,028	4,964	3,879	1,875	2,245
Cottonwood	568	57	--	18	406	87
Balsam poplar	306	218	51	--	--	37
Bigtooth aspen	70,020	24,430	30,821	9,960	4,032	777
Quaking aspen	183,661	81,457	83,522	16,082	1,804	796
Paper birch	16,907	9,109	5,413	1,314	495	576
Black walnut	519	--	--	--	338	181
Other hardwoods <sup>2/</sup>	3,498	654	225	375	1,245	999
Total	692,675	217,882	205,810	121,487	121,239	26,257
All species	826,327	276,593	249,568	148,386	123,911	27,869

<sup>1/</sup> International 1/4-inch rule.

<sup>2/</sup> Includes willow, hackberry, river birch, black cherry and butternut.

Table 55.--Average annual timber removals from growing stock on commercial forest land by species group and county, Wisconsin, 1967-1982<sup>1/</sup>  
 (In thousand cubic feet)

Species group	All Units	Total		Northeast Unit						Northeast Unit			
		Northeast	Florence Forest	Langlade	Lincoln	Menominee	Marinette	Oconto	Oneida	Shawano	Vilas		
Softwoods													
Jack pine	18,173	8,684	925	3,369	240	--	--	935	1,394	1,302	--	519	
Red pine	5,156	3,756	72	847	111	383	--	160	109	1,848	--	226	
White pine	5,382	2,777	82	468	--	965	123	126	641	192	180		
White spruce	1,975	1,115	226	615	75	--	--	92	--	107	--	--	
Black spruce	1,070	484	48	53	--	--	--	86	--	279	--	18	
Balsam fir	9,101	5,092	98	1,302	435	208	--	1,115	70	1,565	26	273	
Hemlock	4,840	2,819	145	220	67	99	532	--	96	737	12	911	
Tamarack	1,159	107	48	--	--	--	--	22	--	--	37	--	
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	
Northern white-cedar	2,854	1,825	145	--	203	--	--	491	27	108	851	--	
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	
Total	49,710	26,659	1,789	6,874	1,131	690	1,497	3,024	1,822	6,587	1,118	2,127	
Hardwoods													
White oak	5,369	79	--	--	39	--	--	41	--	--	38	--	
Select red oak	21,046	1,995	57	67	--	--	323	579	36	249	365		
Other red oak	5,890	623	--	--	--	--	--	395	--	--	228	--	
Select hickory	237	--	--	--	--	--	--	--	--	--	--	--	
Other hickory	261	--	--	--	--	--	--	--	--	--	--	--	
Basswood	8,083	3,083	331	910	290	1,058	148	160	37	149	--	--	
Beech	45	45	--	--	--	--	--	45	--	--	--	--	
Yellow birch	3,560	1,486	588	309	302	24	170	--	--	--	--	--	
Hard maple	14,463	5,324	949	1,976	602	926	108	111	113	150	203	186	
Soft maple	10,043	2,165	--	59	50	491	159	783	400	97	32	94	
Elm	17,949	5,796	1,138	1,132	1,147	395	1,057	151	162	51	563	--	
Black ash	2,893	518	--	79	86	107	93	104	--	--	49	--	
White & green ash	3,091	725	--	--	45	130	50	--	327	36	137	--	
Cottonwood	129	56	--	--	--	--	--	--	56	--	--	--	
Willow	178	--	--	--	--	--	--	--	--	--	--	--	
Hackberry	51	--	--	--	--	--	--	--	--	--	--	--	
Balsam poplar	218	191	88	37	--	--	--	66	--	--	--	--	
Bigtooth aspen	17,407	6,644	--	398	--	--	706	3,191	823	258	--	1,268	
Quaking aspen	46,327	18,832	2,575	2,100	2,206	1,669	189	4,303	1,490	2,715	68	1,517	
Paper birch	12,543	6,452	191	430	511	412	218	1,477	431	1,417	315	1,050	
River birch	213	--	--	97	94	--	--	--	--	--	--	--	
Black cherry	700	322	--	--	--	--	--	37	41	53	--	--	
Black walnut	71	--	--	--	--	--	--	--	--	--	--	--	
Butternut	139	68	--	--	--	--	--	68	--	--	--	--	
Other hardwoods	8	--	--	--	--	--	--	--	--	--	--	--	
Total	170,904	54,404	5,917	7,196	5,770	5,212	3,307	11,388	3,912	5,163	2,144	4,395	
All species	220,614	81,063	7,706	14,070	6,901	5,902	4,804	14,412	5,734	11,750	3,262	6,522	

(Table 55 continued on next page)

(Table 55 continued)

Species group	Total	Northwest Unit				Ashland Barron Bayfield Burnett Douglas Iron Polk Price Rusk Sawyer Taylor Washburn Northwest Unit				Total			
		Ashland	Barron	Bayfield	Burnett	Douglas	Iron	Polk	Price	Rusk	Sawyer	Taylor	Washburn
Softwoods													
Jack pine	6,209	--	--	1,072	1,963	1,891	--	466	12	--	474	--	331
Red pine	314	--	--	161	--	90	--	--	--	--	--	--	63
White pine	1,084	--	--	256	77	44	--	229	--	--	478	--	--
White spruce	860	552	--	137	--	--	103	--	--	--	38	30	95
Black spruce	586	227	--	--	195	54	--	--	15	--	15	--	--
Balsam fir	3,911	1,496	--	19	--	430	217	--	131	40	1,260	318	--
Hemlock	1,801	237	--	--	--	--	832	--	--	526	206	--	--
Tamarack	1,009	--	121	--	--	346	--	--	394	--	--	--	148
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	527	--	--	--	66	--	53	--	408	--	--	--	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	16,301	2,512	121	1,645	2,106	2,906	1,349	695	945	40	2,753	562	667
Hardwoods													
White oak	445	--	93	--	57	--	--	273	--	--	57	--	--
Select red oak	4,137	--	963	992	281	43	--	1,262	53	258	31	--	22
Other red oak	267	--	195	--	72	--	--	--	--	--	--	--	254
Select hickory	--	--	--	--	--	--	--	--	--	--	--	--	--
Other hickory	--	--	--	--	--	--	--	--	--	--	--	--	--
Basswood	2,572	225	110	251	46	14	--	144	1,013	222	73	474	--
Beech	--	--	--	--	--	--	--	--	--	--	--	--	--
Yellow birch	1,164	--	46	--	--	--	403	--	204	197	134	180	--
Hard maple	5,369	1,364	286	691	--	--	83	121	1,340	916	182	386	--
Soft maple	3,223	306	238	1,135	46	69	76	107	146	140	152	762	46
Elm	4,056	841	--	50	135	112	73	190	911	876	38	830	--
Black ash	1,527	42	647	181	134	--	--	92	431	--	--	--	--
White & green ash	799	186	118	64	--	--	--	152	146	35	98	--	--
Cottonwood	--	--	--	--	--	--	--	--	--	--	--	--	--
Willow	--	--	--	--	--	--	--	--	--	--	--	--	--
Hackberry	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	27	--	27	--	1,195	304	342	163	--	892	60	828	--
Bigtooth aspen	8,144	137	94	2,854	1,275	1,189	1,727	1,921	1,371	188	1,845	1,664	2,135
Quaking aspen	19,796	3,077	529	3,352	1,189	431	366	81	363	416	400	134	200
Paper birch	4,776	518	--	1,794	73	--	--	--	--	--	--	--	--
River birch	--	--	--	--	--	--	--	--	56	--	40	17	--
Black cherry	113	--	--	--	--	--	--	--	--	--	--	--	--
Black walnut	--	--	--	--	--	--	--	--	--	--	--	--	--
Butternut	--	--	--	--	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	56,415	6,696	2,508	11,957	3,419	3,725	3,318	5,864	3,790	3,822	4,605	3,485	
All species	72,716	9,208	2,629	13,602	5,525	6,631	4,575	4,013	6,809	3,830	6,575	5,167	4,152

(Table 55 continued on next page)

(Table 55 continued)

Species group	Total	Central Unit	Central Unit									Central Unit			
			Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca	Waushara	Wood
Softwoods															
Jack pine	3,280	976	--	229	301	697	450	29	--	476	--	--	--	--	122
Red pine	1,086	81	68	--	--	--	--	437	292	--	175	--	--	--	33
White pine	1,514	--	--	--	--	--	--	175	460	--	411	265	106	97	--
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam fir	63	--	--	--	--	--	--	--	63	--	--	--	--	--	--
Hemlock	220	--	--	--	--	--	--	--	220	--	--	--	--	--	--
Tamarack	43	--	--	43	--	--	--	--	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	6,206	1,057	111	229	301	697	450	924	752	476	586	265	106	252	
Hardwoods															
White oak	1,145	122	--	417	142	--	--	--	--	29	54	304	--	--	77
Select red oak	2,811	--	361	375	670	94	--	113	--	383	114	574	--	--	127
Other red oak	1,584	537	--	--	91	68	378	--	--	53	214	--	64	179	--
Select hickory	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other hickory	44	--	--	--	--	--	--	44	--	--	--	--	--	--	--
Basswood	1,164	--	449	148	--	--	--	290	--	--	--	--	--	--	277
Beech	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Yellow birch	866	--	36	--	--	--	--	678	--	--	--	--	51	--	101
Hard maple	1,620	--	95	197	--	--	--	926	--	--	--	284	--	118	--
Soft maple	1,240	--	142	55	--	29	--	260	--	31	249	341	--	133	--
Elm	4,558	--	159	832	--	--	2,670	--	--	24	485	--	388	--	--
Black ash	524	--	372	42	--	--	--	33	--	--	--	--	77	--	--
White & green ash	612	--	52	--	36	--	--	391	--	--	29	--	--	104	--
Cottonwood	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Willow	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hackberry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Birch	1,111	53	150	65	81	60	83	136	--	129	--	137	--	217	--
Bigtooth aspen	7,486	136	1,808	1,398	478	65	75	2,164	--	--	316	--	--	1,046	--
Quaking aspen	--	--	--	1,137	--	--	--	661	--	--	--	--	--	171	--
Paper birch	969	--	--	--	--	30	--	--	--	--	--	--	--	--	--
River birch	30	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black cherry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black walnut	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Butternut	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	25,764	848	3,624	3,666	1,498	346	536	8,333	33	625	1,000	2,176	64	3,015	
All species	31,970	1,905	3,735	3,895	1,799	1,043	986	9,257	785	1,101	1,586	2,441	170	3,267	(Table 55 continued on next page)

(Table 55 continued)

Species group	Total	Southwest Unit								Southwest Unit				Vernon	
		Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin	Pierce	Richland	St. Croix	Sauk	Trempealeau	
Softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Jack pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Red pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Balsam fir	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Hemlock	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Tamarack	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Hardwoods															
White oak	2,586	78	45	73	353	154	56	--	45	60	49	--	987	439	
Select red oak	10,176	1,479	299	568	432	86	1,091	171	336	339	--	126	4,612	247	
Other red oak	2,646	545	268	587	--	--	--	--	--	--	204	328	300	508	
Select hickory	126	73	--	--	--	--	--	--	--	--	43	--	316	227	
Other hickory	157	--	--	--	--	--	--	--	--	--	--	--	10	157	
Basswood	1,255	--	--	232	--	--	--	--	244	101	31	574	--	73	
Beech	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Yellow birch	44	--	--	--	--	--	--	--	--	--	--	--	--	--	
Hard maple	1,329	--	--	213	--	--	--	--	--	59	--	921	136	--	
Soft maple	1,310	400	--	117	--	--	131	--	--	--	--	300	362	--	
Elm	1,814	68	--	108	268	227	167	--	--	130	283	281	139	101	
Black ash	188	--	--	--	--	--	188	--	--	--	--	--	--	42	
White & green ash	312	30	--	--	--	40	--	--	--	--	53	54	--	--	
Cottonwood	73	--	--	--	--	--	--	--	--	--	73	--	--	--	
Willow	178	24	--	--	--	--	--	--	--	--	--	--	--	154	
Hackberry	51	--	--	--	--	--	--	--	--	51	--	--	--	--	
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Bigtooth aspen	1,508	--	--	89	--	--	--	--	--	214	--	1,143	--	--	
Quaking aspen	86	--	--	86	--	--	--	--	--	--	--	--	--	62	
Paper birch	211	163	--	--	--	--	--	--	--	--	48	--	--	--	
River birch	183	66	--	--	--	--	117	--	--	--	--	--	--	--	
Black cherry	54	--	--	--	--	--	--	--	--	--	--	--	31	23	
Black walnut	--	--	--	--	--	--	--	--	--	--	--	--	--	--	
Butternut	71	71	--	--	--	--	--	--	--	--	--	--	--	--	
Other hardwoods	8	--	--	--	--	--	--	--	--	--	--	--	--	8	
Total	24,366	2,997	612	1,860	1,266	507	1,921	--	381	885	825	1,611	8,306	1,778	1,417
All species	24,366	2,997	612	1,860	1,266	507	1,921	--	381	885	825	1,611	8,306	1,778	1,417

(Table 55 continued on next page.)

(Table 56 continued)

Species group	Total	Southeast Unit						Southeast Unit					
		Brown	Catumet	Columbia	Dane	Dodge	Fond du Lac	Green	Green Lake	Keweenaw	Kenosha	Jefferson	Manitowoc
Softwoods													
Jack pine	--	--	--	--	--	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--	--	--	--	--	--
White pine	7	--	--	--	--	--	--	7	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam fir	35	--	--	--	--	--	--	--	--	--	--	35	--
Hemlock	--	--	--	--	--	--	--	--	--	--	--	--	--
Tamarack	--	--	--	--	--	--	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	502	--	--	--	--	--	--	369	--	--	--	133	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	544	--	--	--	--	--	--	376	--	--	--	168	--
Hardwoods													
White oak	1,114	--	--	286	552	--	--	74	--	39	--	--	--
Select red oak	1,927	--	--	642	412	--	--	214	123	--	38	--	--
Other red oak	770	--	--	435	295	--	--	--	--	--	--	--	--
Select hickory	111	--	--	--	--	--	--	--	--	--	--	--	--
Other hickory	50	--	--	--	--	--	--	50	--	--	--	--	--
Basswood	9	--	--	--	--	--	--	--	--	--	9	--	--
Beech	--	--	--	--	--	--	--	--	--	--	--	--	--
Yellow birch	--	--	--	--	--	--	--	--	--	--	--	--	--
Hard maple	821	--	--	--	--	--	--	--	--	--	--	--	--
Soft maple	2,105	867	--	--	--	--	--	--	41	--	36	--	119
Elm	1,725	530	--	--	--	--	--	23	81	41	438	--	247
Black ash	136	--	--	--	--	--	--	--	--	--	57	--	48
White & green ash	643	--	--	--	--	--	--	--	196	--	--	--	--
Cottonwood	--	--	--	--	--	--	--	--	--	--	--	--	--
Willow	--	--	--	--	--	--	--	--	--	--	--	--	--
Hackberry	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--	--	--
Bigtooth aspen	--	--	--	--	--	--	--	--	--	--	--	--	--
Quaking aspen	127	--	--	26	--	--	--	101	--	--	--	--	--
Paper birch	135	--	--	25	--	--	--	37	--	--	--	--	--
River birch	--	--	--	--	--	--	--	--	--	--	--	--	--
Black cherry	211	--	--	26	185	--	--	--	--	--	--	--	--
Black walnut	71	--	--	--	--	--	--	--	35	--	--	--	--
Butternut	--	--	--	--	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	9,955	1,397	--	1,440	1,444	73	415	82	761	123	132	47	247
All species	10,499	1,397	--	1,440	1,444	73	791	82	761	123	132	47	415

(Table 55 continued on next page)

(Table 55 continued)

Species group		Southeast Unit						Winnebago
		Milwaukee	Outagamie	Ozaukee	Racine	Rock	Sheboygan	
Softwoods								
Jack pine	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--
White pine	--	--	--	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--
Balsam fir	--	--	--	--	--	--	--	--
Hemlock	--	--	--	--	--	--	--	--
Tamarack	--	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--
Other softwoods	--	--	--	--	--	--	--	--
Total	--	--	--	--	--	--	--	--
Hardwoods								
White oak	--	58	--	--	40	65	--	--
Select red oak	--	199	--	--	169	--	--	90
Other red oak	--	--	--	--	--	--	40	--
Select hickory	--	--	--	--	--	--	111	--
Other hickory	--	--	--	--	--	--	--	--
Basswood	--	--	--	--	--	--	--	--
Beech	--	--	--	--	--	--	--	--
Yellow birch	--	--	--	--	--	--	--	--
Hard maple	--	868	--	--	295	--	408	118
Soft maple	--	224	--	--	153	--	--	21
Elm	--	--	--	--	--	37	--	104
Black ash	--	84	--	--	31	--	--	--
White & green ash	--	--	--	--	363	--	--	--
Cottonwood	--	--	--	--	--	--	--	--
Willow	--	--	--	--	--	--	--	--
Hackberry	--	--	--	--	--	--	--	--
Balsam poplar	--	--	--	--	--	--	--	--
Bigtooth aspen	--	--	--	--	--	--	--	--
Quaking aspen	--	73	--	--	--	--	--	--
Paper birch	--	--	--	--	--	--	--	--
River birch	--	--	--	--	--	--	--	--
Black cherry	--	36	--	--	--	--	--	--
Black walnut	--	--	--	--	--	--	--	--
Butternut	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--
Total	--	1,542	--	--	1,051	65	556	80
All species	--	1,542	--	--	1,051	65	556	80
							333	333

Table 56.--Average annual timber removals from sawtimber on commercial forest land by species group and county Wisconsin, 1968-1982<sup>1/</sup>  
(In thousand board feet)<sup>2/</sup>

Species group	Total		Northeast Unit				Northeast Unit					
	All Units	Northeast Unit	Florence	Forest	Langlade	Lincoln	Menominee	Marinette	Oconto	Oneida	Shawano	Villas
Softwoods												
Jack pine	34,414	13,812	1,002	3,665	259	--	2,606	1,517	4,017	--	746	
Red pine	15,289	12,228	414	3,968	107	601	--	627	5,286	--	1,225	
White pine	27,661	14,338	500	2,472	--	--	5,373	685	666	2,700	972	970
White spruce	7,022	3,783	590	2,176	363	--	--	393	--	271	--	--
Black spruce	1,438	470	--	--	--	--	--	--	470	--	--	--
Balsam fir	19,673	10,201	272	2,275	810	298	--	2,332	211	3,550	--	453
Hemlock	21,638	12,214	677	856	287	474	2,487	--	252	3,327	--	3,854
Tamarack	2,835	128	--	--	--	--	--	128	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	4,767	3,443	93	--	83	--	--	1,031	--	355	1,881	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--
Total	134,737	70,617	3,548	15,412	1,899	1,373	7,860	7,175	3,273	19,976	2,853	7,248
Hardwoods												
White oak	21,920	380	--	329	190	--	--	197	--	--	183	--
Select red oak	90,266	8,387	276	--	--	--	1,407	2,130	1,207	1,767	904	
Other red oak	22,525	1,455	--	--	--	--	--	390	--	1,065	--	--
Select hickory	440	--	--	--	--	--	--	--	--	--	--	--
Other hickory	500	--	--	--	--	--	--	--	--	--	--	--
Basswood	28,081	8,488	1,160	3,400	501	1,982	728	--	--	540	--	--
Beech	224	224	--	--	--	--	224	--	--	--	--	--
Yellow birch	14,762	6,757	3,153	1,537	1,173	--	894	--	--	--	--	--
Hard maple	45,946	17,869	3,631	6,718	1,576	3,765	551	--	--	1,020	608	
Soft maple	23,916	3,439	--	324	232	1,931	201	387	192	--	--	172
Elm	66,652	20,589	3,653	3,573	4,110	1,604	4,113	180	584	224	2,548	--
Black ash	4,323	1,173	--	--	--	594	579	--	--	--	--	--
White & green ash	12,158	1,900	--	--	220	500	--	--	357	174	649	--
Cottonwood	310	--	--	--	--	--	--	--	--	--	--	--
Willow	442	--	--	--	--	--	--	--	--	--	--	--
Huckleberry	233	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	656	656	365	--	--	--	--	291	--	--	--	--
Bigtooth aspen	38,249	11,012	--	1,269	--	1,124	4,147	2,318	305	--	1,849	
Quaking aspen	80,712	31,106	5,752	3,917	5,275	1,241	--	3,184	3,555	4,004	--	4,178
Paper birch	18,872	6,755	--	1,055	873	344	407	1,688	252	1,587	--	549
River birch	307	--	--	--	302	--	--	--	--	--	--	--
Black cherry	1,970	1,005	--	233	--	--	--	--	213	--	257	--
Black walnut	185	--	--	--	--	--	--	--	--	--	--	--
Butternut	654	197	--	--	--	--	--	197	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--
Total	474,303	121,392	17,990	21,086	15,721	11,961	10,425	12,594	7,825	8,041	7,489	8,260
All species	609,040	192,009	21,538	36,498	17,620	13,334	18,285	19,769	11,098	28,017	10,342	15,508

(Table 56 continued on next page)

(Table 56 continued)

Species group	Total		Northwest Unit				Ashland				Bayfield				Burnett				Douglas				Iron				Polk				Price				Rusk				Sawyer				Taylor				Washburn			
	Northwest	Unit	Ashland	Barron	Bayfield	Burnett	Douglas	Iron	Polk	Price	Rusk	Sawyer	Taylor	Washburn																																				
Softwoods																																																		
Jack pine	10,482	--	--	--	1,436	2,552	2,122	--	1,541	63	--	2,040	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	728																	
Red pine	1,818	--	--	--	924	--	--	519	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	375																		
White pine	5,752	--	--	--	1,408	412	--	1,350	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
White spruce	3,239	1,624	--	--	740	--	--	525	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	149																		
Black spruce	968	809	--	--	--	--	159	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Balsam fir	9,472	3,260	--	--	--	1,558	208	--	258	--	3,892	296	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Hemlock	8,392	1,065	--	--	--	--	4,024	--	--	1,297	--	--	2,432	871	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Tamarack	2,707	--	657	--	--	--	593	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	160																		
Eastern redcedar	--	--	--	--	--	--	273	--	279	--	467	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Northern white-cedar	1,019	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Total	43,849	6,758	657	4,508	3,237	4,432	5,555	2,891	2,085	--	10,946	1,368	--	1,412	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																
Hardwoods																																																		
White oak	937	--	304	--	167	--	--	466	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																	
Select red oak	11,528	--	2,974	2,019	190	--	--	4,965	258	909	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	213																		
Other red oak	1,206	--	929	--	277	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Select hickory	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Other hickory	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Basswood	8,145	825	--	1,218	169	--	--	--	721	2,646	1,079	168	1,319	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Beech	--	--	--	--	--	--	--	--	2,041	--	324	958	535	359	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Yellow birch	4,432	--	215	--	--	204	633	1,305	3,208	554	1,530	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Hard maple	12,029	3,496	312	787	--	--	--	204	633	1,305	3,208	554	1,530	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Soft maple	2,360	398	333	437	93	--	--	--	242	--	--	--	164	693	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Elm	14,332	3,510	--	298	251	336	809	3,584	3,008	--	--	--	--	2,576	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Black ash	2,132	296	--	585	510	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
White & green ash	3,305	992	--	334	180	--	--	--	--	--	--	449	781	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Cottonwood	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Willow	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Hackberry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Balsam poplar	17,195	452	7,302	2,544	--	1,488	1,624	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Bigtooth aspen	35,129	6,224	1,683	6,954	893	2,065	2,667	--	1,911	235	3,958	3,630	4,909	548	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Quaking aspen	10,668	2,498	--	4,971	187	620	539	--	--	775	230	497	351	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Paper birch	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
River birch	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
Black cherry	326	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	326	--	--	--	--	--	--	--	--	--	--	--																			
Black walnut	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Butternut	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																			
Total	123,824	18,289	6,987	24,237	5,583	3,446	7,275	9,218	11,293	11,694	8,326	11,445	6,021	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--																		
All species	167,673	25,057	7,644	28,745	8,820	7,878	12,830	12,109	13,378	11,694	19,272	12,813	7,433	(Table 56 continued on next page)																																				

(Table 56 continued)

Species group	Total Central Unit	Central Unit									Waushara	Wood
		Adams	Chippewa	Clark	Eau Claire	Jackson	Juneau	Marathon	Marquette	Monroe	Portage	Waupaca
Softwoods												
Jack pine	10,120	4,295	--	1,217	578	680	1,235	--	1,911	--	--	--
Red pine	1,243	--	389	--	--	--	315	--	352	--	--	204
White pine	7,535	--	--	--	--	--	471	2,566	--	1,965	1,462	511
White spruce	--	--	--	--	--	--	--	--	--	--	--	187
Black spruce	--	--	--	--	--	--	--	--	--	--	--	560
Balsam fir	--	--	--	--	--	--	--	--	--	--	--	--
Hemlock	1,032	--	--	--	--	--	--	1,032	--	--	--	--
Tamarack	--	--	--	--	--	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--
Total	19,930	4,295	389	1,217	578	680	1,235	1,818	2,566	1,911	2,317	1,462
Hardwoods												
White oak	4,309	379	--	2,112	983	--	--	--	155	299	994	--
Select red oak	11,153	--	1,431	1,883	460	--	555	--	1,938	566	2,701	--
Other red oak	5,042	1,085	--	449	190	1,651	--	--	153	897	--	370
Select hickory	--	--	--	--	--	--	--	--	--	--	150	636
Other hickory	259	--	--	--	--	--	259	--	--	--	--	467
Basswood	5,269	--	2,195	583	--	--	1,427	--	--	--	--	--
Beech	--	--	--	--	--	--	--	--	--	--	--	1,064
Yellow birch	3,398	--	--	--	--	--	2,650	--	--	--	248	--
Hard maple	6,404	--	261	702	--	--	3,682	--	--	--	1,485	500
Soft maple	3,974	--	744	--	--	--	945	--	168	443	1,242	274
Elm	17,444	--	503	3,651	--	--	9,971	--	--	2,138	2,138	432
Black ash	721	--	271	236	--	--	--	--	--	--	--	1,181
White & green ash	2,759	--	--	--	--	--	2,030	--	--	164	--	214
Cottonwood	--	--	--	--	--	--	--	--	--	--	--	565
Willow	--	--	--	--	--	--	--	--	--	--	--	--
Hackberry	--	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--	--
Bigtooth aspen	3,807	251	704	315	374	--	639	--	591	--	331	--
Quaking aspen	14,349	495	4,453	2,698	404	--	4,699	--	680	--	602	920
Paper birch	748	--	--	467	--	--	--	--	--	--	--	281
River birch	--	--	--	--	--	--	--	--	--	--	--	--
Black cherry	--	--	--	--	--	--	--	--	--	--	--	--
Black walnut	--	--	--	--	--	--	--	--	--	--	--	--
Butternut	--	--	--	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--
Total	79,636	2,210	10,562	12,647	2,210	650	1,651	26,857	--	3,005	3,049	9,139
All species	99,566	6,505	10,951	13,864	2,788	1,330	2,886	28,675	2,566	4,916	5,366	10,601

(Table 56 continued on next page)

(Table 56 continued)

Species group	Total	Southwest Unit										Southwest Unit				
		Buffalo	Crawford	Dunn	Grant	Iowa	La Crosse	Lafayette	Pepin	Pierce	Richland	St. Croix	Sauk	Trempealeau	Verona	
Softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Jack pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White pine	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Balsam fir	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hemlock	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Tamarack	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Hardwoods																
White oak	11,594	169	1,504	371	1,758	749	279	--	221	300	237	--	3,971	2,334	1,205	
Select red oak	49,893	7,411	1,267	2,888	2,189	424	5,458	--	1,694	1,701	--	522	22,307	1,291	2,504	
Other red oak	11,804	2,500	2,825	--	--	835	--	--	--	--	--	592	1,549	1,553	683	--
Select hickory	--	204	--	--	--	--	--	--	--	--	--	--	236	--	--	--
Other hickory	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Basswood	6,179	--	--	1,139	--	--	--	--	--	1,228	494	157	2,807	--	354	
Beech	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Yellow birch	175	--	--	--	--	--	--	--	--	--	--	--	4,608	509	--	--
Hard maple	6,558	--	--	--	1,136	--	--	--	--	305	--	--	1,516	901	--	--
Soft maple	5,039	1,994	--	628	--	--	--	--	--	--	--	591	1,234	1,114	234	484
Elm	7,024	139	--	474	1,249	997	508	--	--	--	--	--	--	--	--	--
Black ash	--	--	--	--	--	--	--	--	--	--	--	270	324	--	485	280
White & green ash	1,719	144	--	--	--	216	--	--	--	--	--	310	--	--	--	--
Cottonwood	310	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Willow	442	--	--	--	--	--	--	--	--	--	--	--	--	--	442	--
Hackberry	233	--	--	--	--	--	--	--	--	--	233	--	--	--	--	--
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--	1,027	--	4,468	--	287
Bigtooth aspen	6,235	--	--	453	--	--	--	--	--	--	--	--	--	--	--	--
Quaking aspen	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Paper birch	701	701	--	--	--	--	--	--	--	--	--	--	--	--	--	--
River birch	307	307	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black cherry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Black walnut	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Butternut	457	457	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Total	109,110	14,026	2,771	8,778	6,332	2,386	7,080	--	1,915	4,395	3,859	6,993	37,772	7,490	5,313	
All species	109,110	14,026	2,771	8,778	6,332	2,386	7,080	--	1,915	4,395	3,859	6,993	37,772	7,490	5,313	

(Table 56 continued on next page)

(Table 56 continued)

Species group	Total	Southeast Unit									Southeast Unit			
		Southeast Unit	Brown	Calumet	Columbia	Dane	Dodge	Fond du Lac	Green Lake	Jefferson	Keweenaw	Kenosha	Manitowoc	
Softwoods														
Jack pine	--	--	--	--	--	--	--	--	--	--	--	--	--	
Red pine	--	--	--	--	--	--	--	--	--	--	--	--	--	
White pine	36	--	--	--	--	--	--	36	--	--	--	--	--	
White spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black spruce	--	--	--	--	--	--	--	--	--	--	--	--	--	
Balsam fir	--	--	--	--	--	--	--	--	--	--	--	--	--	
Hemlock	--	--	--	--	--	--	--	--	--	--	--	--	--	
Tamarack	--	--	--	--	--	--	--	--	--	--	--	--	--	
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--	--	--	
Northern white-cedar	305	--	--	--	--	--	--	145	--	--	--	--	160	
Other softwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	
Total	341	--	--	--	--	--	--	181	--	--	--	--	160	
Hardwoods														
White oak	4,700	--	--	--	1,425	2,224	--	--	--	159	--	191	--	
Select red oak	9,305	--	--	3,152	2,051	--	--	--	1,104	619	--	188	--	
Other red oak	3,018	--	--	2,058	756	--	--	--	--	--	--	--	--	
Select hickory	--	--	--	--	--	--	--	--	--	--	--	--	--	
Other hickory	241	--	--	--	--	241	--	--	--	--	--	--	--	
Basswood	--	--	--	--	--	--	--	--	--	--	--	--	--	
Beech	--	--	--	--	--	--	--	--	--	--	--	--	--	
Yellow birch	--	--	--	--	--	--	--	--	--	--	--	--	--	
Hard maple	3,086	--	--	--	--	--	--	--	--	--	--	--	--	
Soft maple	9,104	4,294	--	--	--	--	--	--	--	--	--	--	514	
Elm	7,163	2,329	--	--	--	--	--	371	--	1,953	--	--	1,133	
Black ash	297	--	--	--	--	--	--	--	--	--	297	--	--	
White & green ash	2,475	--	--	--	--	--	--	922	--	--	--	--	--	
Cottonwood	--	--	--	--	--	--	--	--	--	--	--	--	--	
Willow	--	--	--	--	--	--	--	--	--	--	--	--	--	
Hackberry	--	--	--	--	--	--	--	--	--	--	--	--	--	
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--	--	--	
Bigtooth aspen	--	--	--	--	--	--	--	--	--	--	--	--	--	
Quaking aspen	128	--	--	--	--	128	--	--	--	--	--	--	--	
Paper birch	--	--	--	--	--	--	--	--	--	--	--	--	--	
River birch	--	--	--	--	--	--	--	--	--	--	--	--	--	
Black cherry	639	--	--	--	--	639	--	--	--	--	--	--	--	
Black walnut	185	--	--	--	--	--	--	--	--	--	--	--	--	
Butternut	--	--	--	--	--	--	--	--	--	--	--	--	--	
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--	--	--	
Total	40,341	6,623	--	6,763	5,670	241	1,293	209	3,216	619	488	188	1,133	
All species	40,682	6,623	--	6,763	5,670	241	1,274	209	3,216	619	488	188	1,293	

(Table 56 continued on next page)

(Table 56 continued)

Species group	Milwaukee	Outagamie	Ozaukee	Racine	Rock	Sheboygen	Walworth	Washington	Waukesha	Southeast Unit	
										Winnebago	
<b>Softwoods</b>											
Jack pine	--	--	--	--	--	--	--	--	--	--	--
Red pine	--	--	--	--	--	--	--	--	--	--	--
White pine	--	--	--	--	--	--	--	--	--	--	--
Black spruce	--	--	--	--	--	--	--	--	--	--	--
Balsam fir	--	--	--	--	--	--	--	--	--	--	--
Hemlock	--	--	--	--	--	--	--	--	--	--	--
Tamarack	--	--	--	--	--	--	--	--	--	--	--
Eastern redcedar	--	--	--	--	--	--	--	--	--	--	--
Northern white-cedar	--	--	--	--	--	--	--	--	--	--	--
Other softwoods	--	--	--	--	--	--	--	--	--	--	--
<b>Total</b>	--	--	--	--	--	--	--	--	--	--	--
<b>Hardwoods</b>											
White oak	--	181	--	--	--	195	325	--	--	203	454
Select red oak	--	796	--	--	--	738	--	--	--	204	--
Other red oak	--	--	--	--	--	--	--	--	--	--	--
Select hickory	--	--	--	--	--	--	--	--	--	--	--
Other hickory	--	--	--	--	--	--	--	--	--	--	--
Basswood	--	--	--	--	--	--	--	--	--	--	--
Beech	--	--	--	--	--	--	--	--	--	--	--
Yellow birch	--	--	--	--	--	--	--	--	--	--	--
Hard maple	--	3,913	--	--	--	1,020	--	--	--	2,066	--
Soft maple	--	748	--	--	--	174	--	--	--	155	474
Elm	--	--	--	--	--	--	--	--	--	--	--
Black ash	--	445	--	--	--	--	--	--	--	--	--
White & green ash	--	--	--	--	--	--	--	--	--	--	--
Cottonwood	--	--	--	--	--	--	--	--	--	--	--
Willow	--	--	--	--	--	--	--	--	--	--	--
Hackberry	--	--	--	--	--	--	--	--	--	--	--
Balsam poplar	--	--	--	--	--	--	--	--	--	--	--
Bigtooth aspen	--	--	--	--	--	--	--	--	--	--	--
Quaking aspen	--	--	--	--	--	--	--	--	--	--	--
Paper birch	--	--	--	--	--	--	--	--	--	--	--
River birch	--	--	--	--	--	--	--	--	--	--	--
Black cherry	--	--	--	--	--	--	--	--	--	--	--
Black walnut	--	185	--	--	--	--	--	--	--	--	--
Butternut	--	--	--	--	--	--	--	--	--	--	--
Other hardwoods	--	--	--	--	--	--	--	--	--	--	--
<b>Total</b>	--	6,268	--	--	--	3,235	325	2,221	407	928	
<b>All species</b>	--	6,268	--	--	--	3,235	325	2,221	407	928	

Table 57.--Timber removals from growing stock and sawtimber on commercial forest land by species group, Wisconsin, 1967 and 1982

Species group	Growing stock		Sawtimber	
	1967	1982	1967	1982
	Thousand cubic feet		Thousand board feet <sup>1/</sup>	
<b>Softwoods</b>				
Jack pine	13,295	14,552	28,247	20,320
Red pine	1,770	16,502	6,196	35,981
White pine	4,162	7,967	22,414	36,240
White spruce	543	1,976	3,386	5,155
Black spruce	612	1,235	838	884
Balsam fir	3,963	9,351	14,227	17,602
Hemlock	4,237	4,839	21,414	12,433
Tamarack	329	545	985	654
Northern white-cedar	1,043	2,421	2,331	4,383
Other softwoods	2	--	1	--
<b>Total</b>	<b>29,956</b>	<b>59,388</b>	<b>100,039</b>	<b>133,652</b>
<b>Hardwoods</b>				
White oak	8,142	10,025	23,911	41,499
Select red oak	24,558	28,156	91,847	120,169
Other red oak	9,083	11,211	26,226	43,856
Hickory	2,013	644	3,188	2,294
Basswood	8,198	7,199	28,330	25,798
Beech	334	321	1,560	1,312
Yellow birch	3,037	3,027	11,962	8,206
Hard maple	17,551	21,064	63,978	75,889
Soft maple	9,732	10,322	24,623	28,684
Elm	13,300	15,600	46,906	52,498
Ash	7,116	6,675	17,038	16,991
Cottonwood	449	120	1,853	568
Balsam poplar	85	148	179	306
Bigtooth aspen	21,059	22,002	64,025	70,020
Quaking aspen	66,532	74,114	118,278	183,661
Paper birch	10,497	13,333	19,622	16,907
Black walnut	292	134	1,677	519
Other hardwoods <sup>2/</sup>	1,216	1,475	4,926	3,498
<b>Total</b>	<b>203,194</b>	<b>225,570</b>	<b>550,129</b>	<b>692,675</b>
<b>All species</b>	<b>233,150</b>	<b>284,958</b>	<b>650,168</b>	<b>826,327</b>

<sup>1/</sup> International 1/4-inch rule.

<sup>2/</sup> Includes willow, hackberry, river birch, black cherry and butternut.

Table 58.--Timber removals from growing stock and sawtimber on commercial forest land by item and species category, Wisconsin, 1982

Item	Growing stock					Sawtimber					
	All species	Pine	Other softwoods	Aspen	Oak	Other hardwoods	All species	Pine	Other softwoods	Aspen	Oak
- - - - - Thousand cubic feet - - - - -											
Roundwood products											
Pulpwood <sup>2/</sup>	138,978	26,326	11,711	68,867	4,754	27,320	274,919	39,422	19,271	159,938	10,984
Saw logs	79,456	9,017	3,609	13,175	21,791	25,864	413,368	48,309	17,265	66,198	148,085
Fuel wood	20,387	128	43	1,569	8,278	10,369	58,801	369	99	4,392	23,777
Posts	3,412	1,471	1,373	94	229	245	3,714	1,105	1,408	185	494
Veneer logs	3,961	5	--	1,899	902	1,155	25,610	41	--	12,282	5,820
Poles	142	126	14	--	2	--	571	503	54	--	14
Other	811	1	--	483	107	220	4,264	4	--	2,323	803
Total	247,147	37,074	16,750	86,087	42,063	65,173	781,247	89,753	38,097	245,818	189,977
Logging residue	16,375	1,116	653	5,297	4,134	5,175	30,610	2,038	1,333	4,661	10,991
Other removals	21,436	831	2,964	4,732	3,195	9,714	14,470	750	1,681	3,202	4,556
All removals	284,958	39,021	20,367	96,116	49,392	80,062	826,327	92,541	41,111	253,681	205,524
											233,470

<sup>1/</sup> International 1/4-inch rule.

<sup>2/</sup> Includes particleboard and waferboard bolts.

<sup>3/</sup> Less than 500 cubic feet.

Table 59.--Net annual growth and removals of growing stock and sawtimber on commercial forest land by species group, Wisconsin, 1982

Species group	Growing stock		Sawtimber	
	Growth	Removals	Growth	Removals
	Thousand cubic feet		Thousand board feet	<sup>1/</sup>
<b>Softwoods</b>				
Jack pine	23,092	14,552	71,795	20,320
Red pine	43,977	16,502	122,739	35,981
White pine	16,876	7,967	83,335	36,240
White spruce	10,934	1,976	39,075	5,155
Black spruce	5,491	1,235	4,577	884
Balsam fir	22,338	9,351	69,757	17,602
Hemlock	2,840	4,839	12,886	12,433
Tamarack	2,041	545	7,231	654
Eastern redcedar	244	--	251	--
Northern white-cedar	14,647	2,421	46,882	4,383
Other softwoods	183	--	413	--
<b>Total</b>	<b>142,663</b>	<b>59,388</b>	<b>458,941</b>	<b>133,652</b>
<b>Hardwoods</b>				
White oak	11,453	10,025	57,123	41,499
Select red oak	34,507	28,156	153,714	120,169
Other red oak	15,934	11,211	71,490	43,856
Hickory	6,109	644	14,347	2,294
Basswood	25,979	7,199	88,496	25,798
Beech	653	321	1,679	1,312
Yellow birch	2,673	3,027	7,464	8,206
Hard maple	46,806	21,064	109,715	75,889
Soft maple	51,605	10,322	77,489	28,684
Elm	-359	15,600	4,764	52,498
Ash	26,214	6,675	72,103	16,991
Cottonwood	1,008	120	4,266	568
Balsam poplar	733	148	2,032	306
Bigtooth aspen	19,240	22,002	66,267	70,020
Quaking aspen	60,648	74,114	168,395	183,661
Paper birch	34,906	13,333	57,418	16,907
Black walnut	611	134	3,762	519
Other hardwoods <sup>2/</sup>	9,853	1,475	23,554	3,498
<b>Total</b>	<b>348,573</b>	<b>225,570</b>	<b>984,078</b>	<b>692,675</b>
<b>All species</b>	<b>491,236</b>	<b>284,958</b>	<b>1,443,019</b>	<b>826,327</b>

<sup>1/</sup> International 1/4-inch rule.

<sup>2/</sup> Includes willow, hackberry, river birch, black cherry and butternut.

Table 60.--Net annual growth and removals of growing stock on commercial forest land by ownership class and softwoods and hardwoods, Wisconsin, 1982

(In thousand cubic feet)

Ownership class	Net annual growth			Annual timber removals		
	All species			All Species		
	Softwoods	Hardwoods		Softwoods	Hardwoods	
National Forest	47,866	14,384	33,482	17,291	5,991	11,300
Miscellaneous federal	4,127	1,543	2,584	170	124	46
State	18,037	7,236	10,801	5,372	1,804	3,568
County and municipal	74,770	25,061	49,709	41,396	7,170	34,226
Indian	12,021	4,484	7,537	9,013	3,047	5,966
Forest industry	42,140	13,788	28,352	29,012	9,001	20,011
Farmer and other <sup>1/</sup>	292,275	76,167	216,108	182,704	32,251	150,453
All owners	491,236	142,663	348,573	284,958	59,388	225,570

<sup>1/</sup>Includes miscellaneous private-corporation and miscellaneous private-individual.

Table 61.--Net annual growth and removals of sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Wisconsin, 1982  
 (In thousand board feet)<sup>1/</sup>

Ownership class	Net annual growth			Annual timber removals		
	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
National Forest	171,142	81,079	90,063	44,267	13,093	31,174
Miscellaneous federal	10,698	5,442	5,256	400	202	198
State	49,558	24,531	25,027	13,083	4,245	8,838
County and municipal	181,415	73,249	108,166	97,558	13,321	84,237
Indian	39,787	18,355	21,432	28,932	10,050	18,882
Forest industry	118,039	49,693	68,346	75,439	19,820	55,619
Farmer and other <sup>2/</sup>	872,380	206,592	665,788	566,648	72,921	493,727
All owners	1,443,019	458,941	984,078	826,327	133,652	692,675

1/ International 1/4-inch rule.

2/ Includes miscellaneous private-corporation and miscellaneous private-individual.

Table 62.--Annual mortality of growing stock on commercial forest land by softwoods and hardwoods, Wisconsin, 1967 and 1982

(In thousand cubic feet)

Species	1967 <sup>1/</sup>	1982
Softwoods	15,688	22,051
Hardwoods	80,519	114,717
Total	96,207	136,768

1/ Figures have been adjusted from those published after the 1968 survey to conform to 1982 volumes because of changes in survey procedures and volume equations.

Table 63.--Annual mortality of growing stock on commercial forest land by species group and cause,  
Wisconsin, 1982

(In thousand cubic feet)

Species group	All causes	Cause						Unknown and other
		Insects	Disease	Fire	Animals	Weather	Suppression	
<b>Softwoods</b>								
Jack pine	4,206	54	537	265	10	319	61	2,960
Red pine	170	--	0	10	13	15	--	132
White pine	1,421	28	129	--	31	67	7	1,159
White spruce	719	20	18	--	2	101	131	447
Black spruce	862	10	100	--	12	248	2	490
Balsam fir	9,855	1,101	545	--	26	2,307	42	5,834
Hemlock	1,474	1	62	--	56	207	4	1,144
Tamarack	2,294	22	251	--	114	263	--	1,644
Eastern redcedar	--	--	--	--	--	--	--	--
Northern white-cedar	1,041	--	26	--	5	338	1	671
Other softwoods	9	--	--	--	1	--	--	8
Total	22,051	1,236	1,668	275	270	3,865	248	14,489
<b>Hardwoods</b>								
White oak	1,802	--	88	2	4	111	36	1,561
Select red oak	6,443	1	520	14	50	1,019	21	4,818
Other red oak	7,227	1	604	15	1	477	10	6,119
Select hickory	161	--	1	--	--	39	--	121
Other hickory	263	--	--	--	--	15	--	248
Basswood	3,248	20	195	--	16	182	88	2,747
Beech	548	--	21	--	--	--	--	527
Yellow birch	2,517	--	376	--	--	165	1	1,975
Hard maple	4,374	3	619	--	64	417	25	3,246
Soft maple	5,603	1	694	45	6	519	16	4,322
Elm	22,556	531	16,561	--	14	157	33	5,260
Black ash	2,185	--	57	--	2	163	1	1,962
White & green ash	640	--	40	2	--	45	25	528
Cottonwood	93	--	3	--	3	2	--	85
Willow	284	--	12	--	--	33	--	239
Hackberry	28	--	--	--	--	--	--	28
Balsam poplar	106	--	4	--	--	--	--	102
Bigtooth aspen	4,854	7	428	27	--	134	--	4,258
Quaking aspen	16,106	34	2,928	114	60	1,128	67	11,775
Paper birch	31,246	19	6,409	11	221	3,630	159	20,797
River birch	2,684	--	541	2	41	124	25	1,951
Black cherry	1,092	--	209	--	15	29	54	785
Black walnut	96	--	4	--	1	--	--	91
Butternut	471	--	99	--	--	14	--	358
Other hardwoods	90	--	10	--	--	1	2	77
Total	114,717	617	30,423	232	498	8,404	563	73,980
All species	136,768	1,853	32,091	507	768	12,269	811	88,469

Table 64.--Annual mortality of sawtimber on commercial forest land by species group and cause, Wisconsin, 1982

(In thousand board feet)<sup>1/</sup>

Species group	All causes	Cause						
		Insects	Disease	Fire	Animals	Weather	Suppression	Unknown and other
<b>Softwoods</b>								
Jack pine	6,535	128	368	254	30	1,196	6	4,553
Red pine	648	--	--	--	--	86	--	562
White pine	6,434	75	702	--	176	415	2	5,064
White spruce	1,708	9	62	--	4	313	--	1,320
Black spruce	590	55	18	--	--	355	--	162
Balsam fir	15,511	622	1,751	--	17	4,065	3	9,053
Hemlock	5,752	8	249	--	197	878	14	4,406
Tamarack	1,589	--	97	--	--	346	--	1,146
Eastern redcedar	1	--	--	--	--	--	--	1
Northern white-cedar	3,023	5	204	--	67	1,185	--	1,562
Other softwoods	4	--	--	--	--	--	--	4
Total	41,795	902	3,451	254	491	8,839	25	27,833
<b>Hardwoods</b>								
White oak	4,188	--	298	--	18	353	8	3,511
Select red oak	18,574	--	1,586	--	247	2,610	4	14,127
Other red oak	10,656	--	707	65	--	1,421	--	8,463
Select hickory	454	--	11	--	--	5	--	438
Other hickory	27	6	7	--	--	--	--	14
Basswood	6,208	24	648	--	51	521	--	4,964
Beech	2,083	--	47	--	--	--	--	2,036
Yellow birch	7,752	--	1,137	--	--	701	--	5,914
Hard maple	8,624	--	1,290	--	36	1,258	76	5,964
Soft maple	7,156	--	1,086	--	10	516	--	5,544
Elm	70,205	1,221	51,608	--	53	571	--	16,752
Black ash	2,207	--	26	--	--	188	--	1,993
White & green ash	1,456	--	153	--	--	136	--	1,167
Cottonwood	229	--	11	--	15	6	--	197
Willow	838	--	14	--	--	135	--	689
Hackberry	121	--	--	--	--	--	--	121
Balsam poplar	383	--	--	--	--	--	--	383
Bigtooth aspen	9,573	30	685	--	--	615	--	8,243
Quaking aspen	18,122	172	3,963	--	78	2,477	--	11,432
Paper birch	37,320	--	8,750	--	240	5,921	--	22,409
River birch	1,667	--	244	3	3	125	--	1,292
Black cherry	873	--	153	--	--	61	--	659
Black walnut	317	--	20	--	8	--	--	289
Butternut	814	--	127	--	--	--	--	687
Other hardwoods	141	--	17	--	--	--	--	124
Total	209,988	1,453	72,588	68	759	17,620	88	117,412
All species	251,783	2,355	76,039	322	1,250	26,459	113	145,245

<sup>1/</sup> International 1/4-inch rule.

Table 65.--Annual mortality of growing stock and sawtimber on commercial forest land by ownership class and softwoods and hardwoods, Wisconsin, 1982

Ownership class	Growing stock			Sawtimber		
	All species	Softwoods	Hardwoods	All species	Softwoods	Hardwoods
		- - - Thousand cubic feet - - -			- - - Thousand board feet <sup>1/</sup> - - -	
National Forest	14,286	6,850	7,436	23,492	9,819	13,673
Miscellaneous federal	1,533	169	1,364	3,313	476	2,837
State	4,959	817	4,142	9,195	1,623	7,572
County and municipal	20,452	3,086	17,366	24,975	6,077	18,898
Indian	4,742	764	3,978	12,147	3,134	9,013
Forest industry	9,761	2,229	7,532	16,715	4,602	12,113
Farmer	32,840	2,186	30,654	80,885	3,878	77,007
Misc. private-corp.	5,912	495	5,417	10,078	906	9,172
Misc. private-indiv.	42,283	5,455	36,828	70,983	11,280	59,703
All owners	136,768	22,051	114,717	251,783	41,795	209,988

<sup>1/</sup> International 1/4-inch rule.

Table 66.--Output of timber products by product, softwoods and hardwoods, and source of material, Wisconsin, 1981

Product	Standard units	Roundwood products			Non-growing stock			Plant byproducts		
		Total	No. of units	No. of cubic feet	Total	No. of units	No. of cubic feet	No. of units	No. of cubic feet	No. of units
Pulpwood <sup>1/</sup>										
Softwoods	Standard <sup>2/</sup> cords	632,007	49,845	482,292	38,037	103,076	8,124	46,639	3,684	
Hardwoods		1,756,746	138,761	1,277,953	100,941	234,817	18,546	243,976	19,274	
Total		2,388,753	188,606	1,760,245	138,978	337,893	26,670	290,615	22,958	
Saw logs										
Softwoods	Thousand <sup>3/</sup> board feet	75,683	13,450	70,052	12,626	4,731	824	--	--	--
Hardwoods		415,092	72,544	382,381	66,830	32,711	5,714	--	--	--
Total		490,775	85,994	453,333	79,456	37,442	6,538	--	--	--
Veneer logs										
Softwoods	Thousand <sup>3/</sup> board feet	44	5	44	5	--	--	--	--	--
Hardwoods		27,206	4,384	24,58	3,956	2,658	428	--	--	--
Total		27,250	4,389	24,592	3,961	2,658	428	--	--	--
Fuelwood										
Softwoods	Standard <sup>2/</sup> cords	87,988	6,141	2,460	171	46,970	3,272	38,558	2,698	
Hardwoods		2,077,523	145,282	289,137	20,216	1,577,412	110,298	210,974	14,768	
Total		2,165,511	151,423	291,597	20,387	1,624,382	113,570	249,532	17,466	
Posts										
Softwoods	Thousand pieces	3,350	3,441	2,769	2,844	581	597	--	--	--
Hardwoods		921	920	569	568	352	352	--	--	--
Total		4,271	4,361	3,338	3,412	933	949	--	--	--
Poles										
Softwoods	Pieces	16,417	140	16,417	140	--	--	--	--	--
Hardwoods		375	2	375	2	--	--	--	--	--
Total		16,792	142	16,792	142	--	--	--	--	--
Other <sup>4/</sup>										
Softwoods	Thousand cubic feet	1,499	1,499	1	1	--	--	1,498	1,498	
Hardwoods		8,167	8,167	810	810	34	34	7,323	7,323	
Total		9,666	9,666	811	811	34	34	8,821	8,821	
All products										
Softwoods	Thousand cubic feet	--	74,521	--	53,824	--	12,817	--	7,880	
Hardwoods		--	370,060	--	193,323	--	135,372	--	41,366	
Total		--	444,581	--	247,147	--	148,189	--	49,246	

<sup>1/</sup> Includes roundwood and plant byproducts used for particleboard and waferboard.<sup>2/</sup> 128 cubic feet; includes wood, bark, and air space.<sup>3/</sup> International 1/4-inch rule.<sup>4/</sup> Other (industrial production) includes cabin logs, charcoal wood, shingle bolts, pilings, etc.

Table 67.--Output of roundwood products by product, softwoods and hardwoods, and source of material, Wisconsin, 1981  
 (In thousand cubic feet)

Product and species group	All sources	Growing-stock trees			Rough and rotten trees	Salvable dead trees	Other sources
		Total	Sawtimber	Poletimber			
<b>Industrial products</b>							
Saw logs							
Softwoods	13,450	12,626	11,812	814	37	173	614
Hardwoods	72,544	66,830	60,561	6,269	1,194	3,362	1,158
Subtotal	85,994	79,456	72,373	7,083	1,231	3,535	1,772
Veneer logs and bolts							
Softwoods	5	5	5	--	--	--	--
Hardwoods	4,384	3,956	3,956	--	424	--	4
Subtotal	4,389	3,961	3,961	--	424	--	4
Pulpwood <sup>1</sup>							
Softwoods	46,161	38,037	17,170	20,867	825	2,867	4,432
Hardwoods	119,487	100,941	57,299	43,642	7,925	4,557	6,064
Subtotal	165,648	138,978	74,469	64,509	8,750	7,424	10,496
Copverage							
Softwoods	--	--	--	--	--	--	--
Hardwoods	120	107	107	--	8	--	5
Subtotal	120	107	107	--	8	--	5
Piling							
Softwoods	1	1	1	--	--	--	--
Hardwoods	--	--	--	--	--	--	--
Subtotal	1	1	1	--	--	--	--
Poles							
Softwoods	140	140	117	23	--	--	--
Hardwoods	2	2	2	--	--	--	--
Subtotal	142	142	119	23	--	--	--
Posts (Round and split)							
Softwoods	3,441	2,844	759	2,085	73	--	524
Hardwoods	920	568	238	330	176	--	176
Subtotal	4,361	3,412	997	2,415	249	--	700
Other							
Softwoods	--	--	--	--	--	--	--
Hardwoods	724	703	514	189	11	4	6
Subtotal	724	703	514	189	11	4	6
All industrial products							
Softwoods	63,138	53,653	29,864	23,789	935	3,040	5,570
Hardwoods	198,181	173,107	122,677	50,430	9,738	7,923	7,413
Total	261,379	226,760	152,541	74,219	10,673	10,963	12,983
Fuelwood							
Softwoods	3,443	171	105	66	33	1,614	1,625
Hardwoods	130,514	20,216	12,395	7,821	3,989	60,646	45,663
Total	133,957	20,387	12,500	7,887	4,022	62,260	47,288
All products							
Softwoods	66,641	53,824	29,969	23,855	968	4,654	7,195
Hardwoods	328,695	193,323	135,072	58,251	13,727	68,569	53,076
Total	395,336	247,147	165,041	82,106	14,695	73,223	60,271

<sup>1</sup>/ Includes particleboard and waferboard bolts.

Table 68.--Timber products from roundwood by species group and product, Wisconsin, 1981

Species group	All products		Pulpwood <sup>1/</sup>		Saw logs		Veneer logs	
	Thousand cubic feet	Standard cords <sup>2/</sup>	Thousand cubic feet	Thousand board feet <sup>3/</sup>	Thousand cubic feet	Thousand board feet <sup>3/</sup>	Thousand cubic feet	Thousand cubic feet
<b>Softwoods</b>								
Jack pine	19,023	217,116	17,125	5,043	1,056	--	--	--
Red pine	19,493	180,878	14,287	14,669	2,482	--	--	--
White pine	8,821	21,346	1,676	36,628	6,220	44	--	5
White spruce	1,722	15,491	1,221	2,200	460	--	--	--
Black spruce	1,146	11,847	929	947	198	--	--	--
Balsam fir	9,613	104,778	8,249	5,150	1,079	--	--	--
Hemlock	4,249	28,932	2,285	8,913	1,514	--	--	--
Tamarack	453	4,980	389	88	17	--	--	--
Northern white-cedar	2,121	--	--	2,045	424	--	--	--
Other softwoods	--	--	--	--	--	--	--	--
<b>Total</b>	<b>66,641</b>	<b>585,368</b>	<b>46,161</b>	<b>75,683</b>	<b>13,450</b>	<b>44</b>	<b>--</b>	<b>5</b>
<b>Hardwoods</b>								
White oak	20,189	16,988	1,338	34,490	6,028	244	36	
Select red oak	46,339	45,378	3,578	93,582	16,393	4,547	739	
Other red oak	19,502	15,445	1,219	38,983	6,826	1,392	226	
Hickory	1,682	516	39	2,105	362	--	--	
Basswood	8,228	15,764	1,241	28,039	4,993	1,042	166	
Beech	721	46	2	2,702	479	4	4	
Yellow birch	4,847	28,182	2,221	4,658	825	1,291	205	
Hard maple	30,038	118,509	9,371	46,753	7,795	2,321	375	
Soft maple	14,460	63,461	5,016	18,607	3,304	511	80	
Elm	47,026	70,738	5,586	42,840	7,637	1,988	313	
Ash	9,938	37,577	2,969	11,860	2,108	290	42	
Cottonwood	450	26	2	1,378	235	83	14	
Balsam poplar	240	624	49	954	168	--	--	
Bigtooth aspen	22,968	210,522	16,627	18,119	3,159	2,896	471	
Quaking aspen	76,583	754,627	59,611	58,288	10,172	10,075	1,638	
Paper birch	18,921	130,661	10,333	9,186	1,627	441	67	
Black walnut	245	--	--	753	123	34	5	
Other hardwoods <sup>5/</sup>	6,318	3,706	285	1,795	310	47	7	
<b>Total</b>	<b>328,695</b>	<b>1,512,770</b>	<b>119,487</b>	<b>415,092</b>	<b>72,544</b>	<b>27,206</b>	<b>4,384</b>	
<b>All species</b>	<b>395,336</b>	<b>2,098,138</b>	<b>165,648</b>	<b>490,775</b>	<b>85,994</b>	<b>27,250</b>	<b>4,389</b>	

(Table 68 continued on next page)

<sup>1/</sup> Includes particleboard and waferboard bolts.<sup>2/</sup> 128 cubic feet; includes wood, bark, and air space.<sup>3/</sup> International 1/4-inch rule.<sup>4/</sup> Less than 500 cubic feet.<sup>5/</sup> Includes willow, hackberry, river birch, black cherry and butternut.

(Table 68 continued)

Species group	Fuelwood		Posts		Poles		Other products
	Standard cords	Thousand cubic feet	Thousand pieces	Thousand cubic feet	Pieces	Thousand cubic feet	Thousand cubic feet
<b>Softwoods</b>							
Jack pine	12,094	842	--	--	--	--	--
Red pine	9,568	666	1,880	1,931	14,817	126	1
White pine	13,176	920	--	--	--	--	--
White spruce	591	41	--	--	--	--	--
Black spruce	276	19	--	--	--	--	--
Balsam fir	4,111	285	--	--	--	--	--
Hemlock	6,426	450	--	--	--	--	--
Tamarack	687	47	--	--	--	--	--
Northern white-cedar	2,501	173	1,470	1,510	1,600	14	--
Other softwoods	--	--	--	--	--	--	--
Total	49,430	3,443	3,350	3,441	16,417	140	1
<b>Hardwoods</b>							
White oak	176,193	12,321	348	345	150	1	120
Select red oak	366,052	25,613	14	15	141	1	--
Other red oak	160,431	11,223	8	8	84	4/	--
Hickory	18,384	1,281	--	--	--	--	--
Basswood	26,191	1,828	--	--	--	--	--
Beech	3,423	240	--	--	--	--	--
Yellow birch	22,952	1,596	--	--	--	--	--
Hard maple	178,620	12,487	--	--	--	--	10
Soft maple	84,933	5,928	--	--	--	--	132
Elm	478,585	33,490	--	--	--	--	--
Ash	69,031	4,819	--	--	--	--	--
Cottonwood	2,901	199	--	--	--	--	--
Balsam poplar	316	23	--	--	--	--	--
Bigtooth aspen	33,655	2,354	88	89	--	--	268
Quaking aspen	69,836	4,884	63	63	--	--	215
Paper birch	98,095	6,859	--	--	--	--	35
Black walnut	1,680	117	--	--	--	--	--
Other hardwoods <sup>5/</sup>	75,271	5,252	400	400	--	--	64
Total	1,866,549	130,514	921	920	375	2	844
All species	1,915,979	133,957	4,271	4,361	16,792	142	845

2/ 128 cubic feet; includes wood, bark, and air space.

4/ Less than 500 cubic feet.

5/ Includes willow, hackberry, river birch, black cherry and butternut.

Table 69.--Volume of primary plant residue by use and type of residue, Wisconsin, 1981

(In thousand cubic feet)

Use	Wood residue							
	Total		Coarse <sup>1/</sup>		Fine <sup>2/</sup>		Bark <sup>3/</sup>	
	Softwoods	Hardwoods	Softwoods	Hardwoods	Softwoods	Hardwoods	Softwoods	Hardwoods
Fiber products <sup>4/</sup>	2,394.6	14,094.8	2,199.5	12,223.9	195.1	1,870.9	3.6	189.0
Charcoal	2.9	447.5	1.9	389.1	1.0	58.4	1.3	241.3
Industrial fuel	1,436.3	9,215.3	746.9	3,747.4	689.4	5,467.9	1,636.5	9,749.8
Domestic fuel	1,262.8	5,552.9	1,176.4	5,151.1	86.4	401.8	519.6	1,967.7
Miscellaneous <sup>5/</sup>	1,496.0	6,874.7	88.7	781.5	1,407.3	6,093.2	249.2	2,567.0
Not used <sup>6/</sup>	189.5	615.1	66.9	297.4	122.6	317.7	193.9	459.5
Total	6,782.1	36,800.3	4,280.3	22,590.4	2,501.8	14,209.9	2,604.1	15,174.3

1/ Suitable for chipping such as slabs, edgings, veneer cores, etc.

2/ Not suitable for chipping such as sawdust, veneer clippings, etc.

3/ Does not include bark disposal at pulpmills.

4/ For manufacture of pulp, hardboard, or roofing felt.

5/ Livestock bedding, mulch, small dimension, and specialty items.

6/ Includes residue burned as waste.

Table 70.--All live shrub<sup>1</sup>/ biomass yields on commercial forest land by shrub species group and forest type, Wisconsin, 1983  
(In pounds per acre)

Shrub species group	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white cedar	Oak-hickory	Maple-birch	Aspen	Paper birch	Exotic	Forest type	
													Elm-ash-maple	Tamarack
Tall shrubs													3	5
Jack pine	340	18	--	--	--	1	--	44	42	--	--	--	--	--
Red pine	29	178	--	--	6	--	--	2	--	1	1	--	--	--
White pine	19	16	287	--	60	--	1	10	3	20	22	9	--	--
White spruce	--	--	--	3	290	8	--	1	9	6	8	27	--	--
Black spruce	4	17	1	34	--	1,396	10	956	--	17	5	12	--	--
Balsam fir	25	94	161	959	26	251	644	425	6	119	134	116	213	--
Hemlock	--	--	23	--	3	6	19	--	2	13	2	46	--	--
Tamarack	--	--	15	--	135	7	953	4	--	--	1	1	19	--
Eastern redcedar	--	--	9	--	--	--	--	--	24	1	1	6	--	--
Northern white-cedar	--	--	13	--	37	339	19	--	23	2	--	29	--	--
Other softwoods	--	--	--	--	--	--	--	--	23	13	1	12	--	--
Select white oak	218	117	43	--	--	--	--	184	4	4	4	17	15	--
Select red oak	49	19	44	--	1	--	--	110	81	23	26	10	--	--
Other red oak	228	114	82	--	--	15	--	194	2	4	31	2	--	--
Select hickory	--	--	--	--	--	--	--	--	22	23	2	--	--	--
Other hickory	--	--	--	--	--	--	--	--	23	13	1	1	6	--
Basswood	--	--	--	--	36	--	--	--	24	10	55	5	12	--
Beech	--	--	3	--	--	--	--	--	--	26	--	1	--	--
Yellow birch	--	5	--	1	--	--	15	--	7	38	18	--	--	--
Hard maple	--	6	30	6	54	4	--	81	22	379	46	74	--	--
Soft maple	40	74	362	98	87	41	98	53	146	191	155	243	173	2
Elm	1	--	--	5	151	--	10	2	54	43	113	22	10	--
Black ash	--	5	--	5	--	17	--	173	27	6	498	36	27	41
White & green ash	--	--	--	--	--	--	--	--	12	68	77	17	24	--
Cottonwood	--	--	--	--	--	--	--	--	--	--	2	--	--	--
Willow	1	--	--	2	--	--	--	21	--	--	4	--	--	--
Hackberry	--	--	--	--	--	--	--	--	3	2	--	--	--	--
Balsam poplar	--	--	--	1	--	--	--	--	2	4	3	8	--	--
Bigtooth aspen	7	1	45	1	--	--	--	--	19	--	5	112	10	--
Quaking aspen	78	95	94	18	631	15	8	--	22	33	50	694	61	1
Paper birch	5	1	2	31	--	43	16	33	15	10	15	56	112	--
River birch	--	--	--	--	--	--	--	--	3	78	93	55	90	36
Black cherry	42	69	27	59	25	1	--	--	--	15	4	--	--	--
Black walnut	--	--	--	--	--	--	--	--	1	--	1	1	2	--
Butternut	--	--	--	--	--	--	--	--	87	51	23	66	69	8
Other hardwoods	19	17	--	3	--	--	6	--	--	--	--	--	--	--
Striped maple	--	--	--	--	--	--	--	--	--	--	--	--	17	--
Mountain maple	--	--	32	133	--	--	92	--	1	106	32	34	62	--
American hornbeam	--	4	--	--	--	--	--	--	37	19	126	32	1	--
Apple	--	--	--	--	--	--	--	--	3	--	--	--	--	--
Eastern hop hornbeam	--	--	21	--	--	--	--	--	75	41	168	21	12	--
Pincherry	9	1	2	1	--	4	--	15	15	5	7	16	5	--
Chokecherry	43	51	25	9	1	5	--	--	36	28	30	56	39	6
Wild plum	--	--	--	--	--	--	--	--	3	16	--	--	--	--
Mountain ash	--	--	1	--	--	--	--	--	--	--	--	--	--	--
Green alder	19	--	--	83	--	--	--	--	1	1	1	--	--	--
Speckled alder	39	339	205	4,719	--	2,314	3,135	2,516	155	3,702	174	2,355	1,536	2,619

(Table 70 continued on next page)

<sup>1</sup>Trees under 1.0-inch d.b.h. are also included.

(Table 70 continued)

Shrub species group	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar	Tamarack	Oak-hickory	Forest type					
										Elm-ash-soft maple	Maple-birch	Aspen	Paper birch	Exotic	Non-stocked
Dogwood	17	8	25	74	6	1	242	95	191	342	121	206	134	--	298
Black alder	106	--	2	5	--	18	37	1,381	519	567	34	101	421	--	9
Witch hazel	--	17	560	18	--	--	--	--	44	--	17	102	1	--	--
Common ninebark	--	--	--	--	--	--	--	--	--	--	1	--	--	--	--
Juniperberry	61	106	268	25	--	95	9	162	152	35	25	190	27	--	--
Hazel	550	629	952	418	29	59	64	32	586	386	339	1,019	602	--	104
Prickly ash	1	1	1	109	--	62	1	252	193	256	31	16	--	327	--
Alder buckthorn	--	--	--	--	--	--	--	--	--	50	8	--	5	--	--
Leatherwood	--	--	14	1	--	--	--	--	1	--	13	4	3	--	--
Viburnum	--	--	--	2	--	2	--	--	3	23	8	7	2	--	15
Elder	--	--	--	--	--	--	--	--	16	17	20	--	--	--	--
Sunmac	38	2	--	--	--	--	--	1	35	5	38	16	7	--	--
Buffaloberry	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
New Jersey tea	--	3	--	--	--	--	--	--	--	--	--	--	--	--	--
Russian olive	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--
Shrubby willows	123	79	--	193	393	119	464	54	66	432	61	376	146	--	217
Miscellaneous tall shrubs	27	126	1	13	5	370	599	588	17	393	41	62	20	--	94
Total tall shrubs	2,138	2,212	3,322	7,203	1,673	4,998	6,061	7,385	3,353	7,676	2,793	6,276	4,082	--	3,935
Low shrubs															
Yew	--	--	--	--	--	2	--	--	--	--	--	--	--	--	--
Virginia creeper	1	--	--	--	35	--	1	12	18	7	3	2	--	--	--
Labrador tea	7	--	1	25	--	384	50	142	--	4	2	1	12	--	--
Leatherleaf	12	6	1	1	--	153	59	161	--	--	1	1	2	--	--
Bog laurel	--	--	--	--	--	59	8	37	--	--	--	1	--	--	--
Sweetfern	66	24	9	--	--	1	--	--	23	--	--	15	--	--	7
Gooseberry-current	6	3	1	7	3	3	8	4	23	28	28	15	15	--	12
Raspberry-blackberry	152	105	85	148	141	37	86	33	127	178	134	203	188	--	276
Rose	19	8	7	1	5	--	--	--	17	1	1	6	5	--	1
Bilberry-blueberry	406	114	259	73	--	348	21	245	190	4	34	135	60	--	63
Bush honeysuckle	5	7	15	11	6	5	2	8	5	3	9	22	22	--	--
Honeysuckle	4	3	6	19	--	2	5	2	8	3	6	12	15	--	--
Poison ivy	7	1	7	--	--	--	--	--	12	3	3	2	3	--	--
Greenbriar	--	--	2	--	--	--	--	--	--	--	--	--	--	--	--
Bog rosemary	1	--	--	--	--	18	1	8	--	--	--	--	--	--	--
Grape	--	--	--	--	--	--	--	--	8	3	1	--	1	--	--
Strawberry	17	20	17	31	73	5	11	9	11	24	18	48	35	--	28
Miscellaneous low shrubs	83	35	38	13	--	31	28	50	56	10	20	52	25	--	41
Total low shrubs	786	326	448	329	263	1,046	231	700	492	279	264	516	385	--	428
All shrubs	2,924	2,538	3,770	7,532	1,936	6,044	6,292	8,085	3,845	7,955	3,057	6,792	4,467	--	4,363
Number of plots <sup>2/</sup>	176	134	55	100	13	78	75	56	528	211	752	838	129	--	17

<sup>2/</sup>Number of plots by forest type from which average yields were derived.

Table 71.--All live above-ground tree biomass yields on commercial forest land by species group and forest type, Wisconsin, 1983

(In pounds per acre)

Species group	Forest type							
	Jack pine	Red pine	White pine	Balsam fir	White spruce	Black spruce	Northern white-cedar	Tamarack
<b>Softwoods</b>								
Jack pine	80,928	5,614	5,733	133	--	174	105	356
Red pine	3,986	107,160	14,460	970	534	1,027	34	169
White pine	1,256	7,494	77,976	2,509	3,826	2,118	1,873	2,473
White spruce	--	883	1,677	4,507	102,341	148	1,311	354
Black spruce	93	408	1,275	3,003	452	39,903	3,768	6,989
Balsam fir	55	1,132	4,406	52,933	6,918	7,412	17,274	3,939
Hemlock	--	282	1,213	1,778	563	1,017	3,676	69
Tamarack	4	--	515	1,167	--	8,391	4,277	40,632
Eastern redcedar	21	71	--	--	--	--	--	--
Northern white-cedar	--	66	536	8,736	2,214	1,764	71,227	910
Other softwoods	--	771	219	--	--	--	--	--
<b>Total</b>	<b>86,343</b>	<b>123,881</b>	<b>108,010</b>	<b>75,736</b>	<b>116,848</b>	<b>61,954</b>	<b>103,545</b>	<b>55,891</b>
<b>Hardwoods</b>								
White oak	541	354	2,986	23	--	--	58	--
Select red oak	1,574	2,260	2,260	233	--	460	142	61
Other red oak	7,404	3,410	7,677	28	--	33	87	--
Select hickory	--	--	174	--	--	--	63	--
Other hickory	--	--	17	--	--	--	122	--
Basswood	--	53	448	62	416	--	366	--
Beech	--	83	--	--	--	--	--	--
Yellow birch	--	37	334	2,880	355	568	5,500	165
Hard maple	--	1,205	1,269	1,230	1,337	455	354	120
Soft maple	338	2,494	6,520	6,344	1,854	1,631	3,345	2,255
Elm	101	452	350	773	247	--	893	654
Black ash	--	2	621	4,373	262	46	8,603	570
White & green ash	--	270	190	31	1,255	--	150	--
Cottonwood	59	--	2,161	--	--	--	--	--
Willow	--	--	--	30	--	--	156	--
Hackberry	--	--	--	--	--	--	--	--
Balsam poplar	--	--	--	271	1,189	58	216	--
Bigtooth aspen	809	883	2,023	428	248	420	278	1,280
Quaking aspen	3,982	6,287	14,197	9,401	7,399	5,252	3,501	2,257
Paper birch	568	1,816	5,406	6,201	987	2,037	6,795	4,001
River birch	--	--	--	--	--	--	--	--
Black cherry	19	199	1,135	1,379	1,222	550	57	114
Black walnut	--	--	32	--	--	--	--	--
Butternut	--	--	--	--	--	--	--	--
Other hardwoods	52	760	--	--	--	--	7	--
Noncommercial species	20	67	422	301	--	--	48	--
<b>Total</b>	<b>15,467</b>	<b>20,632</b>	<b>48,222</b>	<b>33,988</b>	<b>16,771</b>	<b>11,510</b>	<b>30,741</b>	<b>11,477</b>
<b>All species</b>	<b>101,810</b>	<b>144,513</b>	<b>156,232</b>	<b>109,724</b>	<b>133,619</b>	<b>73,464</b>	<b>134,286</b>	<b>67,368</b>

(Table 71 continued on next page)

(Table 71 continued)

Species group	Forest type						Non-stocked
	Oak-hickory	Elm-ash-soft maple	Maple-birch	Aspen	Paper birch	Exotic	
<b>Softwoods</b>							
Jack pine	3,109	109	201	1,519	539	--	1,550
Red pine	803	39	338	1,292	1,842	14,488	--
White pine	1,395	1,452	2,587	1,281	2,027	--	463
White spruce	10	411	393	835	1,276	3,307	77
Black spruce	--	255	99	302	322	--	--
Balsam fir	94	5,222	2,805	3,606	6,450	--	51
Hemlock	45	1,744	6,287	213	594	--	299
Tamarack	17	877	112	241	634	--	631
Eastern redcedar	111	141	40	3	16	--	--
Northern white-cedar	5	3,458	995	444	1,022	--	--
Other softwoods	22	--	1	--	--	66,025	--
Total	5,611	13,708	13,858	9,736	14,722	83,820	3,071
<b>Hardwoods</b>							
White oak	30,044	2,342	2,949	1,806	2,907	--	4,995
Select red oak	44,436	1,936	9,338	5,496	11,301	--	2,229
Other red oak	33,625	1,171	1,131	2,512	1,053	--	11,483
Select hickory	4,934	29	655	47	1,029	--	438
Other hickory	2,162	102	1,443	118	--	--	165
Basswood	3,069	2,478	17,094	1,051	1,158	--	1,626
Beech	16	62	976	27	--	--	--
Yellow birch	88	3,296	6,870	466	962	--	272
Hard maple	3,252	2,442	48,723	3,006	4,043	--	2,112
Soft maple	5,827	29,815	18,482	10,203	12,647	--	702
Elm	2,698	10,867	8,694	1,153	1,541	--	2,198
Black ash	383	26,373	2,728	1,096	1,563	--	796
White & green ash	1,146	6,980	5,191	476	863	--	146
Cottonwood	305	1,001	127	130	35	--	--
Willow	44	2,252	100	106	60	--	1,419
Hackberry	51	65	28	--	--	--	--
Balsam poplar	31	501	110	614	224	--	--
Bigtooth aspen	5,110	357	2,227	11,631	4,387	--	93
Quaking aspen	3,505	5,682	7,085	43,282	13,561	--	3,750
Paper birch	4,772	3,837	5,594	9,709	64,667	--	808
River birch	65	859	--	--	--	--	--
Black cherry	3,611	713	2,925	1,547	942	--	1,323
Black walnut	781	--	146	--	--	--	435
Butternut	1,001	105	812	71	49	--	639
Other hardwoods	667	2,203	504	71	142	--	326
Noncommercial species	2,174	966	3,230	925	1,293	--	508
Total	153,797	106,434	147,162	95,543	124,427	--	36,463
All species	159,408	120,142	161,020	105,279	139,149	83,820	39,534

Table 72.--All live above-ground tree biomass on commercial forest land by species group and forest type, Wisconsin, 1983  
 (In green tons)

Species group	All types	Jack pine	Red pine	White pine	Balsam fir	Forest type		Black spruce	Northern white-cedar
						White	spruce		
<b>Softwoods</b>									
Jack pine	31,901,423	22,113,539	1,342,319	646,655	27,910	16,-	23,683	19,391	
Red pine	33,250,029	1,089,168	25,622,052	1,631,059	203,315	16,404	140,215	6,279	
White pine	23,324,659	343,246	1,791,763	8,795,677	526,219	117,458	289,164	347,154	
White spruce	7,626,857	--	211,167	189,171	945,169	3,141,892	20,152	243,010	
Black spruce	8,785,257	25,500	97,509	143,870	629,164	13,866	5,446,780	638,460	
Balsam fir	33,680,908	14,938	270,694	496,885	11,100,013	212,383	1,011,672	3,201,796	
Hemlock	15,696,211	--	67,457	136,853	372,781	17,276	138,811	681,376	
Tamarack	8,205,172	1,183	--	58,111	244,286	--	1,145,436	792,759	
Eastern redcedar	357,260	5,709	16,916	--	--	--	--	--	
Northern white-cedar	20,711,115	--	15,848	60,508	1,831,972	67,957	240,783	13,202,007	
Other softwoods	315,370	--	181,250	24,758	--	--	--	--	
<b>Total</b>	<b>183,894,261</b>	<b>23,593,283</b>	<b>29,619,975</b>	<b>12,183,547</b>	<b>15,881,929</b>	<b>3,587,236</b>	<b>8,456,696</b>	<b>19,192,232</b>	
<b>Hardwoods</b>									
White oak	55,153,727	147,759	84,750	336,810	4,743	--	--	10,794	
Select red oak	97,516,483	430,012	540,472	254,756	--	--	62,790	26,367	
Other red oak	60,135,348	2,023,161	815,230	865,960	5,935	--	4,474	16,111	
Select hickory	8,852,912	--	--	19,603	--	--	--	11,589	
Other hickory	6,286,473	--	--	1,877	--	--	--	22,535	
Basswood	42,438,393	--	12,619	50,496	12,963	12,771	--	67,772	
Beech	2,074,892	--	19,832	--	--	--	--	--	
Yellow birch	18,765,601	--	8,832	37,715	603,961	10,891	77,571	1,019,334	
Hard maple	110,772,803	--	288,153	143,137	257,935	41,045	62,073	65,650	
Soft maple	88,416,305	92,374	596,425	735,472	1,330,370	56,904	222,635	619,998	
Elm	31,105,789	27,684	108,104	39,531	162,063	7,595	--	165,532	
Black ash	27,310,645	--	579	70,077	917,020	8,055	6,333	1,534,745	
White & green ash	17,565,489	--	64,502	21,439	6,604	38,525	--	27,719	
Cottonwood	1,793,794	16,021	--	243,714	--	--	--	--	
Willow	2,000,372	--	--	--	6,290	--	--	28,863	
Hackberry	169,438	--	--	--	--	--	--	--	
Balsam poplar	1,790,031	--	--	--	56,842	36,504	7,852	40,069	
Bigtooth aspen	33,368,546	221,147	211,006	228,175	89,781	7,608	57,345	51,554	
Quaking aspen	105,932,416	1,087,938	1,503,156	1,601,294	1,971,395	227,151	716,972	648,867	
Paper birch	61,536,562	155,310	434,182	609,803	1,300,306	30,311	278,011	1,259,522	
River birch	625,592	--	--	--	--	--	--	--	
Black cherry	14,985,469	5,105	47,497	128,075	289,103	37,510	75,024	10,477	
Black walnut	1,445,608	--	--	3,619	--	--	--	--	
Butternut	3,300,969	--	--	--	--	--	--	--	
Other hardwoods	3,712,380	14,333	181,797	--	--	--	--	1,334	
Noncommercial species	12,266,115	5,400	16,020	47,649	63,127	--	--	8,936	
<b>Total</b>	<b>809,382,152</b>	<b>4,226,244</b>	<b>4,933,156</b>	<b>5,439,420</b>	<b>7,127,274</b>	<b>514,870</b>	<b>1,571,080</b>	<b>5,691,768</b>	
All species	993,276,413	27,819,527	34,553,131	17,622,967	23,009,203	4,102,106	10,027,776	24,880,000	

(Table 72 continued on next page)

(Table 72 continued)

Species group	Tamarack	Oak-hickory	Elm-ash-soft maple	Maple-birch	Aspen	Forest type		Paper birch	Exotic	Nonstocked
<b>Softwoods</b>										
Jack pine	39,662	4,444,415	67,622	401,220	2,477,878	172,858	—	15,937	—	124,271
Red pine	18,823	1,148,420	24,363	675,899	2,107,051	591,044	—	—	—	—
White pine	275,371	1,992,823	900,877	5,169,157	2,088,349	650,266	—	—	37,135	—
White spruce	39,368	14,709	254,814	785,860	1,362,306	409,393	3,638	—	6,208	—
Black spruce	778,220	—	158,134	196,954	492,851	103,349	—	—	—	—
Balsam fir	438,658	134,994	3,239,032	5,606,383	5,880,237	2,069,158	—	—	4,065	—
Hemlock	7,726	64,948	1,081,951	12,564,433	348,003	190,645	—	—	23,951	—
Tamarack	4,524,342	24,086	544,151	223,538	392,751	203,397	—	—	50,632	—
Eastern redcedar	—	158,171	87,288	79,250	4,814	5,112	—	—	—	—
Northern white-cedar	101,343	6,581	2,144,946	1,987,504	723,730	327,936	—	—	—	—
Other softwoods	—	30,770	—	2,965	—	—	72,627	—	—	—
<b>Total</b>	<b>6,223,513</b>	<b>8,019,917</b>	<b>8,503,178</b>	<b>27,693,163</b>	<b>15,877,970</b>	<b>4,723,158</b>	<b>92,202</b>	<b>246,262</b>		
<b>Hardwoods</b>										
White oak	—	42,942,850	1,452,711	5,894,316	2,945,780	932,604	—	—	400,610	—
Select red oak	6,828	63,515,820	1,201,037	18,662,050	8,963,303	3,625,294	—	—	178,794	—
Other red oak	—	48,063,05	726,366	2,259,313	4,096,771	337,811	—	—	920,977	—
Select hickory	—	48,052,382	17,741	1,309,294	77,042	330,140	—	—	35,121	—
Other hickory	—	3,090,612	63,340	2,883,214	191,694	—	—	—	13,201	—
Basswood	—	4,386,562	1,537,091	34,161,653	1,714,530	371,557	—	—	130,379	—
Beech	—	22,651	38,650	1,950,212	43,547	—	—	—	—	—
Yellow birch	18,411	125,932	2,044,707	13,728,452	759,553	308,450	—	—	21,792	—
Hard maple	13,352	4,648,379	1,514,553	97,370,566	4,901,346	1,297,138	—	—	169,416	—
Soft maple	251,090	8,329,296	18,494,207	36,935,813	16,638,378	4,057,042	—	—	56,301	—
Elm	72,863	3,856,491	6,741,104	17,373,829	1,880,287	494,443	—	—	176,263	—
Black ash	63,518	547,508	16,359,395	5,451,016	1,787,209	501,378	—	—	63,812	—
White & green ash	—	1,637,682	4,329,881	10,374,010	776,526	276,908	—	—	11,693	—
Cottonwood	—	435,588	620,630	254,746	211,916	11,179	—	—	—	—
Willow	—	62,930	1,396,776	200,382	172,111	19,191	—	—	113,829	—
Hackberry	—	72,294	40,472	56,672	—	—	—	—	—	—
Balsam poplar	—	44,091	310,651	220,693	1,001,591	71,738	—	—	—	—
Bigtooth aspen	142,492	7,304,512	221,492	4,451,275	18,967,359	1,407,376	—	—	7,424	—
Quaking aspen	251,282	5,009,541	3,524,236	14,159,065	70,580,408	4,350,355	—	—	300,756	—
Paper birch	445,465	6,820,910	2,380,299	11,179,061	15,833,483	20,745,082	—	—	64,817	—
River birch	—	92,963	532,629	—	—	—	—	—	—	—
Black cherry	12,716	5,160,964	442,179	5,846,102	2,522,341	302,261	—	—	106,115	—
Black walnut	—	1,115,744	—	291,379	—	—	—	—	34,866	—
Butternut	—	1,431,389	65,193	1,621,785	—	—	—	—	51,283	—
Other hardwoods	—	952,779	1,366,405	1,007,686	116,468	45,440	—	—	26,138	—
Noncommercial species	—	3,106,756	599,985	6,454,369	1,509,216	414,884	—	—	40,773	—
<b>Total</b>	<b>1,278,017</b>	<b>219,829,831</b>	<b>66,020,730</b>	<b>294,096,953</b>	<b>155,806,527</b>	<b>39,915,922</b>	<b>—</b>	<b>2,924,360</b>		
All species	<b>7,501,530</b>	<b>227,849,748</b>	<b>74,523,908</b>	<b>321,790,116</b>	<b>171,684,497</b>	<b>44,639,080</b>	<b>92,202</b>	<b>3,170,622</b>		

Table 73.--All live above-ground tree biomass by species group and tree biomass component, Wisconsin, 1983  
(In green tons)

Species group	Components	Biomass component						Cull	
		All live 1- to 5-inch		Growing stock		Tops and limbs			
		All trees	Stumps	Boles	Tops and limbs	Stumps	Boles		
Softwoods									
Jack pine	31,901,423	4,871,034	1,255,526	16,053,012	7,296,082	112,898	1,535,819	677,052	
Red pine	33,290,029	3,190,443	1,305,904	19,511,246	8,867,864	17,514	281,984	115,074	
White pine	23,324,659	2,069,547	878,635	12,940,036	5,881,203	75,293	1,023,054	456,891	
White spruce	7,626,857	1,090,542	426,783	4,049,560	1,840,517	13,383	147,522	58,550	
Black spruce	8,785,257	4,920,293	242,012	2,336,213	1,061,805	7,673	184,689	32,572	
Balsam fir	33,680,908	10,211,999	1,651,821	14,389,931	6,540,199	46,659	637,127	203,112	
Hemlock	15,696,211	641,783	734,624	8,770,923	3,986,390	94,230	1,015,034	453,227	
Tamarack	8,205,172	2,434,796	311,962	3,520,311	1,599,981	16,723	237,182	84,284	
Eastern redcedar	357,260	119,654	9,524	68,232	31,012	5,042	105,586	18,210	
Northern white-cedar	20,711,115	4,722,797	1,117,377	8,071,784	3,668,652	234,745	2,092,041	803,719	
Other softwoods	315,370	81,521	9,768	85,767	38,981	5,301	68,915	25,117	
Total	183,884,261	34,354,342	7,943,936	89,797,015	40,812,686	629,461	7,428,953	2,927,868	
Hardwoods									
White oak	56,153,727	2,300,582	2,500,405	23,761,134	10,799,400	1,002,535	10,343,958	4,445,713	
Select red oak	97,516,483	2,677,779	4,115,286	52,537,400	23,878,297	719,914	9,393,979	4,193,828	
Other red oak	60,135,348	2,207,730	2,199,777	23,769,473	10,803,233	1,240,393	13,846,613	6,068,129	
Select hickory	8,852,912	670,700	367,745	4,298,263	1,953,560	85,025	1,028,834	448,385	
Other hickory	6,266,473	1,016,015	244,594	3,071,255	1,395,887	24,549	374,152	134,121	
Basswood	42,458,393	2,596,195	1,977,870	22,763,123	10,345,858	252,772	3,171,047	1,351,528	
Beech	2,074,892	146,243	69,324	87,196	398,690	27,815	393,213	162,351	
Yellow birch	18,765,601	1,806,225	708,609	7,309,834	3,322,314	325,937	3,734,561	1,558,121	
Hard maple	110,772,803	14,358,450	4,008,922	50,409,618	22,911,145	907,119	12,814,948	5,362,601	
Soft maple	88,416,305	18,844,878	2,768,828	35,467,032	16,119,732	672,770	10,497,961	4,045,104	
Elm	31,105,789	3,601,568	1,544,597	14,243,817	6,473,814	347,394	3,451,265	1,443,334	
Black ash	27,370,645	4,822,380	1,296,614	12,857,222	5,843,623	129,535	1,841,878	579,393	
White & green ash	17,565,489	1,460,581	722,702	9,332,450	4,196,146	93,698	1,305,469	564,443	
Cottonwood	1,793,794	12,699	86,923	1,045,939	475,379	11,842	110,704	50,316	
Willow	2,000,372	52,701	71,585	783,618	356,156	37,140	501,152	198,020	
Hackberry	169,438	30,626	8,620	81,270	36,939	1,015	7,541	3,427	
Balsam poplar	1,790,031	173,657	64,722	1,000,461	454,701	3,585	63,874	29,031	
Bigtooth aspen	33,368,546	2,640,613	1,037,187	18,555,898	8,433,661	94,549	1,816,491	790,147	
Quaking aspen	105,932,416	15,119,383	3,469,804	51,729,881	23,511,194	498,959	8,199,032	3,405,163	
Paper birch	61,536,562	8,587,770	2,371,797	30,729,452	13,966,525	273,064	4,019,351	1,588,603	
River birch	625,592	71,060	20,192	254,937	115,867	7,476	107,295	48,765	
Black cherry	14,985,669	2,129,319	416,960	5,377,126	2,443,882	208,221	3,207,170	1,202,791	
Black walnut	1,445,608	14,337	58,471	736,606	334,789	15,140	196,814	89,451	
Butternut	3,300,969	92,428	97,241	1,270,338	577,369	65,751	825,557	372,285	
Other hardwoods	3,712,380	638,784	85,672	842,711	383,009	104,843	1,180,313	477,048	
Noncommercial species	12,266,115	8,716,924	--	--	--	89,587	3,120,058	339,546	
Total	809,382,152	94,790,527	30,319,447	373,006,046	169,531,170	7,241,088	95,552,230	38,941,644	
All species	993,276,413	129,144,869	38,263,383	462,803,061	210,343,856	7,870,549	102,981,183	41,869,512	

Table 74.--All live above-ground tree biomass by species group and tree biomass component, Wisconsin, 1983

(In thousand cubic feet)

Species group	All components	Biomass component						Cull	
		All live		Growing stock		Tops and limbs			
		1- to 5-inch trees	Stumps	Boles	Tops and limbs	Stumps	Boles		
Softwoods									
Jack pine	1,339,733	204,432	52,732	674,286	306,452	4,745	68,667	28,419	
Red pine	1,620,629	154,799	63,004	950,197	431,840	851	13,734	5,604	
White pine	1,289,367	114,531	48,536	715,250	325,085	4,149	56,559	25,257	
White spruce	432,845	61,848	24,211	229,860	104,471	762	8,370	3,323	
Black spruce	538,730	301,700	14,850	143,261	65,126	468	11,326	1,999	
Balsam fir	1,537,114	467,638	75,328	655,672	298,030	2,123	29,067	9,256	
Hemlock	659,834	26,933	30,930	368,660	167,555	3,975	42,707	19,074	
Tamarack	358,506	107,516	13,561	153,097	69,590	727	10,349	3,666	
Eastern redcedar	24,607	8,256	654	4,689	2,132	348	7,276	1,252	
Northern white-cedar	1,426,491	325,862	76,850	555,587	252,496	16,179	144,158	55,359	
Other softwoods	15,039	3,879	467	4,095	1,861	254	3,285	1,198	
Total	9,242,895	1,777,394	401,723	4,454,654	2,024,638	34,581	395,498	154,407	
Hardwoods									
White oak	1,931,868	81,232	87,681	832,262	378,246	35,066	361,916	155,465	
Select red oak	3,391,620	94,554	143,176	1,826,983	830,369	24,991	326,037	145,510	
Other red oak	2,067,316	76,974	75,629	816,865	371,300	42,649	415,603	208,296	
Select hickory	306,400	23,388	12,704	148,661	67,571	2,947	35,612	15,517	
Other hickory	217,794	35,462	8,690	106,683	48,489	846	12,980	4,644	
Basswood	2,029,711	123,496	94,621	1,088,659	494,805	12,088	151,458	64,584	
Beech	86,244	6,137	2,872	36,446	16,569	1,160	16,325	6,735	
Yellow birch	69,125	68,174	26,124	213,589	123,974	12,118	138,973	57,904	
Hard maple	4,194,210	549,722	151,793	1,905,751	866,160	34,260	484,199	202,395	
Soft maple	3,823,004	817,921	119,652	1,532,245	696,409	29,029	453,262	174,486	
Elm	1,217,693	141,964	60,464	557,089	253,203	13,589	134,972	56,412	
Black ash	1,168,206	205,780	55,376	548,805	249,401	5,522	78,599	24,723	
White & green ash	748,626	62,328	30,792	393,487	178,828	3,991	55,588	23,612	
Cottonwood	69,731	500	3,372	40,655	18,483	463	4,302	1,956	
Willow	78,023	2,079	2,800	30,594	13,903	1,444	19,510	7,693	
Hackberry	6,637	1,207	337	3,178	1,444	40	296	135	
Balsam poplar	90,744	8,782	3,275	50,738	23,059	181	3,237	1,472	
Bigtooth aspen	1,593,566	125,595	49,518	886,540	402,938	4,510	86,730	37,735	
Quaking aspen	5,045,604	719,191	165,366	2,464,590	1,120,146	23,778	390,375	162,158	
Paper birch	2,559,121	360,436	98,512	1,275,948	579,924	11,327	167,043	65,931	
River birch	25,950	2,982	840	10,558	4,800	309	4,442	2,019	
Black cherry	610,841	86,548	16,994	219,320	99,684	8,495	130,738	49,062	
Black walnut	58,841	583	2,387	29,979	13,622	614	8,012	3,644	
Butternut	134,416	3,756	3,956	51,728	23,517	2,675	33,624	15,160	
Other hardwoods	156,095	26,803	3,601	35,484	16,130	4,394	49,622	20,061	
Noncommercial species	515,629	366,457	--	--	--	3,774	131,083	14,315	
Total	32,827,015	3,992,051	1,220,731	15,165,222	6,892,589	280,260	3,744,538	1,521,624	
All species	42,069,910	5,769,445	1,622,454	19,619,876	8,917,227	314,841	4,150,036	1,676,031	

Table 75.--Sampling errors<sup>1/</sup> for estimates smaller than the Unit totals of volume, net growth, removals, and area of commercial forest land, Wisconsin, 1983

Sampling error	Commercial forest land	Growing stock			Sawtimber		
		Inventory	Growth	Removals	Inventory	Growth	Removals
Percent	Thousands acres	--- Thousand cubic feet ---			--- Thousand board feet --- <sup>2/</sup>		
1	744.0	17,213.0	1,392.4	29,033.7	88,627.4	8,171.1	104,159.6
2	186.0	4,303.2	348.1	7,258.4	22,156.9	2,042.8	26,039.9
3	82.7	1,912.6	154.7	3,226.0	9,847.5	907.9	11,573.3
4	46.5	1,075.8	87.0	1,814.6	5,539.2	510.7	6,510.0
5	29.8	688.5	55.7	1,161.3	3,545.1	326.8	4,166.4
10	7.4	172.1	13.9	290.3	886.3	81.7	1,041.6
15	3.3	76.5	6.2	129.0	393.9	36.3	462.9
20	1.9	43.0	3.5	72.6	221.6	20.4	260.4
25	1.2	27.5	2.2	46.5	141.8	13.1	166.7
50	0.3	6.9	0.6	11.6	35.5	3.3	41.7
100	0.1	1.7	0.1	2.9	8.9	0.8	10.4

<sup>1/</sup>At the 68-percent probability level.

<sup>2/</sup>International 1/4-inch rule.

Raile, Gerhard K.

Wisconsin forest statistics, 1983. Resour. Bull. NC-94. St. Paul, MN:  
U.S. Department of Agriculture, Forest Service, North Central  
Forest Experiment Station; 1985. 113 p.

The fourth inventory of the timber resource of Wisconsin shows a 2 percent increase in commercial forest area and a 39 percent gain in growing-stock volume between 1968 and 1983. Presented are highlights and statistics on area, volume, growth, mortality, removals, utilization, and biomass.

**KEY WORDS:** Timber resource, statistics, area, volume, growth, mortality, removals.